



Quality Control Approval

October 2014

Test	Test Method Referen
E. Coli	Petri Plates 3M
Salmonella	SDIX RapidCheck Salm
Water Activity	AOAC 978.18

Recipe	Lot No.	Made On Date	Best By Date	E.Coli Result	Test Result	Salmonella Test Result	Water Activity Test Result
Preference	2754A1	10/1/2014	10/01/15	NEGATIVE		NEGATIVE	0.377
Preference	2754A2	10/1/2014	10/01/15	NEGATIVE		NEGATIVE	0.396
Preference	2754A3	10/1/2014	10/01/15	NEGATIVE		NEGATIVE	0.405
Preference	2754A4	10/1/2014	10/01/15	NEGATIVE		NEGATIVE	0.404
Preference	2754A5	10/1/2014	10/01/15	NEGATIVE		NEGATIVE	0.417
Preference	2754A6	10/1/2014	10/01/15	NEGATIVE		NEGATIVE	0.397
Preference	2754A7	10/1/2014	10/01/15	NEGATIVE		NEGATIVE	0.408
Preference	2754A8	10/01/14	10/01/15	NEGATIVE		NEGATIVE	0.407
FORCE	2764A1	10/02/14	10/02/15	NEGATIVE		NEGATIVE	0.416
FORCE	2764A2	10/02/14	10/02/15	NEGATIVE		NEGATIVE	0.41
FORCE	2764A3	10/02/14	10/02/15	NEGATIVE		NEGATIVE	0.403
FORCE	2764A4	10/02/14	10/02/15	NEGATIVE		NEGATIVE	0.404
FORCE	2764A5	10/02/14	10/02/15	NEGATIVE		NEGATIVE	0.4
FORCE	2764A6	10/02/14	10/02/15	NEGATIVE		NEGATIVE	0.427
FORCE	2764A7	10/2/2014	10/02/15	NEGATIVE		NEGATIVE	0.51
FORCE	2774A1	10/03/14	10/03/15	NEGATIVE		NEGATIVE	0.403
FORCE	2774A2	10/03/14	10/03/15	NEGATIVE		NEGATIVE	0.405
FORCE	2774A3	10/03/14	10/03/15	NEGATIVE		NEGATIVE	0.416
FORCE	2774A4	10/3/2014	10/03/15	NEGATIVE		NEGATIVE	0.4
FORCE	2774A5	10/3/2014	10/03/15	NEGATIVE		NEGATIVE	0.41
FORCE	2774A6	10/03/14	10/03/15	NEGATIVE		NEGATIVE	0.397
FORCE	2774A7	10/03/14	10/03/15	NEGATIVE		NEGATIVE	0.405
FORCE	2774A8	10/3/2014	10/03/15	NEGATIVE		NEGATIVE	0.402
FORCE	2774A9	10/3/2014	10/03/15	NEGATIVE		NEGATIVE	0.412
FORCE	2774A10	10/3/2014	10/03/15	NEGATIVE		NEGATIVE	0.41
FORCE	2774A11	10/3/2014	10/03/15	NEGATIVE		NEGATIVE	0.447
FORCE	2774A12	10/3/2014	10/03/15	NEGATIVE		NEGATIVE	0.404
FORCE	2774A13	10/3/2014	10/03/15	NEGATIVE		NEGATIVE	0.41
FORCE	2774A14	10/3/2014	10/03/15	NEGATIVE		NEGATIVE	0.413
KEEN	2804A1	10/7/2014	10/07/15	NEGATIVE		NEGATIVE	0.398
KEEN	2804A2	10/7/2015	10/07/15	NEGATIVE		NEGATIVE	0.397
KEEN	2804A3	10/07/14	10/07/15	NEGATIVE		NEGATIVE	0.403
KEEN	2804A4	10/07/14	10/07/15	NEGATIVE		NEGATIVE	0.399
KEEN	2804A5	10/07/14	10/07/15	NEGATIVE		NEGATIVE	0.385
KEEN	2804A6	10/07/14	10/07/15	NEGATIVE		NEGATIVE	0.39
KEEN	2804A7	10/07/14	10/07/15	NEGATIVE		NEGATIVE	0.38
KEEN	2804A8	10/07/14	10/07/15	NEGATIVE		NEGATIVE	0.388
KEEN	2804A9	10/07/14	10/07/15	NEGATIVE		NEGATIVE	0.387
KEEN	2804A10	10/07/14	10/07/15	NEGATIVE		NEGATIVE	0.396
KEEN	2804A11	10/07/14	10/07/15	NEGATIVE		NEGATIVE	0.375
KEEN	2804A12	10/07/14	10/07/15	NEGATIVE		NEGATIVE	0.417
KEEN	2804A13	10/07/14	10/07/15	NEGATIVE		NEGATIVE	0.402
KEEN	2804A14	10/07/14	10/07/15	NEGATIVE		NEGATIVE	0.407
KEEN	2804A15	10/07/14	10/07/15	NEGATIVE		NEGATIVE	0.392
KEEN	2814A1	10/08/14	10/08/15	NEGATIVE		NEGATIVE	0.391

KEEN	2814A2	10/08/14	10/08/15	NEGATIVE	NEGATIVE	0.422
KEEN	2814A3	10/08/14	10/08/15	NEGATIVE	NEGATIVE	0.403
KEEN	2814A4	10/08/14	10/08/15	NEGATIVE	NEGATIVE	0.408
KEEN	2814A5	10/08/14	10/08/15	NEGATIVE	NEGATIVE	0.389
KEEN	2814A6	10/08/14	10/08/15	NEGATIVE	NEGATIVE	0.411
KEEN	2814A7	10/08/14	10/08/15	NEGATIVE	NEGATIVE	0.436
EMBARK	2824A1	10/09/14	10/09/15	NEGATIVE	NEGATIVE	0.307
EMBARK	2824A2	10/09/14	10/09/15	NEGATIVE	NEGATIVE	0.333
EMBARK	2824A3	10/09/14	10/09/15	NEGATIVE	NEGATIVE	0.329
EMBARK	2824A4	10/09/14	10/09/15	NEGATIVE	NEGATIVE	0.33
EMBARK	2824A5	10/09/14	10/09/15	NEGATIVE	NEGATIVE	0.351
EMBARK	2834A1	10/10/2014	10/10/15	NEGATIVE	NEGATIVE	0.347
EMBARK	2834A2	10/10/2014	10/10/15	NEGATIVE	NEGATIVE	0.329
EMBARK	2834A3	10/10/2014	10/10/15	NEGATIVE	NEGATIVE	0.318
EMBARK	2834A4	10/10/2014	10/10/15	NEGATIVE	NEGATIVE	0.32
EMBARK	2834A5	10/10/2014	10/10/15	NEGATIVE	NEGATIVE	0.334
EMBARK	2834A6	10/10/2014	10/10/15	NEGATIVE	NEGATIVE	0.336
EMBARK	2834A7	10/10/2014	10/10/15	NEGATIVE	NEGATIVE	0.34
EMBARK	2834A8	10/10/2014	10/10/15	NEGATIVE	NEGATIVE	0.364
EMBARK	2834A9	10/10/2014	10/10/15	NEGATIVE	NEGATIVE	0.341
EMBARK	2834A10	10/10/2014	10/10/15	NEGATIVE	NEGATIVE	0.336
EMBARK	2834A11	10/10/2014	10/10/15	NEGATIVE	NEGATIVE	0.359
EMBARK	2834A12	10/10/2014	10/10/15	NEGATIVE	NEGATIVE	0.328
PROWL	2864A1	10/13/2014	10/13/15	NEGATIVE	NEGATIVE	0.333
PROWL	2864A2	10/13/2014	10/13/15	NEGATIVE	NEGATIVE	0.32
LOVE	2864A3	10/13/2014	10/13/15	NEGATIVE	NEGATIVE	0.349
LOVE	2864A4	10/13/2014	10/13/15	NEGATIVE	NEGATIVE	0.383
LOVE	2864A5	10/13/2014	10/13/15	NEGATIVE	NEGATIVE	0.39
LOVE	2864A6	10/13/2014	10/13/15	NEGATIVE	NEGATIVE	0.37
LOVE	2684A7	10/13/2014	10/13/15	NEGATIVE	NEGATIVE	0.339
LOVE	2874A1	10/14/2014	10/14/15	NEGATIVE	NEGATIVE	0.367
LOVE	2874A2	10/14/2014	10/14/15	NEGATIVE	NEGATIVE	0.35
LOVE	2874A3	10/14/2014	10/14/15	NEGATIVE	NEGATIVE	0.33
LOVE	2874A4	10/14/2014	10/14/15	NEGATIVE	NEGATIVE	0.333
LOVE	2874A5	10/14/2014	10/14/15	NEGATIVE	NEGATIVE	0.341
LOVE	2874A6	10/14/2014	10/14/15	NEGATIVE	NEGATIVE	0.324
LOVE	2874A7	10/14/2014	10/14/15	NEGATIVE	NEGATIVE	0.347
ZEAL	2884A1	10/15/2014	10/15/15	NEGATIVE	NEGATIVE	0.361
ZEAL	2884A2	10/15/14	10/15/15	NEGATIVE	NEGATIVE	0.355
ZEAL	2884A3	10/15/14	10/15/15	NEGATIVE	NEGATIVE	0.373
ZEAL	2884A4	10/15/14	10/15/15	NEGATIVE	NEGATIVE	0.361
ZEAL	2884A5	10/15/14	10/15/15	NEGATIVE	NEGATIVE	0.359
ZEAL	2884A6	10/15/14	10/15/15	NEGATIVE	NEGATIVE	0.348
ZEAL	2884A7	10/15/14	10/15/15	NEGATIVE	NEGATIVE	0.355
ZEAL	2884A8	10/15/2014	10/15/15	NEGATIVE	NEGATIVE	0.35
THRIVE	2894A1	10/16/2014	10/16/15	NEGATIVE	NEGATIVE	0.414
THRIVE	2894A3	10/16/2014	10/16/15	NEGATIVE	NEGATIVE	0.431
THRIVE	2894A4	10/16/2014	10/16/15	NEGATIVE	NEGATIVE	0.403
THRIVE	2894A5	10/16/2014	10/16/15	NEGATIVE	NEGATIVE	0.404
THRIVE	2894A6	10/16/2014	10/16/15	NEGATIVE	NEGATIVE	0.43
VERVE	2894A7	10/16/2014	10/16/15	NEGATIVE	NEGATIVE	0.44
VERVE	2894A8	10/16/2014	10/16/15	NEGATIVE	NEGATIVE	0.447
VERVE	2894A9	10/16/2014	10/16/15	NEGATIVE	NEGATIVE	0.439

VERVE	2894A10	10/16/2014	10/16/15	NEGATIVE	NEGATIVE	0.44
GRACE	2904A1	10/17/2014	10/17/15	NEGATIVE	NEGATIVE	0.223
GRACE	2904A2	10/17/2014	10/17/15	NEGATIVE	NEGATIVE	0.189
GRACE	2904A3	10/17/2014	10/17/15	NEGATIVE	NEGATIVE	0.211
KINDLY	2904A4	10/17/2014	10/17/15	NEGATIVE	NEGATIVE	0.327
HALCYON	2904A5	10/17/2014	10/17/15	NEGATIVE	NEGATIVE	0.473
HALCYON	2904A6	10/17/2014	10/17/15	NEGATIVE	NEGATIVE	0.473
HALCYON	2904A7	10/17/2014	10/17/15	NEGATIVE	NEGATIVE	0.444
HALE	2904A8	10/17/2014	10/17/15	NEGATIVE	NEGATIVE	0.446
REVEL	2904A9	10/17/2014	10/17/15	NEGATIVE	NEGATIVE	0.382



Quality Control Approval

November 2014

Test	Test Method Reference
E. Coli	Petri Plates 3M
Salmonella	SDIX RapidCheck Salmonella
Water Activity	AOAC 978.18

Recipe	Lot No.	Made On Date	Best By Date	E.Coli Result	Test Result	Salmonella Test Result	Water Activity Test Result
PREFERENCE	3104A1	11/06/14	11/06/15	NEGATIVE	NEGATIVE	NEGATIVE	0.408
PREFERENCE	3104A2	11/06/14	11/06/15	NEGATIVE	NEGATIVE	NEGATIVE	0.401
PREFERENCE	3104A3	11/06/14	11/06/15	NEGATIVE	NEGATIVE	NEGATIVE	0.406
PREFERENCE	3104A4	11/06/14	11/06/15	NEGATIVE	NEGATIVE	NEGATIVE	0.406
PREFERENCE	3104A5	11/06/14	11/06/15	NEGATIVE	NEGATIVE	NEGATIVE	0.378
PREFERENCE	3104A6	11/06/14	11/06/15	NEGATIVE	NEGATIVE	NEGATIVE	0.415
PREFERENCE	3104A7	11/06/14	11/06/15	NEGATIVE	NEGATIVE	NEGATIVE	0.408
PREFERENCE	3104A8	11/06/14	11/06/15	NEGATIVE	NEGATIVE	NEGATIVE	0.392
PREFERENCE	3104A9	11/06/14	11/06/15	NEGATIVE	NEGATIVE	NEGATIVE	0.386
PREFERENCE	3104A10	11/06/14	11/06/15	NEGATIVE	NEGATIVE	NEGATIVE	0.364
VERVE	3114A1	11/07/14	11/07/15	NEGATIVE	NEGATIVE	NEGATIVE	0.373
VERVE	3114A2	11/07/14	11/07/15	NEGATIVE	NEGATIVE	NEGATIVE	0.399
VERVE	3114A3	11/07/14	11/07/15	NEGATIVE	NEGATIVE	NEGATIVE	0.38
VERVE	3114A4	11/07/14	11/07/15	NEGATIVE	NEGATIVE	NEGATIVE	0.394
VERVE	3114A5	11/07/14	11/07/15	NEGATIVE	NEGATIVE	NEGATIVE	0.411
PROWL	3144A1	11/10/14	11/10/15	NEGATIVE	NEGATIVE	NEGATIVE	0.242
PROWL	3144A2	11/10/14	11/10/15	NEGATIVE	NEGATIVE	NEGATIVE	0.279
PROWL	3144A3	11/10/14	11/10/15	NEGATIVE	NEGATIVE	NEGATIVE	0.291
PROWL	3144A4	11/10/14	11/10/15	NEGATIVE	NEGATIVE	NEGATIVE	0.276
LOVE	3144A5	11/10/14	11/10/15	NEGATIVE	NEGATIVE	NEGATIVE	0.299
LOVE	3144A6	11/10/14	11/10/15	NEGATIVE	NEGATIVE	NEGATIVE	0.324
LOVE	3144A7	11/10/14	11/10/15	NEGATIVE	NEGATIVE	NEGATIVE	0.324
LOVE	3144A8	11/10/14	11/10/15	NEGATIVE	NEGATIVE	NEGATIVE	0.337
LOVE	3144A9	11/10/14	11/10/15	NEGATIVE	NEGATIVE	NEGATIVE	0.305
LOVE	3144A10	11/10/14	11/10/15	NEGATIVE	NEGATIVE	NEGATIVE	0.326
KEEN	3154A1	11/11/14	11/11/15	NEGATIVE	NEGATIVE	NEGATIVE	0.356
KEEN	3154A2	11/11/14	11/11/15	NEGATIVE	NEGATIVE	NEGATIVE	0.386
KEEN	3154A3	11/11/14	11/11/15	NEGATIVE	NEGATIVE	NEGATIVE	0.385
KEEN	3154A4	11/11/14	11/11/15	NEGATIVE	NEGATIVE	NEGATIVE	0.347
KEEN	3164A1	11/11/14	11/11/15	NEGATIVE	NEGATIVE	NEGATIVE	0.343
KEEN	3164A2	11/11/14	11/11/15	NEGATIVE	NEGATIVE	NEGATIVE	0.386
KEEN	3164A3	11/11/14	11/11/15	NEGATIVE	NEGATIVE	NEGATIVE	0.38
KEEN	3164A4	11/11/14	11/11/15	NEGATIVE	NEGATIVE	NEGATIVE	0.386
KEEN	3164A5	11/11/14	11/11/15	NEGATIVE	NEGATIVE	NEGATIVE	0.383
KEEN	3164A6	11/11/14	11/11/15	NEGATIVE	NEGATIVE	NEGATIVE	0.35
KEEN	3164A7	11/11/14	11/11/15	NEGATIVE	NEGATIVE	NEGATIVE	0.391
KEEN	3164A8	11/11/14	11/11/15	NEGATIVE	NEGATIVE	NEGATIVE	0.374
KEEN	3164A9	11/11/14	11/11/15	NEGATIVE	NEGATIVE	NEGATIVE	0.347
KEEN	3164A10	11/11/14	11/11/15	NEGATIVE	NEGATIVE	NEGATIVE	0.384
KEEN	3164A11	11/11/14	11/11/15	NEGATIVE	NEGATIVE	NEGATIVE	0.358
KEEN	3164A12	11/11/14	11/11/15	NEGATIVE	NEGATIVE	NEGATIVE	0.345
KEEN	3164A13	11/11/14	11/11/15	NEGATIVE	NEGATIVE	NEGATIVE	0.392
FORCE	3174A1	11/12/14	11/12/15	NEGATIVE	NEGATIVE	NEGATIVE	0.379
FORCE	3174A2	11/12/14	11/12/15	NEGATIVE	NEGATIVE	NEGATIVE	0.366
EMBARK	3174A3	11/12/14	11/12/15	NEGATIVE	NEGATIVE	NEGATIVE	0.322
EMBARK	3174A4	11/12/14	11/12/15	NEGATIVE	NEGATIVE	NEGATIVE	0.347
EMBARK	317AA5	11/12/14	11/12/15	NEGATIVE	NEGATIVE	NEGATIVE	0.327
EMBARK	3184A1	11/14/14	11/14/15	NEGATIVE	NEGATIVE	NEGATIVE	0.366
EMBARK	3184A2	11/14/14	11/14/15	NEGATIVE	NEGATIVE	NEGATIVE	0.341
EMBARK	3184A3	11/14/14	11/14/15	NEGATIVE	NEGATIVE	NEGATIVE	0.358
EMBARK	3184A4	11/14/14	11/14/15	NEGATIVE	NEGATIVE	NEGATIVE	0.314
EMBARK	3184A5	11/14/14	11/14/15	NEGATIVE	NEGATIVE	NEGATIVE	0.323

EMBARK	3184A6	11/14/14	11/14/15	NEGATIVE	NEGATIVE	0.282
EMBARK	3184A7	11/14/14	11/14/15	NEGATIVE	NEGATIVE	0.276
EMBARK	3184A8	11/14/14	11/14/15	NEGATIVE	NEGATIVE	0.301
EMBARK	3184A9	11/14/14	11/14/15	NEGATIVE	NEGATIVE	0.302
EMBARK	3184A10	11/14/14	11/14/15	NEGATIVE	NEGATIVE	0.281
EMBARK	3184A11	11/14/14	11/14/15	NEGATIVE	NEGATIVE	0.35
EMBARK	3184A12	11/14/14	11/14/15	NEGATIVE	NEGATIVE	0.296
EMBARK	3184A13	11/14/14	11/14/15	NEGATIVE	NEGATIVE	0.336
EMBARK	3184A14	11/14/14	11/14/15	NEGATIVE	NEGATIVE	0.316
EMBARK	3184A15	11/14/14	11/14/15	NEGATIVE	NEGATIVE	0.318
THRIVE	3214A1	11/17/14	11/17/15	NEGATIVE	NEGATIVE	0.4
THRIVE	3214A2	11/17/14	11/17/15	NEGATIVE	NEGATIVE	0.391
THRIVE	3214A3	11/17/14	11/17/15	NEGATIVE	NEGATIVE	0.394
THRIVE	3214A4	11/17/14	11/17/15	NEGATIVE	NEGATIVE	0.396
THRIVE	3214A5	11/17/14	11/17/15	NEGATIVE	NEGATIVE	0.382
THRIVE	3214A6	11/17/14	11/17/15	NEGATIVE	NEGATIVE	0.41
THRIVE	3214A7	11/17/14	11/17/15	NEGATIVE	NEGATIVE	0.399
THRIVE	3214A8	11/17/14	11/17/15	NEGATIVE	NEGATIVE	0.388
GRACE	3214A9	11/17/14	11/17/15	NEGATIVE	NEGATIVE	0.177
GRACE	3214A10	11/17/14	11/17/15	NEGATIVE	NEGATIVE	0.199
ZEAL	3224A1	11/18/2014	11/18/2015	NEGATIVE	NEGATIVE	0.329
ZEAL	3224A2	11/18/2014	11/18/2015	NEGATIVE	NEGATIVE	0.32
ZEAL	3224A3	11/18/2014	11/18/2015	NEGATIVE	NEGATIVE	0.312
ZEAL	3224A4	11/18/2014	11/18/2015	NEGATIVE	NEGATIVE	0.319
ZEAL	3224A5	11/18/2014	11/18/2015	NEGATIVE	NEGATIVE	0.315
ZEAL	3224A6	11/18/2014	11/18/2015	NEGATIVE	NEGATIVE	0.333
ZEAL	3224A7	11/18/2014	11/18/2015	NEGATIVE	NEGATIVE	0.307
ZEAL	3224A8	11/18/2014	11/18/2015	NEGATIVE	NEGATIVE	0.298
FORCE	3234A1	11/19/2014	11/19/2015	NEGATIVE	NEGATIVE	0.35
FORCE	3234A2	11/19/2014	11/19/2015	NEGATIVE	NEGATIVE	0.342
FORCE	3234A3	11/19/2014	11/19/2015	NEGATIVE	NEGATIVE	0.342
FORCE	3234A4	11/19/2014	11/19/2015	NEGATIVE	NEGATIVE	0.348
FORCE	3234A5	11/19/2014	11/19/2015	NEGATIVE	NEGATIVE	0.345
FORCE	3234A6	11/19/2014	11/19/2015	NEGATIVE	NEGATIVE	0.344
FORCE	3234A7	11/19/2014	11/19/2015	NEGATIVE	NEGATIVE	0.36
FORCE	3234A8	11/19/2014	11/19/2015	NEGATIVE	NEGATIVE	0.358
FORCE	3234A9	11/19/2014	11/19/2015	NEGATIVE	NEGATIVE	0.337
FORCE	3234A10	11/19/2014	11/19/2015	NEGATIVE	NEGATIVE	0.351
FORCE	3244A1	11/20/2014	11/20/2015	NEGATIVE	NEGATIVE	0.329
FORCE	3244A2	11/20/2014	11/20/2015	NEGATIVE	NEGATIVE	0.344
FORCE	3244A3	11/20/2014	11/20/2015	NEGATIVE	NEGATIVE	0.326
FORCE	3244A4	11/20/2014	11/20/2015	NEGATIVE	NEGATIVE	0.362
FORCE	3244A5	11/20/2014	11/20/2015	NEGATIVE	NEGATIVE	0.336
HALCYON	3244A6	11/20/2014	11/20/2015	NEGATIVE	NEGATIVE	0.421
HALE	3244A7	11/20/2014	11/20/2015	NEGATIVE	NEGATIVE	0.437
KINDLY	3244A8	11/20/2014	11/20/2015	NEGATIVE	NEGATIVE	0.312



Quality Control Approval

December 2014

Test	Test Method Reference
E. Coli	Petri Plates 3M
Salmonella	SDIX RapidCheck Salmonella
Water Activity	AOAC 978.18

Recipe	Lot No.	Made On Date	Best By Date	E.Coli Result	Test Result	Salmonella Test Result	Water Activity Test Result
KEEN	3424A1	12/08/14	12/08/15	NEGATIVE	NEGATIVE	NEGATIVE	0.397
PROWL	3424A2	12/08/14	12/08/15	NEGATIVE	NEGATIVE	NEGATIVE	0.253
LOVE	3424A3	12/08/14	12/08/15	NEGATIVE	NEGATIVE	NEGATIVE	0.349
LOVE	3424A4	12/08/14	12/08/15	NEGATIVE	NEGATIVE	NEGATIVE	0.343
EMBARK	3424A5	12/08/14	12/08/15	NEGATIVE	NEGATIVE	NEGATIVE	0.32
GRACE	3424A6	12/08/14	12/08/15	NEGATIVE	NEGATIVE	NEGATIVE	0.26
FORCE	3424A7	12/08/14	12/08/15	NEGATIVE	NEGATIVE	NEGATIVE	0.331
PREFERENCE	3424A8	12/08/14	12/08/15	NEGATIVE	NEGATIVE	NEGATIVE	0.41
PREFERENCE	3424A9	12/08/14	12/08/15	NEGATIVE	NEGATIVE	NEGATIVE	0.363
PREFERENCE	3424A10	12/08/14	12/08/15	NEGATIVE	NEGATIVE	NEGATIVE	0.378
PREFERENCE	3424A11	12/08/14	12/08/15	NEGATIVE	NEGATIVE	NEGATIVE	0.411
PREFERENCE	3424A12	12/08/14	12/08/15	NEGATIVE	NEGATIVE	NEGATIVE	0.387
PREFERENCE	3424A13	12/08/14	12/08/15	NEGATIVE	NEGATIVE	NEGATIVE	0.389
PREFERENCE	3424A14	12/08/14	12/08/15	NEGATIVE	NEGATIVE	NEGATIVE	0.39
FORCE	3434A1	12/09/14	12/09/15	NEGATIVE	NEGATIVE	NEGATIVE	0.357
FORCE	3434A2	12/09/14	12/09/15	NEGATIVE	NEGATIVE	NEGATIVE	0.325
FORCE	3434A3	12/09/14	12/09/15	NEGATIVE	NEGATIVE	NEGATIVE	0.352
FORCE	3434A4	12/09/14	12/09/15	NEGATIVE	NEGATIVE	NEGATIVE	0.339
FORCE	3434A5	12/09/14	12/09/15	NEGATIVE	NEGATIVE	NEGATIVE	0.348
FORCE	3434A6	12/09/14	12/09/15	NEGATIVE	NEGATIVE	NEGATIVE	0.34
FORCE	3434A7	12/09/14	12/09/15	NEGATIVE	NEGATIVE	NEGATIVE	0.343
FORCE	3434A8	12/09/14	12/09/15	NEGATIVE	NEGATIVE	NEGATIVE	0.342
FORCE	3434A9	12/09/14	12/09/15	NEGATIVE	NEGATIVE	NEGATIVE	0.335
FORCE	3434A10	12/09/14	12/09/15	NEGATIVE	NEGATIVE	NEGATIVE	0.353
FORCE	3444A1	12/10/14	12/10/15	NEGATIVE	NEGATIVE	NEGATIVE	0.368
FORCE	3444A2	12/10/14	12/10/15	NEGATIVE	NEGATIVE	NEGATIVE	0.353
FORCE	3444A3	12/10/14	12/10/15	NEGATIVE	NEGATIVE	NEGATIVE	0.356
FORCE	3444A4	12/10/14	12/10/15	NEGATIVE	NEGATIVE	NEGATIVE	0.368
FORCE	3444A5	12/10/14	12/10/15	NEGATIVE	NEGATIVE	NEGATIVE	0.36
FORCE	3444A6	12/10/14	12/10/15	NEGATIVE	NEGATIVE	NEGATIVE	0.376
FORCE	3444A7	12/10/14	12/10/15	NEGATIVE	NEGATIVE	NEGATIVE	0.326
LOVE	3454A1	12/11/14	12/11/15	NEGATIVE	NEGATIVE	NEGATIVE	0.34
LOVE	3454A2	12/11/14	12/11/15	NEGATIVE	NEGATIVE	NEGATIVE	0.298
LOVE	3454A3	12/11/14	12/11/15	NEGATIVE	NEGATIVE	NEGATIVE	0.355
LOVE	3454A4	12/11/14	12/11/15	NEGATIVE	NEGATIVE	NEGATIVE	0.322
LOVE	3454A5	12/11/14	12/11/15	NEGATIVE	NEGATIVE	NEGATIVE	0.333
LOVE	3454A6	12/11/14	12/11/15	NEGATIVE	NEGATIVE	NEGATIVE	0.338
LOVE	3454A7	12/11/14	12/11/15	NEGATIVE	NEGATIVE	NEGATIVE	0.326
LOVE	3454A8	12/11/14	12/11/15	NEGATIVE	NEGATIVE	NEGATIVE	0.339
VERVE	3524A1	12/11/14	12/11/15	NEGATIVE	NEGATIVE	NEGATIVE	0.376
EMBARK	3464A1	12/12/14	12/12/15	NEGATIVE	NEGATIVE	NEGATIVE	0.345
EMBARK	3464A2	12/12/14	12/12/15	NEGATIVE	NEGATIVE	NEGATIVE	0.305
EMBARK	3464A3	12/12/14	12/12/15	NEGATIVE	NEGATIVE	NEGATIVE	0.303
EMBARK	3464A4	12/12/14	12/12/15	NEGATIVE	NEGATIVE	NEGATIVE	0.343
EMBARK	3464A5	12/12/14	12/12/15	NEGATIVE	NEGATIVE	NEGATIVE	0.358
EMBARK	3464A6	12/12/14	12/12/15	NEGATIVE	NEGATIVE	NEGATIVE	0.329
EMBARK	3464A7	12/12/14	12/12/15	NEGATIVE	NEGATIVE	NEGATIVE	0.346
EMBARK	3464A8	12/12/14	12/12/15	NEGATIVE	NEGATIVE	NEGATIVE	0.32
EMBARK	3464A9	12/12/14	12/12/15	NEGATIVE	NEGATIVE	NEGATIVE	0.337
EMBARK	3464A10	12/12/14	12/12/15	NEGATIVE	NEGATIVE	NEGATIVE	0.321
EMBARK	3464A11	12/12/14	12/12/15	NEGATIVE	NEGATIVE	NEGATIVE	0.329
EMBARK	3464A12	12/12/14	12/12/15	NEGATIVE	NEGATIVE	NEGATIVE	0.292

EMBARK	3464A13	12/12/14	12/12/15	NEGATIVE	NEGATIVE	0.348
EMBARK	3464A14	12/12/14	12/12/15	NEGATIVE	NEGATIVE	0.334
EMBARK	3464A15	12/12/14	12/12/15	NEGATIVE	NEGATIVE	0.354
ZEAL	3494A1	12/15/14	12/15/15	NEGATIVE	NEGATIVE	0.366
ZEAL	3494A2	12/15/14	12/15/15	NEGATIVE	NEGATIVE	0.352
ZEAL	3494A3	12/15/14	12/15/15	NEGATIVE	NEGATIVE	0.345
ZEAL	3494A4	12/15/14	12/15/15	NEGATIVE	NEGATIVE	0.357
ZEAL	3494A5	12/15/14	12/15/15	NEGATIVE	NEGATIVE	0.369
ZEAL	3494A6	12/15/14	12/15/15	NEGATIVE	NEGATIVE	0.331
THRIVE	3504A1	12/16/14	12/15/15	NEGATIVE	NEGATIVE	0.439
THRIVE	3504A2	12/16/14	12/15/15	NEGATIVE	NEGATIVE	0.398
THRIVE	3504A3	12/16/14	12/15/15	NEGATIVE	NEGATIVE	0.395
THRIVE	3504A4	12/16/14	12/15/15	NEGATIVE	NEGATIVE	0.414
THRIVE	3504A5	12/16/14	12/15/15	NEGATIVE	NEGATIVE	0.399
THRIVE	3504A6	12/16/14	12/15/15	NEGATIVE	NEGATIVE	0.392
THRIVE	3504A7	12/16/14	12/15/15	NEGATIVE	NEGATIVE	0.377
THRIVE	3504A8	12/16/14	12/15/15	NEGATIVE	NEGATIVE	0.403
GRACE	3514A1	12/17/14	12/17/15	NEGATIVE	NEGATIVE	0.244
GRACE	3514A2	12/17/14	12/17/15	NEGATIVE	NEGATIVE	0.23
PROWL	3514A3	12/17/14	12/17/15	NEGATIVE	NEGATIVE	0.253
PROWL	3514A4	12/17/14	12/17/15	NEGATIVE	NEGATIVE	0.268
VERVE	3524A2	12/18/14	12/18/15	NEGATIVE	NEGATIVE	0.376
VERVE	3524A3	12/18/14	12/18/15	NEGATIVE	NEGATIVE	0.383
VERVE	3524A4	12/18/14	12/18/15	NEGATIVE	NEGATIVE	0.382
VERVE	3524A5	12/18/14	12/18/15	NEGATIVE	NEGATIVE	0.395
VERVE	3524A6	12/18/14	12/18/15	NEGATIVE	NEGATIVE	0.4
VERVE	3524A7	12/18/14	12/18/15	NEGATIVE	NEGATIVE	0.394
VERVE	3524A8	12/18/14	12/18/15	NEGATIVE	NEGATIVE	0.395
KEEN	3534A1	12/19/14	12/19/15	NEGATIVE	NEGATIVE	0.392
KEEN	3534A2	12/19/14	12/19/15	NEGATIVE	NEGATIVE	0.381
KEEN	3534A3	12/19/14	12/19/15	NEGATIVE	NEGATIVE	0.372
KEEN	3534A4	12/19/14	12/19/15	NEGATIVE	NEGATIVE	0.375
KEEN	3534A5	12/19/14	12/19/15	NEGATIVE	NEGATIVE	0.393
KEEN	3534A6	12/19/14	12/19/15	NEGATIVE	NEGATIVE	0.386
KEEN	3534A7	12/19/14	12/19/15	NEGATIVE	NEGATIVE	0.366
KEEN	3534A8	12/19/14	12/19/15	NEGATIVE	NEGATIVE	0.381
KEEN	3534A9	12/19/14	12/19/15	NEGATIVE	NEGATIVE	0.365
KEEN	3534A10	12/19/14	12/19/15	NEGATIVE	NEGATIVE	0.394
KEEN	3534A11	12/19/14	12/19/15	NEGATIVE	NEGATIVE	0.389
KEEN	3534A12	12/19/14	12/19/15	NEGATIVE	NEGATIVE	0.393
KEEN	3534A13	12/19/14	12/19/15	NEGATIVE	NEGATIVE	0.393
KEEN	3534A14	12/19/14	12/19/15	NEGATIVE	NEGATIVE	0.364



Quality Control Approval

January 2015

Test	Test Method Reference
E. Coli	Petri Plates 3M
Salmonella	SDIX RapidCheck Salmonella
Water Activity	AOAC 978.18

Recipe	Lot No.	Made On Date	Best By Date	E.Coli Test Result	Salmonella Test Result	Water Activity Test Result
KEEN	0135A1	01/13/15	01/13/16	NEGATIVE	NEGATIVE	0.381
KEEN	0135A2	01/13/15	01/13/16	NEGATIVE	NEGATIVE	0.371
KEEN	0135A3	01/13/15	01/13/16	NEGATIVE	NEGATIVE	0.356
KEEN	0135A4	01/13/15	01/13/16	NEGATIVE	NEGATIVE	0.382
KEEN	0135A5	01/13/15	01/13/16	NEGATIVE	NEGATIVE	0.336
KEEN	0135A6	01/13/15	01/13/16	NEGATIVE	NEGATIVE	0.368
KEEN	0135A7	01/13/15	01/13/16	NEGATIVE	NEGATIVE	0.375
KEEN	0135A8	01/13/15	01/13/16	NEGATIVE	NEGATIVE	0.346
KEEN	0145A1	01/14/15	01/14/16	NEGATIVE	NEGATIVE	0.359
KEEN	0145A2	01/14/15	01/14/16	NEGATIVE	NEGATIVE	0.362
KEEN	0145A3	01/14/15	01/14/16	NEGATIVE	NEGATIVE	0.38
KEEN	0145A4	01/14/15	01/14/16	NEGATIVE	NEGATIVE	0.378
KEEN	0145A5	01/14/15	01/14/16	NEGATIVE	NEGATIVE	0.36
KEEN	0145A6	01/14/15	01/14/16	NEGATIVE	NEGATIVE	0.37
KEEN	0145A7	01/14/15	01/14/16	NEGATIVE	NEGATIVE	0.364
KEEN	0145A8	01/14/15	01/14/16	NEGATIVE	NEGATIVE	0.362
KEEN	0145A9	01/14/15	01/14/16	NEGATIVE	NEGATIVE	0.359
REVEL	0155A1	01/15/15	01/15/16	NEGATIVE	NEGATIVE	0.353
REVEL	0155A2	01/15/15	01/15/16	NEGATIVE	NEGATIVE	0.363
REVEL	0155A3	01/15/15	01/15/16	NEGATIVE	NEGATIVE	0.355
REVEL	0155A4	01/15/15	01/15/16	NEGATIVE	NEGATIVE	0.319
REVEL	0155A5	01/15/15	01/15/16	NEGATIVE	NEGATIVE	0.305
REVEL	0155A6	01/15/15	01/15/16	NEGATIVE	NEGATIVE	0.346
REVEL	0155A7	01/15/15	01/15/16	NEGATIVE	NEGATIVE	0.362
REVEL	0165A1	01/16/15	01/16/16	NEGATIVE	NEGATIVE	0.361
REVEL	0165A2	01/16/15	01/16/16	NEGATIVE	NEGATIVE	0.351
REVEL	0165A3	01/16/15	01/16/16	NEGATIVE	NEGATIVE	0.354
REVEL	0165A4	01/16/15	01/16/16	NEGATIVE	NEGATIVE	0.349
REVEL	0165A5	01/16/15	01/16/16	NEGATIVE	NEGATIVE	0.352
REVEL	0165A6	01/16/15	01/16/16	NEGATIVE	NEGATIVE	0.334
FORCE	0195A1	01/19/15	01/19/16	NEGATIVE	NEGATIVE	0.325
FORCE	0195A2	01/19/15	01/19/16	NEGATIVE	NEGATIVE	0.342
FORCE	0195A3	01/19/15	01/19/16	NEGATIVE	NEGATIVE	0.321
FORCE	0195A4	01/19/15	01/19/16	NEGATIVE	NEGATIVE	0.307
FORCE	0195A5	01/19/15	01/19/16	NEGATIVE	NEGATIVE	0.307
FORCE	0195A6	01/19/15	01/19/16	NEGATIVE	NEGATIVE	0.321
FORCE	0195A7	01/19/15	01/19/16	NEGATIVE	NEGATIVE	0.322
FORCE	0195A8	01/19/15	01/19/16	NEGATIVE	NEGATIVE	0.339
FORCE	0195A9	01/19/15	01/19/16	NEGATIVE	NEGATIVE	0.329
FORCE	0195A10	01/19/15	01/19/16	NEGATIVE	NEGATIVE	0.327
FORCE	0195A11	01/19/15	01/19/16	NEGATIVE	NEGATIVE	0.31
FORCE	0195A12	01/19/15	01/19/16	NEGATIVE	NEGATIVE	0.321
FORCE	0195A13	01/19/15	01/19/16	NEGATIVE	NEGATIVE	0.333
FORCE	0195A14	01/19/15	01/19/16	NEGATIVE	NEGATIVE	0.352
FORCE	0195A15	01/19/15	01/19/16	NEGATIVE	NEGATIVE	0.36
KINDLY	0205A1	01/20/15	01/20/16	NEGATIVE	NEGATIVE	0.279
KINDLY	0205A2	01/20/15	01/20/16	NEGATIVE	NEGATIVE	0.288
KINDLY	0205A3	01/20/15	01/20/16	NEGATIVE	NEGATIVE	0.269
PROWL	0205A4	01/20/15	01/20/16	NEGATIVE	NEGATIVE	0.212
PROWL	0205A5	01/20/15	01/20/16	NEGATIVE	NEGATIVE	0.259
PROWL	0205A6	01/20/15	01/20/16	NEGATIVE	NEGATIVE	0.261
EMBARK	0215A1	01/21/15	01/21/16	NEGATIVE	NEGATIVE	0.337
EMBARK	0215A2	01/21/15	01/21/16	NEGATIVE	NEGATIVE	0.382
EMBARK	0215A3	01/21/15	01/21/16	NEGATIVE	NEGATIVE	0.334

EMBARK	0215A4	01/21/15	01/21/16	NEGATIVE	NEGATIVE	0.327
EMBARK	0215A5	01/21/15	01/21/16	NEGATIVE	NEGATIVE	0.303
EMBARK	0215A6	01/21/15	01/21/16	NEGATIVE	NEGATIVE	0.343
EMBARK	0215A7	01/21/15	01/21/16	NEGATIVE	NEGATIVE	0.337
EMBARK	0215A8	01/21/15	01/21/16	NEGATIVE	NEGATIVE	0.31
EMBARK	0215A9	01/21/15	01/21/16	NEGATIVE	NEGATIVE	0.317
EMBARK	0215A10	01/21/15	01/21/16	NEGATIVE	NEGATIVE	0.346
EMBARK	0215A11	01/21/15	01/21/16	NEGATIVE	NEGATIVE	0.331
EMBARK	0215A12	01/21/15	01/21/16	NEGATIVE	NEGATIVE	0.31
PREFERENCE	0225A1	01/22/15	01/22/16	NEGATIVE	NEGATIVE	0.345
PREFERENCE	0225A2	01/22/15	01/22/16	NEGATIVE	NEGATIVE	0.368
PREFERENCE	0225A3	01/22/15	01/22/16	NEGATIVE	NEGATIVE	0.386
PREFERENCE	0225A4	01/22/15	01/22/16	NEGATIVE	NEGATIVE	0.379
PREFERENCE	0225A5	01/22/15	01/22/16	NEGATIVE	NEGATIVE	0.386
PREFERENCE	0225A6	01/22/15	01/22/16	NEGATIVE	NEGATIVE	0.374
PREFERENCE	0225A7	01/22/15	01/22/16	NEGATIVE	NEGATIVE	0.364
PREFERENCE	0225A8	01/22/15	01/22/16	NEGATIVE	NEGATIVE	0.36
PREFERENCE	0225A9	01/22/15	01/22/16	NEGATIVE	NEGATIVE	0.361
ZEAL	0235A1	01/23/15	01/23/16	NEGATIVE	NEGATIVE	0.393
ZEAL	0235A2	01/23/15	01/23/16	NEGATIVE	NEGATIVE	0.316
ZEAL	0235A3	01/23/15	01/23/16	NEGATIVE	NEGATIVE	0.338
ZEAL	0235A4	01/23/15	01/23/16	NEGATIVE	NEGATIVE	0.340
ZEAL	0235A5	01/23/15	01/23/16	NEGATIVE	NEGATIVE	0.360
ZEAL	0235A6	01/23/15	01/23/16	NEGATIVE	NEGATIVE	0.354
THRIVE	0265A1	01/26/15	01/26/16	NEGATIVE	NEGATIVE	0.383
THRIVE	0265A2	01/26/15	01/26/16	NEGATIVE	NEGATIVE	0.383
THRIVE	0265A3	01/26/15	01/26/16	NEGATIVE	NEGATIVE	0.391
THRIVE	0265A4	01/26/15	01/26/16	NEGATIVE	NEGATIVE	0.393
THRIVE	0265A5	01/26/15	01/26/16	NEGATIVE	NEGATIVE	0.377
THRIVE	0265A6	01/26/15	01/26/16	NEGATIVE	NEGATIVE	0.389
VERVE	0265A7	01/26/15	01/26/16	NEGATIVE	NEGATIVE	0.374
VERVE	0265A8	01/26/15	01/26/16	NEGATIVE	NEGATIVE	0.357
VERVE	0265A9	01/26/15	01/26/16	NEGATIVE	NEGATIVE	0.4
VERVE	0265A10	01/26/15	01/26/16	NEGATIVE	NEGATIVE	0.386



Quality Control Approval

February 2015

Test	Test Method Reference
E. Coli	Petri Plates 3M
Salmonella	SDIX RapidCheck Salmonella
Water Activity	AOAC 978.18

Recipe	Lot No.	Made On Date	Best By Date	E.Coli Test Result	Salmonella Test Result	Water Activity Test Result
LOVE	0275A1	01/27/15	01/27/16	NEGATIVE	NEGATIVE	0.31
LOVE	0275A2	01/27/15	01/27/16	NEGATIVE	NEGATIVE	0.307
LOVE	0275A3	01/27/15	01/27/16	NEGATIVE	NEGATIVE	0.309
LOVE	0275A4	01/27/15	01/27/16	NEGATIVE	NEGATIVE	0.313
LOVE	0275A5	01/27/15	01/27/16	NEGATIVE	NEGATIVE	0.307
LOVE	0275A6	01/27/15	01/27/16	NEGATIVE	NEGATIVE	0.298
HALE	0275A7	01/27/15	01/27/16	NEGATIVE	NEGATIVE	0.398
HALE	0275A8	01/27/15	01/27/16	NEGATIVE	NEGATIVE	0.436
HALCYON	0275A9	01/27/15	01/27/16	NEGATIVE	NEGATIVE	0.384
HALCYON	0275A10	01/27/15	01/27/16	NEGATIVE	NEGATIVE	0.364
GRACE	0275A11	01/27/15	01/27/16	NEGATIVE	NEGATIVE	0.23
REVEL	0475A1	02/16/15	02/16/16	NEGATIVE	NEGATIVE	0.369
REVEL	0475A2	02/16/15	02/16/16	NEGATIVE	NEGATIVE	0.38
REVEL	0475A3	02/16/15	02/16/16	NEGATIVE	NEGATIVE	0.357
REVEL	0475A4	02/16/15	02/16/16	NEGATIVE	NEGATIVE	0.349
REVEL	0475A5	02/16/15	02/16/16	NEGATIVE	NEGATIVE	0.347
REVEL	0475A6	02/16/15	02/16/16	NEGATIVE	NEGATIVE	0.349
REVEL	0475A7	02/16/15	02/16/16	NEGATIVE	NEGATIVE	0.327
REVEL	0475A8	02/16/15	02/16/16	NEGATIVE	NEGATIVE	0.316
REVEL	0475A9	02/16/15	02/16/16	NEGATIVE	NEGATIVE	0.31
REVEL	0475A10	02/16/15	02/16/16	NEGATIVE	NEGATIVE	0.318
REVEL	0475A11	02/16/15	02/16/16	NEGATIVE	NEGATIVE	0.32
REVEL	0485A1	02/17/15	02/17/16	NEGATIVE	NEGATIVE	0.328
REVEL	0485A2	02/17/15	02/17/16	NEGATIVE	NEGATIVE	0.334
REVEL	0485A3	02/17/15	02/17/16	NEGATIVE	NEGATIVE	0.334
REVEL	0485A4	02/17/15	02/17/16	NEGATIVE	NEGATIVE	0.343
REVEL	0485A5	02/17/15	02/17/16	NEGATIVE	NEGATIVE	0.332
REVEL	0485A6	02/17/15	02/17/16	NEGATIVE	NEGATIVE	0.352
REVEL	0485A7	02/17/15	02/17/16	NEGATIVE	NEGATIVE	0.336
FORCE	0495A1	02/18/15	02/18/16	NEGATIVE	NEGATIVE	0.332
FORCE	0495A2	02/18/15	02/18/16	NEGATIVE	NEGATIVE	0.344
FORCE	0495A3	02/18/15	02/18/16	NEGATIVE	NEGATIVE	0.305
FORCE	0495A4	02/18/15	02/18/16	NEGATIVE	NEGATIVE	0.309
FORCE	0495A5	02/18/15	02/18/16	NEGATIVE	NEGATIVE	0.325
FORCE	0495A6	02/18/15	02/18/16	NEGATIVE	NEGATIVE	0.319
FORCE	0495A7	02/18/15	02/18/16	NEGATIVE	NEGATIVE	0.296
FORCE	0495A8	02/18/15	02/18/16	NEGATIVE	NEGATIVE	0.345
FORCE	0505A1	02/19/15	02/19/16	NEGATIVE	NEGATIVE	0.348
FORCE	0505A2	02/19/15	02/19/16	NEGATIVE	NEGATIVE	0.312
FORCE	0505A3	02/19/15	02/19/16	NEGATIVE	NEGATIVE	0.328
FORCE	0505A4	02/19/15	02/19/16	NEGATIVE	NEGATIVE	0.328
FORCE	0505A5	02/19/15	02/19/16	NEGATIVE	NEGATIVE	0.329
FORCE	0505A6	02/19/15	02/19/16	NEGATIVE	NEGATIVE	0.323
FORCE	0505A7	02/19/15	02/19/16	NEGATIVE	NEGATIVE	0.313
FORCE	0505A8	02/19/15	02/19/16	NEGATIVE	NEGATIVE	0.309
FORCE	0505A9	02/19/15	02/19/16	NEGATIVE	NEGATIVE	0.32
FORCE	0505A10	02/19/15	02/19/16	NEGATIVE	NEGATIVE	0.344
FORCE	0505A11	02/19/15	02/19/16	NEGATIVE	NEGATIVE	0.374
FORCE	0505A12	02/19/15	02/19/16	NEGATIVE	NEGATIVE	0.337
FORCE	0505A13	02/19/15	02/19/16	NEGATIVE	NEGATIVE	0.352
PROWL	0515A1	02/20/15	02/20/16	NEGATIVE	NEGATIVE	0.257
PROWL	0515A2	02/20/15	02/20/16	NEGATIVE	NEGATIVE	0.266
GRACE	0515A3	02/20/15	02/20/16	NEGATIVE	NEGATIVE	0.243
EMBARK	0545A1	02/24/15	02/24/16	NEGATIVE	NEGATIVE	0.302

EMBARK	0545A2	02/24/15	02/24/16	NEGATIVE	NEGATIVE	0.31
EMBARK	0545A3	02/24/15	02/24/16	NEGATIVE	NEGATIVE	0.315
EMBARK	0545A4	02/24/15	02/24/16	NEGATIVE	NEGATIVE	0.305
EMBARK	0545A5	02/24/15	02/24/16	NEGATIVE	NEGATIVE	0.283
EMBARK	0545A6	02/24/15	02/24/16	NEGATIVE	NEGATIVE	0.271
EMBARK	0545A7	02/24/15	02/24/16	NEGATIVE	NEGATIVE	0.31
EMBARK	0545A8	02/24/15	02/24/16	NEGATIVE	NEGATIVE	0.288
EMBARK	0545A9	02/24/15	02/24/16	NEGATIVE	NEGATIVE	0.28
EMBARK	0545A10	02/24/15	02/24/16	NEGATIVE	NEGATIVE	0.284
EMBARK	0555A1	02/25/15	02/25/16	NEGATIVE	NEGATIVE	0.277



Quality Control Approval

March 2015

Test	Test Method Reference
E. Coli	Petri Plates 3M
Salmonella	SDIX RapidCheck Salmonella
Water Activity	AOAC 978.18

Recipe	Lot No.	Made On Date	Best By Date	E.Coli Test Result	Salmonella Test Result	Water Activity Test Result
ZEAL	0565A3	03/01/15	03/01/16	NEGATIVE	NEGATIVE	0.333
ZEAL	2565A4	03/01/15	03/01/16	NEGATIVE	NEGATIVE	0.336
ZEAL	0565A5	03/01/15	03/01/16	NEGATIVE	NEGATIVE	0.312
ZEAL	0565A6	03/02/15	03/02/16	NEGATIVE	NEGATIVE	0.319
ZEAL	0565A7	03/02/15	03/02/16	NEGATIVE	NEGATIVE	0.344
ZEAL	0565A8	03/02/15	03/02/16	NEGATIVE	NEGATIVE	0.307
ZEAL	0565A9	03/02/15	03/02/16	NEGATIVE	NEGATIVE	0.306
ZEAL	0565A10	03/02/15	03/02/16	NEGATIVE	NEGATIVE	0.339
ZEAL	0565A11	03/02/15	03/02/16	NEGATIVE	NEGATIVE	0.332
KINDLY	0575A1	03/02/15	03/02/16	NEGATIVE	NEGATIVE	0.268
KINDLY	0575A2	03/02/15	03/02/16	NEGATIVE	NEGATIVE	0.283
KINDLY	0575A3	03/02/15	03/02/16	NEGATIVE	NEGATIVE	0.279
KINDLY	0575A4	03/02/15	03/02/16	NEGATIVE	NEGATIVE	0.265
PREFERENCE	0615A1	03/02/15	03/02/16	NEGATIVE	NEGATIVE	0.373
PREFERENCE	0615A2	03/02/15	03/02/16	NEGATIVE	NEGATIVE	0.393
PREFERENCE	0615A3	03/02/15	03/02/16	NEGATIVE	NEGATIVE	0.364
PREFERENCE	0615A4	03/02/15	03/02/16	NEGATIVE	NEGATIVE	0.354
PREFERENCE	0615A5	03/02/15	03/02/16	NEGATIVE	NEGATIVE	0.377
PREFERENCE	0615A6	03/02/15	03/02/16	NEGATIVE	NEGATIVE	0.377
LOVE	0625A1	03/03/15	03/03/16	NEGATIVE	NEGATIVE	0.339
LOVE	0625A2	03/03/15	03/03/16	NEGATIVE	NEGATIVE	0.349
LOVE	0625A3	03/03/15	03/03/16	NEGATIVE	NEGATIVE	0.33
LOVE	0625A4	03/03/15	03/03/16	NEGATIVE	NEGATIVE	0.33
LOVE	0625A5	03/03/15	03/03/16	NEGATIVE	NEGATIVE	0.325
LOVE	0625A6	03/03/15	03/03/16	NEGATIVE	NEGATIVE	0.313
HALCYON	0625A7	03/03/15	03/03/16	NEGATIVE	NEGATIVE	0.362
HALCYON	0625A8	03/03/15	03/03/16	NEGATIVE	NEGATIVE	0.377
HALCYON	0625A9	03/03/15	03/03/16	NEGATIVE	NEGATIVE	0.407
THRIVE	0635A1	03/04/15	03/04/16	NEGATIVE	NEGATIVE	0.33
THRIVE	0635A2	03/04/15	03/04/16	NEGATIVE	NEGATIVE	0.374
THRIVE	0635A3	03/04/15	03/04/16	NEGATIVE	NEGATIVE	0.394
THRIVE	0635A4	03/04/15	03/04/16	NEGATIVE	NEGATIVE	0.397
THRIVE	0635A5	03/04/15	03/04/16	NEGATIVE	NEGATIVE	0.374
THRIVE	0635A6	03/04/15	03/04/16	NEGATIVE	NEGATIVE	0.398
THRIVE	0635A7	03/04/15	03/04/16	NEGATIVE	NEGATIVE	0.392
THRIVE	0635A8	03/04/15	03/04/16	NEGATIVE	NEGATIVE	0.368
HALE	0635A9	03/04/15	03/04/16	NEGATIVE	NEGATIVE	0.428
HALE	0635A10	03/04/15	03/04/16	NEGATIVE	NEGATIVE	0.44

VERVE	0835A1	03/24/15	03/24/16	NEGATIVE	NEGATIVE	0.363
VERVE	0835A2	03/24/15	03/24/16	NEGATIVE	NEGATIVE	0.408
VERVE	0835A3	03/24/15	03/24/16	NEGATIVE	NEGATIVE	0.415
VERVE	0835A4	03/24/15	03/24/16	NEGATIVE	NEGATIVE	0.387
VERVE	0835A5	03/24/15	03/24/16	NEGATIVE	NEGATIVE	0.408
KINDLY	0845A1	03/24/15	03/24/16	NEGATIVE	NEGATIVE	0.285
KINDLY	0845A2	03/24/15	03/24/16	NEGATIVE	NEGATIVE	0.283
FORCE	0855A1	03/24/15	03/24/16	NEGATIVE	NEGATIVE	0.346
FORCE	0855A2	03/24/15	03/24/16	NEGATIVE	NEGATIVE	0.358
FORCE	0855A3	03/24/15	03/24/16	NEGATIVE	NEGATIVE	0.322
FORCE	0855A4	03/25/15	03/25/16	NEGATIVE	NEGATIVE	0.38
FORCE	0855A5	03/25/15	03/25/16	NEGATIVE	NEGATIVE	0.342
FORCE	0855A6	03/25/15	03/25/16	NEGATIVE	NEGATIVE	0.372
FORCE	0855A7	03/25/15	03/25/16	NEGATIVE	NEGATIVE	0.347
FORCE	0855A8	03/25/15	03/25/16	NEGATIVE	NEGATIVE	0.371
FORCE	0855A9	03/25/15	03/25/16	NEGATIVE	NEGATIVE	0.363
FORCE	0855A10	03/25/15	03/25/16	NEGATIVE	NEGATIVE	0.349
FORCE	0855A11	03/25/15	03/25/16	NEGATIVE	NEGATIVE	0.361
FORCE	0855A12	03/25/15	03/25/16	NEGATIVE	NEGATIVE	0.355
FORCE	0855A13	03/25/15	03/25/16	NEGATIVE	NEGATIVE	0.344
PREFERENCE	0865A1	03/26/15	03/26/16	NEGATIVE	NEGATIVE	0.369
PREFERENCE	0865A2	03/26/15	03/26/16	NEGATIVE	NEGATIVE	0.37
PREFERENCE	0865A3	03/26/15	03/26/16	NEGATIVE	NEGATIVE	0.38
PREFERENCE	0865A4	03/26/15	03/26/16	NEGATIVE	NEGATIVE	0.391
PREFERENCE	0865A5	03/26/15	03/26/16	NEGATIVE	NEGATIVE	0.368
PREFERENCE	0865A6	03/26/15	03/26/16	NEGATIVE	NEGATIVE	0.348
LOVE	0865A7	03/26/15	03/26/16	NEGATIVE	NEGATIVE	0.336
LOVE	0865A8	03/26/15	03/26/16	NEGATIVE	NEGATIVE	0.314
LOVE	0865A9	03/26/15	03/26/16	NEGATIVE	NEGATIVE	0.338
LOVE	0865A10	03/26/15	03/26/16	NEGATIVE	NEGATIVE	0.376
LOVE	0865A11	03/26/15	03/26/16	NEGATIVE	NEGATIVE	0.367
LOVE	0865A12	03/26/15	03/26/16	NEGATIVE	NEGATIVE	0.354
LOVE	0865A13	03/26/15	03/26/16	NEGATIVE	NEGATIVE	0.375
LOVE	0865A14	03/26/15	03/26/16	NEGATIVE	NEGATIVE	0.361
PROWL	0895A1	03/30/15	03/30/16	NEGATIVE	NEGATIVE	0.256
PROWL	0895A2	03/30/15	03/30/16	NEGATIVE	NEGATIVE	0.244
PROWL	0895A3	03/30/15	03/30/16	NEGATIVE	NEGATIVE	0.222
EMBARK	0905A1	03/30/15	03/30/16	NEGATIVE	NEGATIVE	0.315
EMBARK	0905A2	03/30/15	03/30/16	NEGATIVE	NEGATIVE	0.308
EMBARK	0905A3	03/30/15	03/30/16	NEGATIVE	NEGATIVE	0.3
EMBARK	0905A4	03/30/15	03/30/16	NEGATIVE	NEGATIVE	0.289
EMBARK	0905A5	03/30/15	03/30/16	NEGATIVE	NEGATIVE	0.289
EMBARK	0905A6	03/31/15	03/31/16	NEGATIVE	NEGATIVE	0.343
EMBARK	0905A7	03/31/15	03/31/16	NEGATIVE	NEGATIVE	0.316
EMBARK	0905A8	03/31/15	03/31/16	NEGATIVE	NEGATIVE	0.309
EMBARK	0905A9	03/31/15	03/31/16	NEGATIVE	NEGATIVE	0.29
EMBARK	0905A10	03/31/15	03/31/16	NEGATIVE	NEGATIVE	0.296

EMBARK	0905A11	03/31/15	03/31/16	NEGATIVE	NEGATIVE	0.266
EMBARK	0905A12	03/31/15	03/31/16	NEGATIVE	NEGATIVE	0.233
EMBARK	0905A13	03/31/15	03/31/16	NEGATIVE	NEGATIVE	0.302
EMBARK	0905A14	03/31/15	03/31/16	NEGATIVE	NEGATIVE	0.287



Quality Control Approval

April 2015

Test	Test Method Reference
E. Coli	Petri Plates 3M
Salmonella	SDIX RapidCheck Salmonella
Water Activity	AOAC 978.18

Recipe	Lot No.	Made On Date	Best By Date	E.Coli Test Result	Salmonella Test Result	Water Activity Test Result
KEEN	0915A1	04/01/15	04/01/16	NEGATIVE	NEGATIVE	0.37
KEEN	0915A2	04/01/15	04/01/16	NEGATIVE	NEGATIVE	0.373
KEEN	0915A3	04/01/15	04/01/16	NEGATIVE	NEGATIVE	0.378
KEEN	0915A4	04/01/15	04/01/16	NEGATIVE	NEGATIVE	0.372
KEEN	0915A5	04/01/15	04/01/16	NEGATIVE	NEGATIVE	0.379
KEEN	0915A6	04/01/15	04/01/16	NEGATIVE	NEGATIVE	0.368
KEEN	0915A7	04/01/15	04/01/16	NEGATIVE	NEGATIVE	0.375
KEEN	0915A8	04/01/15	04/01/16	NEGATIVE	NEGATIVE	0.372
KEEN	0915A9	04/01/15	04/01/16	NEGATIVE	NEGATIVE	0.361
KEEN	0915A10	04/01/15	04/01/16	NEGATIVE	NEGATIVE	0.361
KEEN	0915A11	04/02/15	04/02/16	NEGATIVE	NEGATIVE	0.364
KEEN	0915A12	04/02/15	04/02/16	NEGATIVE	NEGATIVE	0.364
KEEN	9015A13	04/02/15	04/02/16	NEGATIVE	NEGATIVE	0.388
THRIVE	0925A1	04/02/15	04/02/16	NEGATIVE	NEGATIVE	0.391
THRIVE	0925A2	04/02/15	04/02/16	NEGATIVE	NEGATIVE	0.404
THRIVE	0925A3	04/02/15	04/02/16	NEGATIVE	NEGATIVE	0.381
THRIVE	0925A4	04/02/15	04/02/16	NEGATIVE	NEGATIVE	0.366
THRIVE	0925A5	04/02/15	04/02/16	NEGATIVE	NEGATIVE	0.376
THRIVE	0925A6	04/02/15	04/02/16	NEGATIVE	NEGATIVE	0.383
GRACE	0935A1	04/03/15	04/03/16	NEGATIVE	NEGATIVE	0.25
GRACE	0935A2	04/03/15	04/03/16	NEGATIVE	NEGATIVE	0.249
HALCYON	0935A3	04/03/15	04/03/16	NEGATIVE	NEGATIVE	0.405
ZEAL	0935A4	04/03/15	04/03/16	NEGATIVE	NEGATIVE	0.331
ZEAL	0935A5	04/03/15	04/03/16	NEGATIVE	NEGATIVE	0.335
ZEAL	0935A6	04/03/15	04/03/16	NEGATIVE	NEGATIVE	0.369
ZEAL	0935A7	04/03/15	04/03/16	NEGATIVE	NEGATIVE	0.353
ZEAL	0935A8	04/03/15	04/03/16	NEGATIVE	NEGATIVE	0.347
ZEAL	0935A9	04/03/15	04/03/16	NEGATIVE	NEGATIVE	0.325
FISH LIMITED INC	0935A10	04/03/15	04/03/16	NEGATIVE	NEGATIVE	0.150
REVEL	0965A2	04/06/05	04/06/16	NEGATIVE	NEGATIVE	0.336
REVEL	0965A3	04/06/05	04/06/16	NEGATIVE	NEGATIVE	0.353
REVEL	0965A4	04/06/05	04/06/16	NEGATIVE	NEGATIVE	0.339
TURKEY LIMITED	0965A5	04/06/05	04/06/16	NEGATIVE	NEGATIVE	0.299
KINDLY	1175A1	04/27/15	04/27/16	NEGATIVE	NEGATIVE	0.285
KINDLY	1175A2	04/27/15	04/27/16	NEGATIVE	NEGATIVE	0.275
KINDLY	1175A3	04/27/15	04/27/16	NEGATIVE	NEGATIVE	0.284
KINDLY	1175A4	04/27/15	04/27/16	NEGATIVE	NEGATIVE	0.284
GRACE	1175A5	04/27/15	04/27/16	NEGATIVE	NEGATIVE	0.241

GRACE	1175A6	04/27/15	04/27/16	NEGATIVE	NEGATIVE	0.226
GRACE	1175A7	04/27/15	04/27/16	NEGATIVE	NEGATIVE	0.212
PROWL	1185A1	04/28/15	04/28/16	NEGATIVE	NEGATIVE	0.265
PROWL	1185A2	04/28/15	04/28/16	NEGATIVE	NEGATIVE	0.246
PROWL	1185A3	04/28/15	04/28/16	NEGATIVE	NEGATIVE	0.252
PROWL	1185A4	04/28/15	04/28/16	NEGATIVE	NEGATIVE	0.242
VERVE	1185A5	04/28/15	04/28/16	NEGATIVE	NEGATIVE	0.458
VERVE	1185A6	04/28/15	04/28/16	NEGATIVE	NEGATIVE	0.437
VERVE	1185A7	04/28/15	04/28/16	NEGATIVE	NEGATIVE	0.411
VERVE	1185A8	04/28/15	04/28/16	NEGATIVE	NEGATIVE	0.406
VERVE	1185A9	04/28/15	04/28/16	NEGATIVE	NEGATIVE	0.44
VERVE	1185A10	04/28/15	04/28/16	NEGATIVE	NEGATIVE	0.426
VERVE	1185A11	04/28/15	04/28/16	NEGATIVE	NEGATIVE	0.409
PREFERENCE	1195A1	04/29/15	04/29/16	NEGATIVE	NEGATIVE	0.365
PREFERENCE	1195A2	04/29/15	04/29/16	NEGATIVE	NEGATIVE	0.349
PREFERENCE	1195A3	04/29/15	04/29/16	NEGATIVE	NEGATIVE	0.371
PREFERENCE	1195A4	04/29/15	04/29/16	NEGATIVE	NEGATIVE	0.387
PREFERENCE	1195A5	04/29/15	04/29/16	NEGATIVE	NEGATIVE	0.39
PREFERENCE	1195A6	04/29/15	04/29/16	NEGATIVE	NEGATIVE	0.397
PREFERENCE	1195A7	04/29/15	04/29/16	NEGATIVE	NEGATIVE	0.395
PREFERENCE	1195A8	04/29/15	04/29/16	NEGATIVE	NEGATIVE	0.385
PREFERENCE	1195A9	04/29/15	04/29/16	NEGATIVE	NEGATIVE	0.404
PREFERENCE	1195A10	04/29/15	04/29/16	NEGATIVE	NEGATIVE	0.4
PREFERENCE	1195A11	04/29/15	04/29/16	NEGATIVE	NEGATIVE	0.4
PREFERENCE	1195A12	04/29/15	04/29/16	NEGATIVE	NEGATIVE	0.394
PREFERENCE	1195A13	04/29/15	04/29/16	NEGATIVE	NEGATIVE	0.403



Quality Control Approval

May 2015

Test	Test Method Reference
E. Coli	Petri Plates 3M
Salmonella	SDIX RapidCheck Salmonella
Water Activity	AOAC 978.18

Recipe	Lot No.	Made On Date	Best By Date	E.Coli Test Result	Salmonella Test Result	Water Activity Test Result
KINDLY	1175A1	04/27/15	04/27/16	NEGATIVE	NEGATIVE	0.285
KINDLY	1175A2	04/27/15	04/27/16	NEGATIVE	NEGATIVE	0.275
KINDLY	1175A3	04/27/15	04/27/16	NEGATIVE	NEGATIVE	0.284
KINDLY	1175A4	04/27/15	04/27/16	NEGATIVE	NEGATIVE	0.284
GRACE	1175A5	04/27/15	04/27/16	NEGATIVE	NEGATIVE	0.241
GRACE	1175A6	04/27/15	04/27/16	NEGATIVE	NEGATIVE	0.226
GRACE	1175A7	04/27/15	04/27/16	NEGATIVE	NEGATIVE	0.212
PROWL	1185A1	04/28/15	04/28/16	NEGATIVE	NEGATIVE	0.265
PROWL	1185A2	04/28/15	04/28/16	NEGATIVE	NEGATIVE	0.246
PROWL	1185A3	04/28/15	04/28/16	NEGATIVE	NEGATIVE	0.252
PROWL	1185A4	04/28/15	04/28/16	NEGATIVE	NEGATIVE	0.242
VERVE	1185A5	04/28/15	04/28/16	NEGATIVE	NEGATIVE	0.458
VERVE	1185A6	04/28/15	04/28/16	NEGATIVE	NEGATIVE	0.437
VERVE	1185A7	04/28/15	04/28/16	NEGATIVE	NEGATIVE	0.411
VERVE	1185A8	04/28/15	04/28/16	NEGATIVE	NEGATIVE	0.406
VERVE	1185A9	04/28/15	04/28/16	NEGATIVE	NEGATIVE	0.44
VERVE	1185A10	04/28/15	04/28/16	NEGATIVE	NEGATIVE	0.426
VERVE	1185A11	04/28/15	04/28/16	NEGATIVE	NEGATIVE	0.409
PREFERENCE	1195A1	04/29/15	04/29/16	NEGATIVE	NEGATIVE	0.365
PREFERENCE	1195A2	04/29/15	04/29/16	NEGATIVE	NEGATIVE	0.349
PREFERENCE	1195A3	04/29/15	04/29/16	NEGATIVE	NEGATIVE	0.371
PREFERENCE	1195A4	04/29/15	04/29/16	NEGATIVE	NEGATIVE	0.387
PREFERENCE	1195A5	04/29/15	04/29/16	NEGATIVE	NEGATIVE	0.39
PREFERENCE	1195A6	04/29/15	04/29/16	NEGATIVE	NEGATIVE	0.397
PREFERENCE	1195A7	04/29/15	04/29/16	NEGATIVE	NEGATIVE	0.395
PREFERENCE	1195A8	04/29/15	04/29/16	NEGATIVE	NEGATIVE	0.385
PREFERENCE	1195A9	04/29/15	04/29/16	NEGATIVE	NEGATIVE	0.404
PREFERENCE	1195A10	04/29/15	04/29/16	NEGATIVE	NEGATIVE	0.4
PREFERENCE	1195A11	04/29/15	04/29/16	NEGATIVE	NEGATIVE	0.4
PREFERENCE	1195A12	04/29/15	04/29/16	NEGATIVE	NEGATIVE	0.394
PREFERENCE	1195A13	04/29/15	04/29/16	NEGATIVE	NEGATIVE	0.403
FORCE	1215A1	05/01/15	05/01/16	NEGATIVE	NEGATIVE	0.379
FORCE	1215A2	05/01/15	05/01/16	NEGATIVE	NEGATIVE	0.364
FORCE	1215A3	05/01/15	05/01/16	NEGATIVE	NEGATIVE	0.367
FORCE	1215A4	05/01/15	05/01/16	NEGATIVE	NEGATIVE	0.376
FORCE	1215A5	05/01/15	05/01/16	NEGATIVE	NEGATIVE	0.349
FORCE	1215A6	05/01/15	05/01/16	NEGATIVE	NEGATIVE	0.387
FORCE	1215A7	05/01/15	05/01/16	NEGATIVE	NEGATIVE	0.334
FORCE	1215A8	05/01/15	05/01/16	NEGATIVE	NEGATIVE	0.359
FORCE	1215A9	05/01/15	05/01/16	NEGATIVE	NEGATIVE	0.347
FORCE	1215A10	05/01/15	05/01/16	NEGATIVE	NEGATIVE	0.383
FORCE	1215A11	05/01/15	05/01/16	NEGATIVE	NEGATIVE	0.399
FORCE	1215A12	05/01/15	05/01/16	NEGATIVE	NEGATIVE	0.359
FORCE	1215A13	05/01/15	05/01/16	NEGATIVE	NEGATIVE	0.371
FORCE	1215A14	05/01/15	05/01/16	NEGATIVE	NEGATIVE	0.361
FORCE	1215A15	05/01/15	05/01/16	NEGATIVE	NEGATIVE	0.339
FORCE	1215A16	05/01/15	05/01/16	NEGATIVE	NEGATIVE	0.359
FORCE	1215A17	05/01/15	05/01/16	NEGATIVE	NEGATIVE	0.339
FORCE	1215A18	05/01/15	05/01/16	NEGATIVE	NEGATIVE	0.339
KEEN	1245A1	05/04/15	05/04/16	NEGATIVE	NEGATIVE	0.367
KEEN	1245A2	05/04/15	05/04/16	NEGATIVE	NEGATIVE	0.372
KEEN	1245A3	05/04/15	05/04/16	NEGATIVE	NEGATIVE	0.393

KEEN	1245A4	05/04/15	05/04/16	NEGATIVE	NEGATIVE	0.461
KEEN	1245A5	05/04/15	05/04/16	NEGATIVE	NEGATIVE	0.37
KEEN	1245A6	05/04/15	05/04/16	NEGATIVE	NEGATIVE	0.373
KEEN	1245A7	05/04/15	05/04/16	NEGATIVE	NEGATIVE	0.392
KEEN	1245A8	05/04/15	05/04/16	NEGATIVE	NEGATIVE	0.397
KEEN	1245A9	05/04/15	05/04/16	NEGATIVE	NEGATIVE	0.398
KEEN	1245A10	05/04/15	05/04/16	NEGATIVE	NEGATIVE	0.399
KEEN	1245A11	05/04/15	05/04/16	NEGATIVE	NEGATIVE	0.403
KEEN	1245A12	05/04/15	05/04/16	NEGATIVE	NEGATIVE	0.418
KEEN	1245A13	05/04/15	05/04/16	NEGATIVE	NEGATIVE	0.393
KEEN	1245A14	05/04/15	05/04/16	NEGATIVE	NEGATIVE	0.386
KEEN	1245A15	05/04/15	05/04/16	NEGATIVE	NEGATIVE	0.396
EMBARK	1265A1	05/06/15	05/06/16	NEGATIVE	NEGATIVE	0.356
EMBARK	1265A1	05/06/15	05/06/16	NEGATIVE	NEGATIVE	0.349
EMBARK	1265A3	05/06/15	05/06/16	NEGATIVE	NEGATIVE	0.36
EMBARK	1265A4	05/06/15	05/06/16	NEGATIVE	NEGATIVE	0.346
EMBARK	1265A5	05/06/15	05/06/16	NEGATIVE	NEGATIVE	0.33
EMBARK	1265A6	05/06/15	05/06/16	NEGATIVE	NEGATIVE	0.322
EMBARK	1265A7	05/06/15	05/06/16	NEGATIVE	NEGATIVE	0.321
EMBARK	1265A8	05/06/15	05/06/16	NEGATIVE	NEGATIVE	0.292
EMBARK	1265A9	05/06/15	05/06/16	NEGATIVE	NEGATIVE	0.339
EMBARK	1265A10	05/06/15	05/06/16	NEGATIVE	NEGATIVE	0.316
EMBARK	1265A11	05/06/15	05/06/16	NEGATIVE	NEGATIVE	0.353
EMBARK	1265A12	05/06/15	05/06/16	NEGATIVE	NEGATIVE	0.351
EMBARK	1265A13	05/06/15	05/06/16	NEGATIVE	NEGATIVE	0.356
EMBARK	1265A14	05/06/15	05/06/16	NEGATIVE	NEGATIVE	0.346
EMBARK	1265A15	05/06/15	05/06/16	NEGATIVE	NEGATIVE	0.337
ZEAL	1275A1	05/07/15	05/07/16	NEGATIVE	NEGATIVE	0.342
ZEAL	1275A2	05/07/15	05/07/16	NEGATIVE	NEGATIVE	0.348
LOVE	1275A5	05/07/15	05/07/16	NEGATIVE	NEGATIVE	0.356
LOVE	1275A6	05/07/15	05/07/16	NEGATIVE	NEGATIVE	0.359
LOVE	1275A7	05/07/15	05/07/16	NEGATIVE	NEGATIVE	0.347
LOVE	1275A8	05/07/15	05/07/16	NEGATIVE	NEGATIVE	0.361
LOVE	1275A9	05/07/15	05/07/16	NEGATIVE	NEGATIVE	0.361
LOVE	1275A10	05/07/15	05/07/16	NEGATIVE	NEGATIVE	0.364
LOVE	1275A11	05/07/15	05/07/16	NEGATIVE	NEGATIVE	0.41
LOVE	1275A12	05/07/15	05/07/16	NEGATIVE	NEGATIVE	0.355
LOVE	1275A13	05/07/15	05/07/16	NEGATIVE	NEGATIVE	0.374
REVEL	1285A1	05/08/15	05/08/16	NEGATIVE	NEGATIVE	0.358
REVEL	1285A2	05/08/15	05/08/16	NEGATIVE	NEGATIVE	0.352
THRIVE	1285A3	05/08/15	05/08/16	NEGATIVE	NEGATIVE	0.382
THRIVE	1285A4	05/08/15	05/08/16	NEGATIVE	NEGATIVE	0.364
ZEAL	1275A3	05/07/15	05/07/16	NEGATIVE	NEGATIVE	0.346
ZEAL	1275A4	05/07/15	05/07/16	NEGATIVE	NEGATIVE	0.347
REVEL	1395A1	05/19/15	05/19/16	NEGATIVE	NEGATIVE	0.36



Quality Control Approval

June 2015

Test	Test Method Reference
E. Coli	Petri Plates 3M
Salmonella	SDIX RapidCheck Salmonella
Water Activity	AOAC 978.18

Recipe	Lot No.	Made On Date	Best By Date	E.Coli Test Result	Salmonella Test Result	Water Activity
GRACE	1525A1	06/01/15	06/01/16	NEGATIVE	NEGATIVE	0.324
GRACE	1525A2	06/01/15	06/01/16	NEGATIVE	NEGATIVE	0.246
THRIVE	1525A3	06/01/15	06/01/16	NEGATIVE	NEGATIVE	0.399
THRIVE	1525A4	06/01/15	06/01/16	NEGATIVE	NEGATIVE	0.378
HALCYON	1525A5	06/01/15	06/01/16	NEGATIVE	NEGATIVE	0.4
HALCYON	1525A6	06/01/15	06/01/16	NEGATIVE	NEGATIVE	0.424
HALCYON	1525A7	06/01/15	06/01/16	NEGATIVE	NEGATIVE	0.4
FORCE	1535A1	06/02/15	06/02/16	NEGATIVE	NEGATIVE	0.387
FORCE	1535A2	06/02/15	06/02/16	NEGATIVE	NEGATIVE	0.373
FORCE	1535A3	06/02/15	06/02/16	NEGATIVE	NEGATIVE	0.379
FORCE	1535A4	06/02/15	06/02/16	NEGATIVE	NEGATIVE	0.379
FORCE	1535A5	06/02/15	06/02/16	NEGATIVE	NEGATIVE	0.384
FORCE	1535A6	06/02/15	06/02/16	NEGATIVE	NEGATIVE	0.378
FORCE	1535A7	06/02/15	06/02/16	NEGATIVE	NEGATIVE	0.383
FORCE	1535A8	06/02/15	06/02/16	NEGATIVE	NEGATIVE	0.38
FORCE	1535A9	06/02/15	06/02/16	NEGATIVE	NEGATIVE	0.381
FORCE	1535A10	06/02/15	06/02/16	NEGATIVE	NEGATIVE	0.385
FORCE	1535A11	06/02/15	06/02/16	NEGATIVE	NEGATIVE	0.394
FORCE	1535A12	06/02/15	06/02/16	NEGATIVE	NEGATIVE	0.36
FORCE	1535A13	06/02/15	06/02/16	NEGATIVE	NEGATIVE	0.358
FORCE	1535A14	06/02/15	06/02/16	NEGATIVE	NEGATIVE	0.373
FORCE	1535A15	06/02/15	06/02/16	NEGATIVE	NEGATIVE	0.366
FORCE	1535A16	06/02/15	06/02/16	NEGATIVE	NEGATIVE	0.354
FORCE	1535A17	06/02/15	06/02/16	NEGATIVE	NEGATIVE	0.385
FORCE	1535A18	06/02/15	06/02/16	NEGATIVE	NEGATIVE	0.374
FORCE	1535A19	06/02/15	06/02/16	NEGATIVE	NEGATIVE	0.366
KINDLY	1545A1	06/03/15	06/03/16	NEGATIVE	NEGATIVE	0.314
KINDLY	1545A1	06/03/15	06/03/16	NEGATIVE	NEGATIVE	0.315
KINDLY	1545A3	06/03/15	06/03/16	NEGATIVE	NEGATIVE	0.309
EMBARK	1555A1	06/04/15	06/04/16	NEGATIVE	NEGATIVE	0.351
EMBARK	1555A2	06/04/15	06/04/16	NEGATIVE	NEGATIVE	0.368
EMBARK	1555A3	06/04/15	06/04/16	NEGATIVE	NEGATIVE	0.356
EMBARK	1555A4	06/04/15	06/04/16	NEGATIVE	NEGATIVE	0.33
EMBARK	1555A5	06/04/15	06/04/16	NEGATIVE	NEGATIVE	0.342
EMBARK	1555A6	06/04/15	06/04/16	NEGATIVE	NEGATIVE	0.356
EMBARK	1555A7	06/04/15	06/04/16	NEGATIVE	NEGATIVE	0.371
EMBARK	1555A8	06/04/15	06/04/16	NEGATIVE	NEGATIVE	0.404
EMBARK	1555A9	06/04/15	06/04/16	NEGATIVE	NEGATIVE	0.35

EMBARK	1555A10	06/04/15	06/04/16	NEGATIVE	NEGATIVE	0.401
EMBARK	1555A11	06/04/15	06/04/16	NEGATIVE	NEGATIVE	0.383
EMBARK	1555A12	06/04/15	06/04/16	NEGATIVE	NEGATIVE	0.383
EMBARK	1555A13	06/04/15	06/04/16	NEGATIVE	NEGATIVE	0.356
EMBARK	1555A14	06/04/15	06/04/16	NEGATIVE	NEGATIVE	0.343
EMBARK	1555A15	06/04/15	06/04/16	NEGATIVE	NEGATIVE	0.35
EMBARK	1555A16	06/04/15	06/04/16	NEGATIVE	NEGATIVE	0.353
EMBARK	1555A17	06/04/15	06/04/16	NEGATIVE	NEGATIVE	0.362
EMBARK	1555A18	06/04/15	06/04/16	NEGATIVE	NEGATIVE	0.366
ZEAL	1565A1	06/05/15	06/05/16	NEGATIVE	NEGATIVE	0.343
ZEAL	1565A2	06/05/15	06/05/16	NEGATIVE	NEGATIVE	0.33
ZEAL	1565A3	06/05/15	06/05/16	NEGATIVE	NEGATIVE	0.347
ZEAL	1565A4	06/05/15	06/05/16	NEGATIVE	NEGATIVE	0.329
ZEAL	1565A5	06/05/15	06/05/16	NEGATIVE	NEGATIVE	0.343
ZEAL	1565A6	06/05/15	06/05/16	NEGATIVE	NEGATIVE	0.343
ZEAL	1565A7	06/05/15	06/05/16	NEGATIVE	NEGATIVE	0.309
ZEAL	1565A8	06/05/15	06/05/16	NEGATIVE	NEGATIVE	0.311
ZEAL	1565A9	06/05/15	06/05/16	NEGATIVE	NEGATIVE	0.323
KEEN	1595A1	06/08/15	06/08/16	NEGATIVE	NEGATIVE	0.434
KEEN	1595A2	06/08/15	06/08/16	NEGATIVE	NEGATIVE	0.399
KEEN	1595A3	06/08/15	06/08/16	NEGATIVE	NEGATIVE	0.393
KEEN	1595A4	06/08/15	06/08/16	NEGATIVE	NEGATIVE	0.411
KEEN	1595A5	06/08/15	06/08/16	NEGATIVE	NEGATIVE	0.395
KEEN	1595A6	06/08/15	06/08/16	NEGATIVE	NEGATIVE	0.403
KEEN	1595A7	06/08/15	06/08/16	NEGATIVE	NEGATIVE	0.377
KEEN	1595A8	06/08/15	06/08/16	NEGATIVE	NEGATIVE	0.412
KEEN	1595A9	06/08/15	06/08/16	NEGATIVE	NEGATIVE	0.407
KEEN	1595A10	06/08/15	06/08/16	NEGATIVE	NEGATIVE	0.414
KEEN	1595A11	06/08/15	06/08/16	NEGATIVE	NEGATIVE	0.376
KEEN	1595A12	06/08/15	06/08/16	NEGATIVE	NEGATIVE	0.385
KEEN	1595A13	06/08/15	06/08/16	NEGATIVE	NEGATIVE	0.39
KEEN	1595A14	06/08/15	06/08/16	NEGATIVE	NEGATIVE	0.402
KEEN	1595A15	06/08/15	06/08/16	NEGATIVE	NEGATIVE	0.385
KEEN	1595A16	06/08/15	06/08/16	NEGATIVE	NEGATIVE	..382
PREFERENCE	1605A1	06/09/15	06/09/16	NEGATIVE	NEGATIVE	0.394
PREFERENCE	1605A2	06/09/15	06/09/16	NEGATIVE	NEGATIVE	0.382
PREFERENCE	1605A3	06/09/15	06/09/16	NEGATIVE	NEGATIVE	0.377
PREFERENCE	1605A4	06/09/15	06/09/16	NEGATIVE	NEGATIVE	0.396
PREFERENCE	1605A5	06/09/15	06/09/16	NEGATIVE	NEGATIVE	0.397
PREFERENCE	1605A6	06/09/15	06/09/16	NEGATIVE	NEGATIVE	0.382
PREFERENCE	1605A7	06/09/15	06/09/16	NEGATIVE	NEGATIVE	0.377
PREFERENCE	1605A8	06/09/15	06/09/16	NEGATIVE	NEGATIVE	0.396
LOVE	1615A1	06/10/15	06/10/16	NEGATIVE	NEGATIVE	0.361
LOVE	1615A2	06/10/15	06/10/16	NEGATIVE	NEGATIVE	0.337
LOVE	1615A3	06/10/15	06/10/16	NEGATIVE	NEGATIVE	0.353
LOVE	1615A4	06/10/15	06/10/16	NEGATIVE	NEGATIVE	0.351
LOVE	1615A5	06/10/15	06/10/16	NEGATIVE	NEGATIVE	0.369

LOVE	1615A6	06/10/15	06/10/16	NEGATIVE	NEGATIVE	0.381
LOVE	1615A7	06/10/15	06/10/16	NEGATIVE	NEGATIVE	0.379
LOVE	1615A8	06/10/15	06/10/16	NEGATIVE	NEGATIVE	0.384
LOVE	1615A9	06/10/15	06/10/16	NEGATIVE	NEGATIVE	0.369
PROWL	1625A3	06/11/15	06/11/16	NEGATIVE	NEGATIVE	0.315
PROWL	1625A4	06/11/15	06/11/16	NEGATIVE	NEGATIVE	0.298
PROWL	1625A5	06/11/15	06/11/16	NEGATIVE	NEGATIVE	0.297
HALE	1625A6	06/11/15	06/11/16	NEGATIVE	NEGATIVE	0.463
REVEL	1635A1	06/12/15	06/12/16	NEGATIVE	NEGATIVE	0.383
REVEL	1635A2	06/12/15	06/12/16	NEGATIVE	NEGATIVE	0.406
REVEL	1635A3	06/12/15	06/12/16	NEGATIVE	NEGATIVE	0.425
REVEL	1635A4	06/12/15	06/12/16	NEGATIVE	NEGATIVE	0.38
REVEL	1635A5	06/12/15	06/12/16	NEGATIVE	NEGATIVE	0.409
REVEL	1635A6	06/12/15	06/12/16	NEGATIVE	NEGATIVE	0.436
REVEL	1635A7	06/12/15	06/12/16	NEGATIVE	NEGATIVE	0.437
REVEL	1635A8	06/12/15	06/12/16	NEGATIVE	NEGATIVE	0.433
VERVE	1635A9	06/12/15	06/12/16	NEGATIVE	NEGATIVE	0.463
VERVE	1635A10	06/12/15	06/12/16	NEGATIVE	NEGATIVE	0.46
FORCE	1635A11	06/12/15	06/12/16	NEGATIVE	NEGATIVE	0.388
BRAVE	1635A12	06/12/15	06/12/16	NEGATIVE	NEGATIVE	0.2
BRAVE	1635A13	06/12/15	06/12/16	NEGATIVE	NEGATIVE	0.176



Quality Control Approval

July 2015

Test	Test Method Reference
E. Coli	Petri Plates 3M
Salmonella	SDIX RapidCheck Salmonella
Water Activity	AOAC 978.18

Recipe	Lot No.	Made On Date	Best By Date	E.Coli Test Result	Salmonella Test Result	Water Activity Test
EMBARK	1875A1	07/06/15	07/06/16	NEGATIVE	NEGATIVE	0.372
EMBARK	1875A2	07/06/15	07/06/16	NEGATIVE	NEGATIVE	0.356
EMBARK	1875A3	07/06/15	07/06/16	NEGATIVE	NEGATIVE	0.37
EMBARK	1875A4	07/06/15	07/06/16	NEGATIVE	NEGATIVE	0.385
EMBARK	1875A5	07/06/15	07/06/16	NEGATIVE	NEGATIVE	0.351
EMBARK	1875A6	07/06/15	07/06/16	NEGATIVE	NEGATIVE	0.382
EMBARK	1875A7	07/06/15	07/06/16	NEGATIVE	NEGATIVE	0.365
EMBARK	1875A8	07/06/15	07/06/16	NEGATIVE	NEGATIVE	0.357
EMBARK	1875A9	07/06/15	07/06/16	NEGATIVE	NEGATIVE	0.336
EMBARK	1875A10	07/06/15	07/06/16	NEGATIVE	NEGATIVE	0.345
EMBARK	1875A11	07/06/15	07/06/16	NEGATIVE	NEGATIVE	0.338
EMBARK	1875A12	07/06/15	07/06/16	NEGATIVE	NEGATIVE	0.341
EMBARK	1885A1	07/07/15	07/07/16	NEGATIVE	NEGATIVE	0.379
EMBARK	1885A2	07/07/15	07/07/16	NEGATIVE	NEGATIVE	0.363
EMBARK	1885A3	07/07/15	07/07/16	NEGATIVE	NEGATIVE	0.362
EMBARK	1885A4	07/07/15	07/07/16	NEGATIVE	NEGATIVE	0.374
EMBARK	1885A5	07/07/15	07/07/16	NEGATIVE	NEGATIVE	0.4
EMBARK	1885A6	07/07/15	07/07/16	NEGATIVE	NEGATIVE	0.391
EMBARK	1885A7	07/07/15	07/07/16	NEGATIVE	NEGATIVE	0.371
EMBARK	1885A8	07/07/15	07/07/16	NEGATIVE	NEGATIVE	0.375
EMBARK	1885A9	07/07/15	07/07/16	NEGATIVE	NEGATIVE	0.37
FORCE	1895A1	07/08/15	07/08/16	NEGATIVE	NEGATIVE	0.376
FORCE	1895A2	07/08/15	07/08/16	NEGATIVE	NEGATIVE	0.375
FORCE	1895A3	07/08/15	07/08/16	NEGATIVE	NEGATIVE	0.36
FORCE	1895A4	07/08/15	07/08/16	NEGATIVE	NEGATIVE	0.375
FORCE	1895A5	07/08/15	07/08/16	NEGATIVE	NEGATIVE	0.375
FORCE	1895A6	07/08/15	07/08/16	NEGATIVE	NEGATIVE	0.365
FORCE	1895A7	07/08/15	07/08/16	NEGATIVE	NEGATIVE	0.375
FORCE	1895A8	07/08/15	07/08/16	NEGATIVE	NEGATIVE	0.372
FORCE	1895A9	07/08/15	07/08/16	NEGATIVE	NEGATIVE	0.396
FORCE	1895A10	07/08/15	07/08/16	NEGATIVE	NEGATIVE	0.4
FORCE	1895A11	07/08/15	07/08/16	NEGATIVE	NEGATIVE	0.406
FORCE	1895A12	07/08/15	07/08/16	NEGATIVE	NEGATIVE	0.388
FORCE	1895A13	07/08/15	07/08/16	NEGATIVE	NEGATIVE	0.382
FORCE	1895A14	07/08/15	07/08/16	NEGATIVE	NEGATIVE	0.377
FORCE	1895A15	07/08/15	07/08/16	NEGATIVE	NEGATIVE	0.378
FORCE	1905A1	07/09/15	07/09/16	NEGATIVE	NEGATIVE	0.384
FORCE	1905A2	07/09/15	07/09/16	NEGATIVE	NEGATIVE	0.37

FORCE	1905A3	07/09/15	07/09/16	NEGATIVE	NEGATIVE	0.378
FORCE	1905A4	07/09/15	07/09/16	NEGATIVE	NEGATIVE	0.367
FORCE	1905A5	07/09/15	07/09/16	NEGATIVE	NEGATIVE	0.368
FORCE	1905A6	07/09/15	07/09/16	NEGATIVE	NEGATIVE	0.367
FORCE	1905A7	07/09/15	07/09/16	NEGATIVE	NEGATIVE	0.395
FORCE	1905A8	07/09/15	07/09/16	NEGATIVE	NEGATIVE	0.4
FORCE	1905A9	07/09/15	07/09/16	NEGATIVE	NEGATIVE	0.388
FORCE	1905A10	07/09/15	07/09/16	NEGATIVE	NEGATIVE	0.383
FORCE	1905A11	07/09/15	07/09/16	NEGATIVE	NEGATIVE	0.379
REVEL	1915A1	07/10/15	07/10/16	NEGATIVE	NEGATIVE	0.378
REVEL	1915A2	07/10/15	07/10/16	NEGATIVE	NEGATIVE	0.396
REVEL	1915A3	07/10/15	07/10/16	NEGATIVE	NEGATIVE	0.393
REVEL	1915A4	07/10/15	07/10/16	NEGATIVE	NEGATIVE	0.377
REVEL	1915A5	07/10/15	07/10/16	NEGATIVE	NEGATIVE	0.411
KEEN	1945A1	07/13/15	07/13/16	NEGATIVE	NEGATIVE	0.402
KEEN	1945A2	07/13/15	07/13/16	NEGATIVE	NEGATIVE	0.413
KEEN	1945A3	07/13/15	07/13/16	NEGATIVE	NEGATIVE	0.441
KEEN	1945A4	07/13/15	07/13/16	NEGATIVE	NEGATIVE	0.435
KEEN	1945A5	07/13/15	07/13/16	NEGATIVE	NEGATIVE	0.418
KEEN	1945A6	07/13/15	07/13/16	NEGATIVE	NEGATIVE	0.401
MARVEL	1925A1	07/11/15	07/11/16	NEGATIVE	NEGATIVE	0.336
MARVEL	1925A2	07/11/15	07/11/16	NEGATIVE	NEGATIVE	0.311
MARVEL	1925A3	07/11/15	07/11/16	NEGATIVE	NEGATIVE	0.311
MARVEL	1925A4	07/11/15	07/11/16	NEGATIVE	NEGATIVE	0.297
MARVEL	1925A5	07/11/15	07/11/16	NEGATIVE	NEGATIVE	0.296
MARVEL	1925A6	07/11/15	07/11/16	NEGATIVE	NEGATIVE	0.309
BRAVE	1925A7	07/11/15	07/11/16	NEGATIVE	NEGATIVE	0.22
BRAVE	1925A8	07/11/15	07/11/16	NEGATIVE	NEGATIVE	0.213
BRAVE	1925A9	07/11/15	07/11/16	NEGATIVE	NEGATIVE	0.206
BRAVE	1925A10	07/11/15	07/11/16	NEGATIVE	NEGATIVE	0.214
BRAVE	1925A11	07/11/15	07/11/16	NEGATIVE	NEGATIVE	0.221
BRAVE	1925A12	07/11/15	07/11/16	NEGATIVE	NEGATIVE	0.221
KEEN	1945A7	07/13/15	07/13/16	NEGATIVE	NEGATIVE	0.44
KEEN	1945A8	07/13/15	07/13/16	NEGATIVE	NEGATIVE	0.419
KEEN	1945A9	07/13/15	07/13/16	NEGATIVE	NEGATIVE	0.417
KEEN	1945A10	07/13/15	07/13/16	NEGATIVE	NEGATIVE	0.427
KEEN	1945A11	07/13/15	07/13/16	NEGATIVE	NEGATIVE	0.420
KEEN	1955A1	07/14/15	07/14/16	NEGATIVE	NEGATIVE	0.406
KEEN	1955A2	07/14/15	07/14/16	NEGATIVE	NEGATIVE	0.439
KEEN	1955A3	07/14/15	07/14/16	NEGATIVE	NEGATIVE	0.393
KEEN	1955A4	07/14/15	07/14/16	NEGATIVE	NEGATIVE	0.438
KEEN	1955A5	07/14/15	07/14/16	NEGATIVE	NEGATIVE	0.432
KEEN	1955A6	07/14/15	07/14/16	NEGATIVE	NEGATIVE	0.438
KEEN	1955A7	07/14/15	07/14/16	NEGATIVE	NEGATIVE	0.432
LOVE	1965A1	07/15/15	07/15/16	NEGATIVE	NEGATIVE	0.386
LOVE	1965A2	07/15/15	07/15/16	NEGATIVE	NEGATIVE	0.358
LOVE	1965A3	07/15/15	07/15/16	NEGATIVE	NEGATIVE	0.363

LOVE	1965A4	07/15/15	07/15/16	NEGATIVE	NEGATIVE	0.365
LOVE	1965A5	07/15/15	07/15/16	NEGATIVE	NEGATIVE	0.376
LOVE	1965A6	07/15/15	07/15/16	NEGATIVE	NEGATIVE	0.365
LOVE	1965A7	07/15/15	07/15/16	NEGATIVE	NEGATIVE	0.358
LOVE	1965A8	07/15/15	07/15/16	NEGATIVE	NEGATIVE	0.364
LOVE	1965A9	07/15/15	07/15/16	NEGATIVE	NEGATIVE	0.345
LOVE	1965A10	07/15/15	07/15/16	NEGATIVE	NEGATIVE	0.324
PROWL	1975A1	07/16/15	07/16/16	NEGATIVE	NEGATIVE	0.275
PROWL	1975A2	07/16/15	07/16/16	NEGATIVE	NEGATIVE	0.327
PROWL	1975A3	07/16/15	07/16/16	NEGATIVE	NEGATIVE	0.29
PROWL	1975A4	07/16/15	07/16/16	NEGATIVE	NEGATIVE	0.304
GRACE	1975A5	07/16/15	07/16/16	NEGATIVE	NEGATIVE	0.27
GRACE	1975A6	07/16/15	07/16/16	NEGATIVE	NEGATIVE	0.305
GRACE	1975A7	07/16/15	07/16/16	NEGATIVE	NEGATIVE	0.271
HALCYON	1975A8	07/16/15	07/16/16	NEGATIVE	NEGATIVE	0.438
HALCYON	1975A9	07/16/15	07/16/16	NEGATIVE	NEGATIVE	0.427
KINDLY	1985A1	07/17/15	07/17/16	NEGATIVE	NEGATIVE	0.315
KINDLY	1985A2	07/17/15	07/17/16	NEGATIVE	NEGATIVE	0.302
KINDLY	1985A3	07/17/15	07/17/16	NEGATIVE	NEGATIVE	0.308
KINDLY	1985A4	07/17/15	07/17/16	NEGATIVE	NEGATIVE	0.306
VERVE	2015A1	07/20/15	07/20/16	NEGATIVE	NEGATIVE	0.432
VERVE	2015A2	07/20/15	07/20/16	NEGATIVE	NEGATIVE	0.431
VERVE	2015A3	07/20/15	07/20/16	NEGATIVE	NEGATIVE	0.448
VERVE	2015A4	07/20/15	07/20/16	NEGATIVE	NEGATIVE	0.444
VERVE	2015A5	07/20/15	07/20/16	NEGATIVE	NEGATIVE	0.443
THRIVE	2015A6	07/20/15	07/20/16	NEGATIVE	NEGATIVE	0.399
THRIVE	2015A7	07/20/15	07/20/16	NEGATIVE	NEGATIVE	0.414
THRIVE	2015A8	07/20/15	07/20/16	NEGATIVE	NEGATIVE	0.423
THRIVE	2015A9	07/20/15	07/20/16	NEGATIVE	NEGATIVE	0.408
THRIVE	2015A10	07/20/15	07/20/16	NEGATIVE	NEGATIVE	0.423
ZEAL	2025A1	07/21/15	07/01/16	NEGATIVE	NEGATIVE	0.289
ZEAL	2025A2	07/21/15	07/01/16	NEGATIVE	NEGATIVE	0.301
ZEAL	2025A3	07/21/15	07/01/16	NEGATIVE	NEGATIVE	0.313
ZEAL	2025A4	07/21/15	07/01/16	NEGATIVE	NEGATIVE	0.307
ZEAL	2025A5	07/21/15	07/01/16	NEGATIVE	NEGATIVE	0.351
ZEAL	2025A6	07/21/15	07/01/16	NEGATIVE	NEGATIVE	0.324
ZEAL	2025A7	07/21/15	07/01/16	NEGATIVE	NEGATIVE	0.319
ZEAL	2025A8	07/21/15	07/01/16	NEGATIVE	NEGATIVE	0.32
ZEAL	2025A9	07/21/15	07/01/16	NEGATIVE	NEGATIVE	0.32
ZEAL	2025A10	07/21/15	07/01/16	NEGATIVE	NEGATIVE	0.33
ZEAL	2025A11	07/21/15	07/01/16	NEGATIVE	NEGATIVE	0.315
PREFERENCE	2035A1	07/22/15	07/22/16	NEGATIVE	NEGATIVE	0.413
PREFERENCE	2035A2	07/22/15	07/22/16	NEGATIVE	NEGATIVE	0.429
PREFERENCE	2035A3	07/22/15	07/22/16	NEGATIVE	NEGATIVE	0.407
PREFERENCE	2035A4	07/22/15	07/22/16	NEGATIVE	NEGATIVE	0.422
PREFERENCE	2035A5	07/22/15	07/22/16	NEGATIVE	NEGATIVE	0.419
PREFERENCE	2035A6	07/22/15	07/22/16	NEGATIVE	NEGATIVE	0.428

PREFERENCE	2035A7	07/22/15	07/22/16	NEGATIVE	NEGATIVE	0.406
PREFERENCE	2035A8	07/22/15	07/22/16	NEGATIVE	NEGATIVE	0.429
PREFERENCE	2035A9	07/22/15	07/22/16	NEGATIVE	NEGATIVE	0.407
PREFERENCE	2035A10	07/22/15	07/22/16	NEGATIVE	NEGATIVE	0.403
PREFERENCE	2035A11	07/22/15	07/22/16	NEGATIVE	NEGATIVE	0.416
REVEL	2085A1	7/27/2015	7/27/2016	NEGATIVE	NEGATIVE	0.387



Quality Control Approval

August 2015

Test	Test Method Reference
E. Coli	Petri Plates 3M
Salmonella	SDIX RapidCheck Salmonella
Water Activity	AOAC 978.18

Recipe	Lot No.	Made On Date	Best By Date	E.Coli Test Result	Salmonella Test Result	Water Activity Test Result
BRAVE	2225A1	08/10/15	08/10/16	NEGATIVE	NEGATIVE	0.232
BRAVE	2225A2	08/10/15	08/10/16	NEGATIVE	NEGATIVE	0.214
BRAVE	2225A3	08/10/15	08/10/16	NEGATIVE	NEGATIVE	0.231
BRAVE	2225A4	08/10/15	08/10/16	NEGATIVE	NEGATIVE	0.227
MARVEL	2225A5	08/10/15	08/10/16	NEGATIVE	NEGATIVE	0.319
MARVEL	2225A6	08/10/15	08/10/16	NEGATIVE	NEGATIVE	0.312
MARVEL	2225A7	08/10/15	08/10/16	NEGATIVE	NEGATIVE	0.306
MARVEL	2225A8	08/10/15	08/10/16	NEGATIVE	NEGATIVE	0.302
HALE	2225A9	08/10/15	08/10/16	NEGATIVE	NEGATIVE	0.47
REVEL	2235A1	08/11/15	08/11/16	NEGATIVE	NEGATIVE	0.381
REVEL	2235A2	08/11/15	08/11/16	NEGATIVE	NEGATIVE	0.401
REVEL	2235A3	08/11/15	08/11/16	NEGATIVE	NEGATIVE	0.404
REVEL	2235A4	08/11/15	08/11/16	NEGATIVE	NEGATIVE	0.408
REVEL	2235A5	08/11/15	08/11/16	NEGATIVE	NEGATIVE	0.434
REVEL	2235A6	08/11/15	08/11/16	NEGATIVE	NEGATIVE	0.432
REVEL	2235A7	08/11/15	08/11/16	NEGATIVE	NEGATIVE	0.433
REVEL	2235A8	08/11/15	08/11/16	NEGATIVE	NEGATIVE	0.423
REVEL	2235A9	08/11/15	08/11/16	NEGATIVE	NEGATIVE	0.418
REVEL	2235A10	08/11/15	08/11/16	NEGATIVE	NEGATIVE	0.397
REVEL	2235A11	08/11/15	08/11/16	NEGATIVE	NEGATIVE	0.382
KEEN	2245A1	08/12/15	08/12/16	NEGATIVE	NEGATIVE	0.386
KEEN	2245A2	08/12/15	08/12/16	NEGATIVE	NEGATIVE	0.399
KEEN	2245A3	08/12/15	08/12/16	NEGATIVE	NEGATIVE	0.39
KEEN	2245A4	08/12/15	08/12/16	NEGATIVE	NEGATIVE	0.407
KEEN	2245A5	08/12/15	08/12/16	NEGATIVE	NEGATIVE	0.392
KEEN	2245A6	08/12/15	08/12/16	NEGATIVE	NEGATIVE	0.414
KEEN	2245A7	08/12/15	08/12/16	NEGATIVE	NEGATIVE	0.444
KEEN	2245A8	08/12/15	08/12/16	NEGATIVE	NEGATIVE	0.427
KEEN	2245A9	08/12/15	08/12/16	NEGATIVE	NEGATIVE	0.435
KEEN	2245A10	08/12/15	08/12/16	NEGATIVE	NEGATIVE	0.428
KEEN	2245A11	08/12/15	08/12/16	NEGATIVE	NEGATIVE	0.441
KEEN	2245A12	08/12/15	08/12/16	NEGATIVE	NEGATIVE	0.429
KEEN	2245A13	08/12/15	08/12/16	NEGATIVE	NEGATIVE	0.437
KEEN	2245A14	08/12/15	08/12/16	NEGATIVE	NEGATIVE	0.436
KEEN	2245A15	08/12/15	08/12/16	NEGATIVE	NEGATIVE	0.437
KEEN	2245A16	08/12/15	08/12/16	NEGATIVE	NEGATIVE	0.435
KEEN	2245A17	08/12/15	08/12/16	NEGATIVE	NEGATIVE	0.436
KEEN	2245A18	08/12/15	08/12/16	NEGATIVE	NEGATIVE	0.413
PROWL	2255A1	08/13/15	08/13/16	NEGATIVE	NEGATIVE	0.376

PROWL	2255A2	08/13/15	08/13/16	NEGATIVE	NEGATIVE	0.354
PROWL	2255A3	08/13/15	08/13/16	NEGATIVE	NEGATIVE	0.383
LOVE	2265A1	08/13/15	08/13/16	NEGATIVE	NEGATIVE	0.339
LOVE	2265A2	08/13/15	08/13/16	NEGATIVE	NEGATIVE	0.353
LOVE	2265A3	08/13/15	08/13/16	NEGATIVE	NEGATIVE	0.352
LOVE	2265A4	08/13/15	08/13/16	NEGATIVE	NEGATIVE	0.385
LOVE	2265A5	08/13/15	08/13/16	NEGATIVE	NEGATIVE	0.357
LOVE	2265A6	08/13/15	08/13/16	NEGATIVE	NEGATIVE	0.36
LOVE	2265A7	08/13/15	08/13/16	NEGATIVE	NEGATIVE	0.354
LOVE	2265A8	08/13/15	08/13/16	NEGATIVE	NEGATIVE	0.344
THRIVE	2295A1	08/17/15	08/17/16	NEGATIVE	NEGATIVE	0.407
THRIVE	2295A2	08/17/15	08/17/16	NEGATIVE	NEGATIVE	0.415
THRIVE	2295A3	08/17/15	08/17/16	NEGATIVE	NEGATIVE	0.417
THRIVE	2295A4	08/17/15	08/17/16	NEGATIVE	NEGATIVE	0.428
THRIVE	2295A5	08/17/15	08/17/16	NEGATIVE	NEGATIVE	0.423
FORCE	2305A1	08/18/15	08/18/16	NEGATIVE	NEGATIVE	0.377
FORCE	2305A2	08/18/15	08/18/16	NEGATIVE	NEGATIVE	0.389
FORCE	2305A3	08/18/15	08/18/16	NEGATIVE	NEGATIVE	0.389
FORCE	2305A4	08/18/15	08/18/16	NEGATIVE	NEGATIVE	0.401
FORCE	2305A5	08/18/15	08/18/16	NEGATIVE	NEGATIVE	0.417
FORCE	2305A6	08/18/15	08/18/16	NEGATIVE	NEGATIVE	0.391
FORCE	2305A7	08/18/15	08/18/16	NEGATIVE	NEGATIVE	0.391
FORCE	2305A8	08/18/15	08/18/16	NEGATIVE	NEGATIVE	0.391
FORCE	2305A9	08/18/15	08/18/16	NEGATIVE	NEGATIVE	0.428
FORCE	2305A10	08/18/15	08/18/16	NEGATIVE	NEGATIVE	0.381
FORCE	2305A11	08/18/15	08/18/16	NEGATIVE	NEGATIVE	0.397
FORCE	2305A12	08/18/15	08/18/16	NEGATIVE	NEGATIVE	0.389
FORCE	2305A13	08/18/15	08/18/16	NEGATIVE	NEGATIVE	0.385
FORCE	2305A14	08/18/15	08/18/16	NEGATIVE	NEGATIVE	0.385
FORCE	2305A15	08/18/15	08/18/16	NEGATIVE	NEGATIVE	0.373
FORCE	2305A16	08/18/15	08/18/16	NEGATIVE	NEGATIVE	0.373
FORCE	2305A17	08/18/15	08/18/16	NEGATIVE	NEGATIVE	0.389
FORCE	2305A18	08/18/15	08/18/16	NEGATIVE	NEGATIVE	0.397
FORCE	2305A19	08/18/15	08/18/16	NEGATIVE	NEGATIVE	0.389
FORCE	2305A20	08/18/15	08/18/16	NEGATIVE	NEGATIVE	0.382
PREFERENCE	2315A1	08/19/15	08/19/16	NEGATIVE	NEGATIVE	0.373
PREFERENCE	2315A2	08/19/15	08/19/16	NEGATIVE	NEGATIVE	0.396
PREFERENCE	2315A3	08/19/15	08/19/16	NEGATIVE	NEGATIVE	0.427
PREFERENCE	2315A4	08/19/15	08/19/16	NEGATIVE	NEGATIVE	0.393
PREFERENCE	2315A5	08/19/15	08/19/16	NEGATIVE	NEGATIVE	0.399
PREFERENCE	2315A6	08/19/15	08/19/16	NEGATIVE	NEGATIVE	0.404
PREFERENCE	2315A7	08/19/15	08/19/16	NEGATIVE	NEGATIVE	0.403
PREFERENCE	2315A8	08/19/15	08/19/16	NEGATIVE	NEGATIVE	0.412
PREFERENCE	2315A9	08/19/15	08/19/16	NEGATIVE	NEGATIVE	0.371
PREFERENCE	2315A10	08/19/15	08/19/16	NEGATIVE	NEGATIVE	0.401
EMBARK	2325A1	08/20/15	08/20/16	NEGATIVE	NEGATIVE	0.369
EMBARK	2325A2	08/20/15	08/20/16	NEGATIVE	NEGATIVE	0.374
EMBARK	2325A3	08/20/15	08/20/16	NEGATIVE	NEGATIVE	0.386

EMBARK	2325A4	08/20/15	08/20/16	NEGATIVE	NEGATIVE	0.369
EMBARK	2325A5	08/20/15	08/20/16	NEGATIVE	NEGATIVE	0.365
EMBARK	2325A6	08/20/15	08/20/16	NEGATIVE	NEGATIVE	0.352
EMBARK	2325A7	08/20/15	08/20/16	NEGATIVE	NEGATIVE	0.366
EMBARK	2325A8	08/20/15	08/20/16	NEGATIVE	NEGATIVE	0.363
EMBARK	2325A9	08/20/15	08/20/16	NEGATIVE	NEGATIVE	0.366
EMBARK	2325A10	08/20/15	08/20/16	NEGATIVE	NEGATIVE	0.363
EMBARK	2325A11	08/20/15	08/20/16	NEGATIVE	NEGATIVE	0.382
EMBARK	2325A12	08/20/15	08/20/16	NEGATIVE	NEGATIVE	0.342
EMBARK	2325A13	08/20/15	08/20/16	NEGATIVE	NEGATIVE	0.343
EMBARK	2325A14	08/20/15	08/20/16	NEGATIVE	NEGATIVE	0.345
HALCYON	2335A1	08/21/15	08/21/16	NEGATIVE	NEGATIVE	0.411
HALCYON	2335A2	08/21/15	08/21/16	NEGATIVE	NEGATIVE	0.465
KINDLY	2335A3	08/21/15	08/21/16	NEGATIVE	NEGATIVE	0.324
KINDLY	2335A4	08/21/15	08/21/16	NEGATIVE	NEGATIVE	0.32
KINDLY	2335A5	08/21/15	08/21/16	NEGATIVE	NEGATIVE	0.308
KINDLY	2335A6	08/21/15	08/21/16	NEGATIVE	NEGATIVE	0.314
GRACE	2335A7	08/21/15	08/21/16	NEGATIVE	NEGATIVE	0.291
GRACE	2335A8	08/21/15	08/21/16	NEGATIVE	NEGATIVE	0.285
VERVE	2365A1	08/24/15	08/24/16	NEGATIVE	NEGATIVE	0.397
VERVE	2365A2	08/24/15	08/24/16	NEGATIVE	NEGATIVE	0.42
VERVE	2365A3	08/24/15	08/24/16	NEGATIVE	NEGATIVE	0.425
VERVE	2365A4	08/24/15	08/24/16	NEGATIVE	NEGATIVE	0.421
VERVE	2365A5	08/24/15	08/24/16	NEGATIVE	NEGATIVE	0.422
ZEAL	2365A6	08/24/15	08/24/16	NEGATIVE	NEGATIVE	0.286
ZEAL	2365A7	08/24/15	08/24/16	NEGATIVE	NEGATIVE	0.309
ZEAL	2365A8	08/24/15	08/24/16	NEGATIVE	NEGATIVE	0.304
ZEAL	2365A9	08/24/15	08/24/16	NEGATIVE	NEGATIVE	0.314
ZEAL	2365A10	08/24/15	08/24/16	NEGATIVE	NEGATIVE	0.315
BEEF BONE BROTH	2385A1	08/26/15	08/26/16	NEGATIVE	NEGATIVE	0.145





Quality Control Approval

September 2015

Test	Test Method Reference
E. Coli	Petri Plates 3M
Salmonella	SDIX RapidCheck Salmonella
Water Activity	AOAC 978.18

Recipe	Lot No.	Made On Date	Best By Date	E.Coli Test Result	Salmonella Test Result	Water Activity Test Result
MARVEL	2575A6	09/14/15	09/14/16	NEGATIVE	NEGATIVE	0.308
MARVEL	2575A7	09/14/15	09/14/16	NEGATIVE	NEGATIVE	0.32
MARVEL	2575A8	09/14/15	09/14/16	NEGATIVE	NEGATIVE	0.304
HALCYON	2595A1	09/16/15	09/16/16	NEGATIVE	NEGATIVE	0.468
HALCYON	2595A2	09/16/15	09/16/16	NEGATIVE	NEGATIVE	0.468
HALCYON	2595A3	09/16/15	09/16/16	NEGATIVE	NEGATIVE	0.444
HALE	2595A4	09/14/15	03/14/17	NEGATIVE	NEGATIVE	0.463
REVEL	2595A5	09/14/15	09/14/16	NEGATIVE	NEGATIVE	0.365
REVEL	2595A6	09/14/15	09/14/16	NEGATIVE	NEGATIVE	0.38
REVEL	2595A7	09/14/15	09/14/16	NEGATIVE	NEGATIVE	0.345
REVEL	2595A8	09/14/15	09/14/16	NEGATIVE	NEGATIVE	0.354
REVEL	2595A9	09/14/15	09/14/16	NEGATIVE	NEGATIVE	0.345
REVEL	2595A10	09/14/15	09/14/16	NEGATIVE	NEGATIVE	0.375
REVEL	2595A11	09/14/15	09/14/16	NEGATIVE	NEGATIVE	0.369
REVEL	2595A12	09/14/15	09/14/16	NEGATIVE	NEGATIVE	0.369
REVEL	2595A13	09/14/15	09/14/16	NEGATIVE	NEGATIVE	0.379
THRIVE	2605A1	09/15/15	09/15/16	NEGATIVE	NEGATIVE	0.396
THRIVE	2605A2	09/15/15	09/15/16	NEGATIVE	NEGATIVE	0.437
THRIVE	2605A3	09/15/15	09/15/16	NEGATIVE	NEGATIVE	0.432
THRIVE	2605A4	09/15/15	09/15/16	NEGATIVE	NEGATIVE	0.412
THRIVE	2605A5	09/15/15	09/15/16	NEGATIVE	NEGATIVE	0.435
THRIVE	2605A6	09/15/15	09/15/16	NEGATIVE	NEGATIVE	0.434
THRIVE	2605A7	09/15/15	09/15/16	NEGATIVE	NEGATIVE	0.405
THRIVE	2605A8	09/15/15	09/15/16	NEGATIVE	NEGATIVE	0.445
KEEN	2615A1	09/16/15	09/16/16	NEGATIVE	NEGATIVE	0.401
KEEN	2615A2	09/16/15	09/16/16	NEGATIVE	NEGATIVE	0.426
KEEN	2615A3	09/16/15	09/16/16	NEGATIVE	NEGATIVE	0.4
KEEN	2615A4	09/16/15	09/16/16	NEGATIVE	NEGATIVE	0.425
KEEN	2615A5	09/16/15	09/16/16	NEGATIVE	NEGATIVE	0.415
KEEN	2615A6	09/16/15	09/16/16	NEGATIVE	NEGATIVE	0.433
KEEN	2615A7	09/16/15	09/16/16	NEGATIVE	NEGATIVE	0.416
KEEN	2615A8	09/16/15	09/16/16	NEGATIVE	NEGATIVE	0.44
KEEN	2615A9	09/16/15	09/16/16	NEGATIVE	NEGATIVE	0.432
KEEN	2615A10	09/16/15	09/16/16	NEGATIVE	NEGATIVE	0.41
KEEN	2615A11	09/16/15	09/16/16	NEGATIVE	NEGATIVE	0.431
KEEN	2615A12	09/16/15	09/16/16	NEGATIVE	NEGATIVE	0.421
KEEN	2615A13	09/16/15	09/16/16	NEGATIVE	NEGATIVE	0.428
KEEN	2615A14	09/16/15	09/16/16	NEGATIVE	NEGATIVE	0.427

KEEN	2615A15	09/16/15	09/16/16	NEGATIVE	NEGATIVE	0.449
KEEN	2615A16	09/16/15	09/16/16	NEGATIVE	NEGATIVE	0.423
VERVE	2645A1	09/19/15	09/19/16	NEGATIVE	NEGATIVE	0.406
VERVE	2645A2	09/19/15	09/19/16	NEGATIVE	NEGATIVE	0.407
VERVE	2645A3	09/19/15	09/19/16	NEGATIVE	NEGATIVE	0.403
GRACE	2645A4	09/19/15	09/19/16	NEGATIVE	NEGATIVE	0.323
GRACE	2645A5	09/19/15	09/19/16	NEGATIVE	NEGATIVE	0.343
PROWL	2645A6	09/19/15	09/19/16	NEGATIVE	NEGATIVE	0.29
PROWL	2645A7	09/19/15	09/19/16	NEGATIVE	NEGATIVE	0.285
PROWL	2645A8	09/19/15	09/19/16	NEGATIVE	NEGATIVE	0.346
PROWL	2645A9	09/19/15	09/19/16	NEGATIVE	NEGATIVE	0.323
ZEAL	2655A1	09/20/15	09/20/16	NEGATIVE	NEGATIVE	0.325
ZEAL	2655A2	09/20/15	09/20/16	NEGATIVE	NEGATIVE	0.322
ZEAL	2655A3	09/20/15	09/20/16	NEGATIVE	NEGATIVE	0.341
ZEAL	2655A4	09/20/15	09/20/16	NEGATIVE	NEGATIVE	0.314
ZEAL	2655A5	09/20/15	09/20/16	NEGATIVE	NEGATIVE	0.309
ZEAL	2655A6	09/20/15	09/20/16	NEGATIVE	NEGATIVE	0.302
EMBARK	2665A1	09/21/15	09/21/16	NEGATIVE	NEGATIVE	0.351
EMBARK	2665A2	09/21/15	09/21/16	NEGATIVE	NEGATIVE	0.36
EMBARK	2665A3	09/21/15	09/21/16	NEGATIVE	NEGATIVE	0.394
EMBARK	2665A4	09/21/15	09/21/16	NEGATIVE	NEGATIVE	0.371
EMBARK	2665A5	09/21/15	09/21/16	NEGATIVE	NEGATIVE	0.371
EMBARK	2665A6	09/21/15	09/21/16	NEGATIVE	NEGATIVE	0.356
EMBARK	2665A7	09/21/15	09/21/16	NEGATIVE	NEGATIVE	0.388
EMBARK	2665A8	09/21/15	09/21/16	NEGATIVE	NEGATIVE	0.337
EMBARK	2665A9	09/21/15	09/21/16	NEGATIVE	NEGATIVE	0.354
EMBARK	2665A10	09/21/15	09/21/16	NEGATIVE	NEGATIVE	0.348
EMBARK	2665A11	09/21/15	09/21/16	NEGATIVE	NEGATIVE	0.342
EMBARK	2665A12	09/21/15	09/21/16	NEGATIVE	NEGATIVE	0.366
EMBARK	2665A13	09/21/15	09/21/16	NEGATIVE	NEGATIVE	0.36
EMBARK	2665A14	09/21/15	09/21/16	NEGATIVE	NEGATIVE	0.377
EMBARK	2665A15	09/21/15	09/21/16	NEGATIVE	NEGATIVE	0.342
EMBARK	2665A16	09/21/15	09/21/16	NEGATIVE	NEGATIVE	0.347
EMBARK	2665A17	09/21/15	09/21/16	NEGATIVE	NEGATIVE	0.372
EMBARK	2665A18	09/21/15	09/21/16	NEGATIVE	NEGATIVE	0.340
EMBARK	2665A19	09/21/15	09/21/16	NEGATIVE	NEGATIVE	0.316
EMBARK	2665A20	09/21/15	09/21/16	NEGATIVE	NEGATIVE	0.397
EMBARK	2665A21	09/21/15	09/21/16	NEGATIVE	NEGATIVE	0.362
EMBARK	2665A22	09/21/15	09/21/16	NEGATIVE	NEGATIVE	0.378
MARVEL	2675A1	09/22/15	09/22/16	NEGATIVE	NEGATIVE	0.387
MARVEL	2675A2	09/22/15	09/22/16	NEGATIVE	NEGATIVE	0.395
BRAVE	2575A1	09/22/15	09/22/16	NEGATIVE	NEGATIVE	0.243
BRAVE	2575A2	09/22/15	09/22/16	NEGATIVE	NEGATIVE	0.265
BRAVE	2575A3	09/22/15	09/22/16	NEGATIVE	NEGATIVE	0.249
BRAVE	2575A4	09/22/15	09/22/16	NEGATIVE	NEGATIVE	0.266
BRAVE	2575A5	09/22/15	09/22/16	NEGATIVE	NEGATIVE	0.244
LOVE	2585A1	09/24/15	09/24/16	NEGATIVE	NEGATIVE	0.324

LOVE	2585A2	09/24/15	09/24/16	NEGATIVE	NEGATIVE	0.355
LOVE	2585A3	09/24/15	09/24/16	NEGATIVE	NEGATIVE	0.348
LOVE	2585A4	09/24/15	09/24/16	NEGATIVE	NEGATIVE	0.334
LOVE	2585A5	09/24/15	09/24/16	NEGATIVE	NEGATIVE	0.293
LOVE	2585A6	09/24/15	09/24/16	NEGATIVE	NEGATIVE	0.301
LOVE	2585A7	09/24/15	09/24/16	NEGATIVE	NEGATIVE	0.341
LOVE	2585A8	09/24/15	09/24/16	NEGATIVE	NEGATIVE	0.32
LOVE	2585A9	09/24/15	09/24/16	NEGATIVE	NEGATIVE	0.331
LOVE	2585A10	09/24/15	09/24/16	NEGATIVE	NEGATIVE	0.33
LOVE	2585A11	09/24/15	09/24/16	NEGATIVE	NEGATIVE	0.322
LOVE	2585A12	09/24/15	09/24/16	NEGATIVE	NEGATIVE	0.326
LOVE	2585A13	09/24/15	09/24/16	NEGATIVE	NEGATIVE	0.331
LOVE	2585A14	09/24/15	09/24/16	NEGATIVE	NEGATIVE	0.329
KINDLY	2685A1	09/25/15	03/25/17	NEGATIVE	NEGATIVE	0.333
KINDLY	2685A2	09/25/15	03/25/17	NEGATIVE	NEGATIVE	0.316
KINDLY	2685A3	09/25/15	03/25/17	NEGATIVE	NEGATIVE	0.312
KINDLY	2685A4	09/25/15	03/25/17	NEGATIVE	NEGATIVE	0.322
PREFERENCE	2725A1	09/29/15	03/29/17	NEGATIVE	NEGATIVE	0.367
PREFERENCE	2725A2	09/29/15	03/29/17	NEGATIVE	NEGATIVE	0.377
PREFERENCE	2725A3	09/29/15	03/29/17	NEGATIVE	NEGATIVE	0.389
PREFERENCE	2725A4	09/29/15	03/29/17	NEGATIVE	NEGATIVE	0.379
PREFERENCE	2725A5	09/29/15	03/29/17	NEGATIVE	NEGATIVE	0.361
PREFERENCE	2725A6	09/29/15	03/29/17	NEGATIVE	NEGATIVE	0.38
PREFERENCE	2725A7	09/29/15	03/29/17	NEGATIVE	NEGATIVE	0.386
PREFERENCE	2725A8	09/29/15	03/29/17	NEGATIVE	NEGATIVE	0.438
PREFERENCE	2725A9	09/29/15	03/29/17	NEGATIVE	NEGATIVE	0.374
PREFERENCE	2725A10	09/29/15	03/29/17	NEGATIVE	NEGATIVE	0.366
FORCE	2735A1	09/30/15	09/30/16	NEGATIVE	NEGATIVE	0.366
FORCE	2735A2	09/30/15	09/30/16	NEGATIVE	NEGATIVE	0.374
FORCE	2735A3	09/30/15	09/30/16	NEGATIVE	NEGATIVE	0.369
FORCE	2735A4	09/30/15	09/30/16	NEGATIVE	NEGATIVE	0.377
FORCE	2735A5	09/30/15	09/30/16	NEGATIVE	NEGATIVE	0.382
FORCE	2735A6	09/30/15	09/30/16	NEGATIVE	NEGATIVE	0.377
FORCE	2735A7	09/30/15	09/30/16	NEGATIVE	NEGATIVE	0.404
FORCE	2735A8	09/30/15	09/30/16	NEGATIVE	NEGATIVE	0.421
FORCE	2735A9	09/30/15	09/30/16	NEGATIVE	NEGATIVE	0.399
FORCE	2735A10	09/30/15	09/30/16	NEGATIVE	NEGATIVE	0.407
FORCE	2735A11	09/30/15	09/30/16	NEGATIVE	NEGATIVE	0.392
FORCE	2735A12	09/30/15	09/30/16	NEGATIVE	NEGATIVE	0.402
FORCE	2735A13	09/30/15	09/30/16	NEGATIVE	NEGATIVE	0.383
FORCE	2735A14	09/30/15	09/30/16	NEGATIVE	NEGATIVE	0.395
FORCE	2735A15	09/30/15	09/30/16	NEGATIVE	NEGATIVE	0.376
FORCE	2735A16	09/30/15	09/30/16	NEGATIVE	NEGATIVE	0.395
FORCE	2735A17	09/30/15	09/30/16	NEGATIVE	NEGATIVE	0.382
FORCE	2735A18	09/30/15	09/30/16	NEGATIVE	NEGATIVE	0.408
FORCE	2735A19	09/30/15	09/30/16	NEGATIVE	NEGATIVE	0.383
FORCE	2735A20	09/30/15	09/30/16	NEGATIVE	NEGATIVE	0.406

FORCE	2735A21	09/30/15	09/30/16	NEGATIVE	NEGATIVE	0.417
FORCE	2735A22	09/30/15	09/30/16	NEGATIVE	NEGATIVE	0.4
FORCE	2735A23	09/30/15	09/30/16	NEGATIVE	NEGATIVE	0.388



Quality Control Approval

October 2015

Test	Test Method Reference
E. Coli	Petri Plates 3M
Salmonella	SDIX RapidCheck Salmonella
Water Activity	AOAC 978.18

Recipe	Lot No.	Made On Date	Best By Date	E.Coli Test Result	Salmonella Test Result	Water Activity Test Result
HALE	2925A1	10/19/15	04/19/17	NEGATIVE	NEGATIVE	0.475
HALE	2925A2	10/19/15	04/19/17	NEGATIVE	NEGATIVE	0.478
VERVE	2925A3	10/19/15	10/19/16	NEGATIVE	NEGATIVE	0.41
VERVE	2925A4	10/19/15	10/19/16	NEGATIVE	NEGATIVE	0.431
VERVE	2925A5	10/19/15	10/19/16	NEGATIVE	NEGATIVE	0.421
VERVE	2925A6	10/19/15	10/19/16	NEGATIVE	NEGATIVE	0.442
VERVE	2925A7	10/19/15	10/19/16	NEGATIVE	NEGATIVE	0.429
THRIVE	2935A1	10/20/15	10/20/16	NEGATIVE	NEGATIVE	0.384
THRIVE	2935A2	10/20/15	10/20/16	NEGATIVE	NEGATIVE	0.375
THRIVE	2935A3	10/20/15	10/20/16	NEGATIVE	NEGATIVE	0.406
THRIVE	2935A4	10/20/15	10/20/16	NEGATIVE	NEGATIVE	0.395
THRIVE	2935A5	10/20/15	10/20/16	NEGATIVE	NEGATIVE	0.401
THRIVE	2935A6	10/20/15	10/20/16	NEGATIVE	NEGATIVE	0.44
THRIVE	2935A7	10/20/15	10/20/16	NEGATIVE	NEGATIVE	0.421
HALCYON	2945A1	10/21/15	10/21/16	NEGATIVE	NEGATIVE	0.469
HALCYON	2945A2	10/21/15	10/21/16	NEGATIVE	NEGATIVE	0.455
KINDLY	2945A3	10/21/15	10/21/16	NEGATIVE	NEGATIVE	0.332
KINDLY	2945A4	10/21/15	10/21/16	NEGATIVE	NEGATIVE	0.318
KINDLY	2945A5	10/21/15	10/21/16	NEGATIVE	NEGATIVE	0.311
KINDLY	2945A6	10/21/15	10/21/16	NEGATIVE	NEGATIVE	0.308
ZEAL	2945A7	10/21/15	10/21/16	NEGATIVE	NEGATIVE	0.348
ZEAL	2945A8	10/21/15	10/21/16	NEGATIVE	NEGATIVE	0.333
ZEAL	2945A9	10/21/15	10/21/16	NEGATIVE	NEGATIVE	0.32
ZEAL	2945A10	10/21/15	10/21/16	NEGATIVE	NEGATIVE	0.331
ZEAL	2945A11	10/21/15	10/21/16	NEGATIVE	NEGATIVE	0.312
ZEAL	2945A12	10/21/15	10/21/16	NEGATIVE	NEGATIVE	0.326
ZEAL	2945A13	10/21/15	10/21/16	NEGATIVE	NEGATIVE	0.309
ZEAL	2945A14	10/21/15	10/21/16	NEGATIVE	NEGATIVE	0.331
PREFERENCE	2955A1	10/22/15	04/22/17	NEGATIVE	NEGATIVE	395
PREFERENCE	2955A2	10/22/15	04/22/17	NEGATIVE	NEGATIVE	0.391
PREFERENCE	2955A3	10/22/15	04/22/17	NEGATIVE	NEGATIVE	0.387
PREFERENCE	2955A4	10/22/15	04/22/17	NEGATIVE	NEGATIVE	0.374
PREFERENCE	2955A5	10/22/15	04/22/17	NEGATIVE	NEGATIVE	0.4
PREFERENCE	2955A6	10/22/15	04/22/17	NEGATIVE	NEGATIVE	0.397
PREFERENCE	2955A7	10/22/15	04/22/17	NEGATIVE	NEGATIVE	0.41
PREFERENCE	2955A8	10/22/15	04/22/17	NEGATIVE	NEGATIVE	0.396
REVEL	2965A1	10/23/15	10/23/16	NEGATIVE	NEGATIVE	0.403
REVEL	2965A2	10/23/15	10/23/16	NEGATIVE	NEGATIVE	0.428

REVEL	2965A3	10/23/15	10/23/16	NEGATIVE	NEGATIVE	0.417
REVEL	2965A4	10/23/15	10/23/16	NEGATIVE	NEGATIVE	0.404
REVEL	2965A5	10/23/15	10/23/16	NEGATIVE	NEGATIVE	0.405
REVEL	2965A6	10/23/15	10/23/16	NEGATIVE	NEGATIVE	0.403
REVEL	2965A7	10/23/15	10/23/16	NEGATIVE	NEGATIVE	0.411
REVEL	2965A8	10/23/15	10/23/16	NEGATIVE	NEGATIVE	0.413
REVEL	2965A9	10/23/15	10/23/16	NEGATIVE	NEGATIVE	0.418
REVEL	2965A10	10/23/15	10/23/16	NEGATIVE	NEGATIVE	0.418
REVEL	2965A11	10/23/15	10/23/16	NEGATIVE	NEGATIVE	0.421
GRACE	2995A1	10/26/15	10/26/16	NEGATIVE	NEGATIVE	0.315
PROWL	2995A2	10/26/15	10/26/16	NEGATIVE	NEGATIVE	0.309
PROWL	2995A3	10/26/15	10/26/16	NEGATIVE	NEGATIVE	0.317
LOVE	2995A4	10/26/15	10/26/16	NEGATIVE	NEGATIVE	0.333
LOVE	2995A5	10/26/15	10/26/16	NEGATIVE	NEGATIVE	0.372
LOVE	2995A6	10/26/15	10/26/16	NEGATIVE	NEGATIVE	0.301
LOVE	2995A7	10/26/15	10/26/16	NEGATIVE	NEGATIVE	0.296
LOVE	2995A8	10/26/15	10/26/16	NEGATIVE	NEGATIVE	0.31
LOVE	2995A9	10/26/15	10/26/16	NEGATIVE	NEGATIVE	0.335
LOVE	2995A10	10/26/15	10/26/16	NEGATIVE	NEGATIVE	0.406
LOVE	2995A11	10/26/15	10/26/16	NEGATIVE	NEGATIVE	0.333
LOVE	2995A12	10/26/15	10/26/16	NEGATIVE	NEGATIVE	0.319
LOVE	2995A13	10/26/15	10/26/16	NEGATIVE	NEGATIVE	0.321
BRAVE	3005A1	10/27/15	10/27/16	NEGATIVE	NEGATIVE	0.233
BRAVE	3005A2	10/27/15	10/27/16	NEGATIVE	NEGATIVE	0.232
BRAVE	3005A3	10/27/15	10/27/16	NEGATIVE	NEGATIVE	0.214
EMBARK	3005A4	10/27/15	10/27/16	NEGATIVE	NEGATIVE	0.349
EMBARK	3005A5	10/27/15	10/27/16	NEGATIVE	NEGATIVE	0.389
EMBARK	3005A6	10/27/15	10/27/16	NEGATIVE	NEGATIVE	0.313
EMBARK	3005A7	10/27/15	10/27/16	NEGATIVE	NEGATIVE	0.375
EMBARK	3005A8	10/27/15	10/27/16	NEGATIVE	NEGATIVE	0.316
EMBARK	3005A9	10/27/15	10/27/16	NEGATIVE	NEGATIVE	0.375
EMBARK	3005A10	10/27/15	10/27/16	NEGATIVE	NEGATIVE	0.374
EMBARK	3005A11	10/27/15	10/27/16	NEGATIVE	NEGATIVE	0.36
EMBARK	3005A12	10/27/15	10/27/16	NEGATIVE	NEGATIVE	0.359
EMBARK	3005A13	10/27/15	10/27/16	NEGATIVE	NEGATIVE	0.355
FORCE	3015A1	10/27/15	10/27/16	NEGATIVE	NEGATIVE	0.382
FORCE	3015A2	10/27/15	10/27/16	NEGATIVE	NEGATIVE	0.375
FORCE	3015A3	10/27/15	10/27/16	NEGATIVE	NEGATIVE	0.347
FORCE	3015A4	10/27/15	10/27/16	NEGATIVE	NEGATIVE	0.361
FORCE	3015A5	10/27/15	10/27/16	NEGATIVE	NEGATIVE	0.379
FORCE	3015A6	10/27/15	10/27/16	NEGATIVE	NEGATIVE	0.384
FORCE	3015A7	10/27/15	10/27/16	NEGATIVE	NEGATIVE	0.416
FORCE	3015A8	10/27/15	10/27/16	NEGATIVE	NEGATIVE	0.379
FORCE	3015A9	10/27/15	10/27/16	NEGATIVE	NEGATIVE	0.399
FORCE	3015A10	10/27/15	10/27/16	NEGATIVE	NEGATIVE	0.394
FORCE	3015A11	10/27/15	10/27/16	NEGATIVE	NEGATIVE	0.387
FORCE	3015A12	10/27/15	10/27/16	NEGATIVE	NEGATIVE	0.387

FORCE	3015A13	10/27/15	10/27/16	NEGATIVE	NEGATIVE	0.392
FORCE	3015A14	10/27/15	10/27/16	NEGATIVE	NEGATIVE	0.377
FORCE	3015A15	10/27/15	10/27/16	NEGATIVE	NEGATIVE	0.373
FORCE	3015A16	10/27/15	10/27/16	NEGATIVE	NEGATIVE	0.387
FORCE	3015A17	10/27/15	10/27/16	NEGATIVE	NEGATIVE	0.392
FORCE	3015A18	10/27/15	10/27/16	NEGATIVE	NEGATIVE	0.334
MARVEL	3025A1	10/28/15	10/28/16	NEGATIVE	NEGATIVE	0.29
MARVEL	3025A2	10/28/15	10/28/16	NEGATIVE	NEGATIVE	0.287
MARVEL	3025A3	10/28/15	10/28/16	NEGATIVE	NEGATIVE	0.31
MARVEL	3025A4	10/28/15	10/28/16	NEGATIVE	NEGATIVE	0.309
KEEN	3035A1	10/29/15	10/29/16	NEGATIVE	NEGATIVE	0.417
KEEN	3035A2	10/29/15	10/29/16	NEGATIVE	NEGATIVE	0.427
KEEN	3035A3	10/29/15	10/29/16	NEGATIVE	NEGATIVE	0.342
KEEN	3035A4	10/29/15	10/29/16	NEGATIVE	NEGATIVE	0.41
KEEN	3035A5	10/29/15	10/29/16	NEGATIVE	NEGATIVE	0.419
KEEN	3035A6	10/29/15	10/29/16	NEGATIVE	NEGATIVE	0.41
KEEN	3035A7	10/29/15	10/29/16	NEGATIVE	NEGATIVE	0.432
KEEN	3035A8	10/29/15	10/29/16	NEGATIVE	NEGATIVE	0.42
KEEN	3035A9	10/29/15	10/29/16	NEGATIVE	NEGATIVE	0.42
KEEN	3035A10	10/29/15	10/29/16	NEGATIVE	NEGATIVE	0.422
KEEN	3035A11	10/29/15	10/29/16	NEGATIVE	NEGATIVE	0.422





Quality Control Approval

November 2015

Test	Test Method Reference
E. Coli	Petri Plates 3M
Salmonella	SDIX RapidCheck Salmonella
Water Activity	AOAC 978.18

Recipe	Lot No.	Made On Date	Best By Date	E.Coli Test Result	Salmonella Test Result	Water Activity Test Result
Preference	3205A2	11/16/15	05/16/17	<0.3	Negative	0.395
Preference	3205A3	11/16/15	05/16/17	<0.3	Negative	0.41
Preference	3205A4	11/16/15	05/16/17	<0.3	Negative	0.378
Preference	3205A5	11/16/15	05/16/17	<0.3	Negative	0.374
Preference	3205A6	11/16/15	05/16/17	<0.3	Negative	0.38
Preference	3205A7	11/16/15	05/16/17	<0.3	Negative	0.343
Grace	3215A1	11/17/15	11/17/16	<0.3	Negative	0.286
Grace	3215A2	11/17/15	11/17/16	<0.3	Negative	0.281
Grace	3215A3	11/17/15	11/17/16	<0.3	Negative	0.253
Brave	3215A4	11/17/15	11/17/16	<0.3	Negative	0.235
Brave	3215A5	11/17/15	11/17/16	<0.3	Negative	0.226
Zeal	3215A6	11/17/15	11/17/16	<0.3	Negative	0.312
Zeal	3215A7	11/17/15	11/17/16	<0.3	Negative	0.309
Zeal	3215A8	11/17/15	11/17/16	<0.3	Negative	0.291
Zeal	3215A9	11/17/15	11/17/16	<0.3	Negative	0.312
Zeal	3215A10	11/17/15	11/17/16	<0.3	Negative	0.298
Prowl	3225A1	11/18/15	11/18/16	<0.3	Negative	0.331
Prowl	3225A2	11/18/15	11/18/16	<0.3	Negative	0.295
Thrive	3225A3	11/18/15	11/18/16	<0.3	Negative	0.404
Thrive	3225A4	11/18/15	11/18/16	<0.3	Negative	0.407
Thrive	3225A5	11/18/15	11/18/16	<0.3	Negative	0.399
Thrive	3225A6	11/18/15	11/18/16	<0.3	Negative	0.411
Embark	3235A1	11/19/15	11/19/16	<0.3	Negative	0.339
Embark	3235A2	11/19/15	11/19/16	<0.3	Negative	0.322
Embark	3235A3	11/19/15	11/19/16	<0.3	Negative	0.335
Embark	3235A4	11/19/15	11/19/16	<0.3	Negative	0.304
Embark	3235A5	11/19/15	11/19/16	<0.3	Negative	0.282
Embark	3235A6	11/19/15	11/19/16	<0.3	Negative	0.338
Embark	3235A7	11/19/15	11/19/16	<0.3	Negative	0.367
Embark	3235A8	11/19/15	11/19/16	<0.3	Negative	0.361
Embark	3235A9	11/19/15	11/19/16	<0.3	Negative	0.34
Embark	3235A10	11/19/15	11/19/16	<0.3	Negative	0.307
Embark	3235A11	11/19/15	11/19/16	<0.3	Negative	0.289
Embark	3235A12	11/19/15	11/19/16	<0.3	Negative	0.308
Embark	3235A13	11/19/15	11/19/16	<0.3	Negative	0.301
Embark	3235A14	11/19/15	11/19/16	<0.3	Negative	0.285
Embark	3235A15	11/19/15	11/19/16	<0.3	Negative	0.334
Force	3245A1	11/19/15	11/19/16	<0.3	Negative	0.37
Force	3245A2	11/19/15	11/19/16	<0.3	Negative	0.36
Force	3245A3	11/19/15	11/19/16	<0.3	Negative	0.363
Force	3245A4	11/19/15	11/19/16	<0.3	Negative	0.364
Force	3245A5	11/19/15	11/19/16	<0.3	Negative	0.359
Force	3245A6	11/20/15	11/20/16	<0.3	Negative	0.325
Force	3245A7	11/20/15	11/20/16	<0.3	Negative	0.377
Force	3245A8	11/20/15	11/20/16	<0.3	Negative	0.373
Force	3245A9	11/20/15	11/20/16	<0.3	Negative	0.395
Force	3245A10	11/20/15	11/20/16	<0.3	Negative	0.400
Force	3245A11	11/20/15	11/20/16	<0.3	Negative	0.392
Halcyon	3275A1	11/23/15	11/23/216	<0.3	Negative	0.387
Halcyon	3275A2	11/23/15	11/23/216	<0.3	Negative	0.403
Halcyon	3275A3	11/23/15	11/23/216	<0.3	Negative	0.392
Verve	3285A1	11/24/15	11/24/15	<0.3	Negative	0.381

Verve	3285A2	11/24/15	11/24/15	<0.3	Negative	0.382
Verve	3285A3	11/24/15	11/24/15	<0.3	Negative	0.383
Verve	3285A4	11/24/15	11/24/15	<0.3	Negative	0.383
Verve	3285A5	11/24/15	11/24/15	<0.3	Negative	0.388
Verve	3285A6	11/24/15	11/24/15	<0.3	Negative	0.387
Revel	3285A7	11/24/15	11/24/15	<0.3	Negative	0.363
Revel	3285A8	11/24/15	11/24/15	<0.3	Negative	0.365
Beef Bone Brith	3205A1	11/24/15	11/24/15	<0.3	Negative	0.156
Keen	3295A1	11/25/15	11/25/16	<0.3	Negative	0.372
Keen	3295A2	11/25/15	11/25/16	<0.3	Negative	0.391
Keen	3295A3	11/25/15	11/25/16	<0.3	Negative	0.392
Keen	3295A4	11/25/15	11/25/16	<0.3	Negative	0.373
Keen	3295A5	11/25/15	11/25/16	<0.3	Negative	0.388
Keen	3295a6	11/25/15	11/25/16	<0.3	Negative	0.396
Keen	3295A7	11/25/15	11/25/16	<0.3	Negative	0.386
Keen	3295A8	11/25/15	11/25/16	<0.3	Negative	0.373
Keen	3295A9	11/25/15	11/25/16	<0.3	Negative	0.338
Keen	3259A10	11/25/15	11/25/16	<0.3	Negative	0.351
Keen	3295A11	11/25/15	11/25/16	<0.3	Negative	0.339
Keen	3295A12	11/25/15	11/25/16	<0.3	Negative	0.400
Keen	3295A13	11/25/15	11/25/16	<0.3	Negative	0.374
Hale	3345A1	11/30/15	07/30/17	<0.3	Negative	0.446
Hale	3345A2	11/30/15	07/30/17	<0.3	Negative	0.462
Kindly	3345A3	11/30/15	07/30/17	<0.3	Negative	0.295
Kindly	3345A4	11/30/15	07/30/17	<0.3	Negative	0.303
Kindly	3345A5	11/30/15	07/30/17	<0.3	Negative	0.300
Kindly	3345A6	11/30/15	07/30/17	<0.3	Negative	0.284
Love	3355A1	12/01/15	12/01/16	<0.3	Negative	0.396
Love	3355A2	12/01/15	12/01/16	<0.3	Negative	0.377
Love	3355A3	12/01/15	12/01/16	<0.3	Negative	0.291
Love	3355A4	12/01/15	12/01/16	<0.3	Negative	0.322
Love	3355A5	12/01/15	12/01/16	<0.3	Negative	0.314



Quality Control Approval

December 2015

Test	Test Method Reference
E. Coli	Petri Plates 3M
Salmonella	SDIX RapidCheck Salmonella
Water Activity	AOAC 978.18

Recipe	Lot No.	Made On Date	Best By Date	E.Coli Test Result	Salmonella Test Result	Water Activity Test Result
Beef Bone Broth	3485A10	12/14/15	06/14/17	<0.3	Negative	0.161
Preference	3485A2	12/14/15	06/14/17	<0.3	Negative	0.398
Preference	3485A3	12/14/15	06/14/17	<0.3	Negative	0.379
Preference	3485A4	12/14/15	06/14/17	<0.3	Negative	0.382
Preference	3485A5	12/14/15	06/14/17	<0.3	Negative	0.386
Preference	3485A6	12/14/15	06/14/17	<0.3	Negative	0.387
Preference	3485A7	12/14/15	06/14/17	<0.3	Negative	0.389
Preference	3485A8	12/14/15	06/14/17	<0.3	Negative	0.365
Preference	3485A9	12/14/15	06/14/17	<0.3	Negative	0.365
Preference	3485A10	12/14/15	06/14/17	<0.3	Negative	0.355
Kindly	3495A1	12/15/15	06/15/17	<0.3	Negative	0.33
Kindly	3495A2	12/15/15	06/15/17	<0.3	Negative	0.33
Kindly	3495A3	12/15/15	06/15/17	<0.3	Negative	0.327
Kindly	3495A4	12/15/15	06/15/17	<0.3	Negative	0.335
Kindly	3495A5	12/15/15	06/15/17	<0.3	Negative	0.328
Prowl	3495A6	12/15/15	12/15/16	<0.3	Negative	0.241
Prowl	3495A7	12/15/15	12/15/16	<0.3	Negative	0.284
Prowl	3495A8	12/15/15	12/15/16	<0.3	Negative	0.263
Prowl	3495A9	12/15/15	12/15/16	<0.3	Negative	0.264
Force	3505A1	12/16/15	12/16/16	<0.3	Negative	0.363
Force	3505A2	12/16/15	12/16/16	<0.3	Negative	0.356
Force	3505A3	12/16/15	12/16/16	<0.3	Negative	0.376
Force	3505A4	12/16/15	12/16/16	<0.3	Negative	0.368
Force	3505A5	12/16/15	12/16/16	<0.3	Negative	0.371
Force	3505A6	12/16/15	12/16/16	<0.3	Negative	0.376
Force	3505A7	12/16/15	12/16/16	<0.3	Negative	0.38
Force	3505A8	12/16/15	12/16/16	<0.3	Negative	0.38
Force	3505A9	12/16/15	12/16/16	<0.3	Negative	0.383
Force	3505A10	12/16/15	12/16/16	<0.3	Negative	0.367
Force	3505A11	12/16/15	12/16/16	<0.3	Negative	0.381
Force	3505A12	12/16/15	12/16/16	<0.3	Negative	0.372
Force	3505A13	12/16/15	12/16/16	<0.3	Negative	0.393
Force	3505A14	12/16/15	12/16/16	<0.3	Negative	0.407
Love	3525A1	12/18/15	12/18/16	<0.3	Negative	0.323
Love	3525A2	12/18/15	12/18/16	<0.3	Negative	0.316
Love	3525A3	12/18/15	12/18/16	<0.3	Negative	0.325
Love	3525A4	12/18/15	12/18/16	<0.3	Negative	0.33
Love	3525A5	12/18/15	12/18/16	<0.3	Negative	0.32

Love	3525A6	12/18/15	12/18/16	<0.3	Negative	0.335
Love	3525A7	12/18/15	12/18/16	<0.3	Negative	0.326
Love	3525A8	12/18/15	12/18/16	<0.3	Negative	0.335
Thrive	3535A1	12/19/15	12/19/16	<0.3	Negative	0.371
Thrive	3535A2	12/19/15	12/19/16	<0.3	Negative	0.444
Thrive	3535A3	12/19/15	12/19/16	<0.3	Negative	0.447
Thrive	3535A4	12/19/15	12/19/16	<0.3	Negative	0.412
Thrive	3535A5	12/19/15	12/19/16	<0.3	Negative	0.346
Verve	3555A1	12/21/15	12/21/16	<0.3	Negative	0.417
Verve	3555A2	12/21/15	12/21/16	<0.3	Negative	0.406
Verve	3555A3	12/21/15	12/21/16	<0.3	Negative	0.423
Verve	3555A4	12/21/15	12/21/16	<0.3	Negative	0.426
Verve	3555A5	12/21/15	12/21/16	<0.3	Negative	0.399
Halcyon	3555A6	12/21/15	12/21/16	<0.3	Negative	0.436
Halcyon	3555A7	12/21/15	12/21/16	<0.3	Negative	0.401
Halcyon	3555A8	12/21/15	12/21/16	<0.3	Negative	0.392
Hale	3565A1	12/22/15	06/22/17	<0.3	Negative	0.464
Hale	3565A2	12/22/15	06/22/17	<0.3	Negative	0.453
Brave	3565A3	12/22/15	12/22/16	<0.3	Negative	0.258
Brave	3565A4	12/22/15	12/22/16	<0.3	Negative	0.26
Marvel	3565A5	12/22/15	12/22/16	<0.3	Negative	0.299
Marvel	3565A6	12/22/15	12/22/16	<0.3	Negative	0.304
Grace	3565A7	12/22/15	12/22/16	<0.3	Negative	0.196
Grace	3565A8	12/22/15	12/22/16	<0.3	Negative	0.202
Grace	3565A9	12/22/15	12/22/16	<0.3	Negative	0.21
Keen	3575A1	12/23/15	12/23/16	<0.3	Negative	0.38
Keen	3575A2	12/23/15	12/23/16	<0.3	Negative	0.396
Keen	3575A3	12/23/15	12/23/16	<0.3	Negative	0.413
Keen	3575A4	12/23/15	12/23/16	<0.3	Negative	0.374
Embark	3625A1	12/28/15	12/28/16	<0.3	Negative	0.337
Embark	3625A2	12/28/15	12/28/16	<0.3	Negative	0.318
Embark	3625A3	12/28/15	12/28/16	<0.3	Negative	0.317
Embark	3625A4	12/28/15	12/28/16	<0.3	Negative	0.338
Embark	3625A5	12/28/15	12/28/16	<0.3	Negative	0.328
Embark	3625A6	12/28/15	12/28/16	<0.3	Negative	0.358
Embark	3625A7	12/28/15	12/28/16	<0.3	Negative	0.364
Embark	3625A8	12/28/15	12/28/16	<0.3	Negative	0.324
Embark	3625A9	12/28/15	12/28/16	<0.3	Negative	0.337
Embark	3625A10	12/28/15	12/28/16	<0.3	Negative	0.342
Embark	3625A11	12/28/15	12/28/16	<0.3	Negative	0.322
Embark	3625A12	12/28/15	12/28/16	<0.3	Negative	0.301
Embark	3625A13	12/28/15	12/28/16	<0.3	Negative	0.279
Revel	3635A1	12/29/15	12/29/16	<0.3	Negative	0.331
Revel	3635A2	12/29/15	12/29/16	<0.3	Negative	0.374
Revel	3635A3	12/29/15	12/29/16	<0.3	Negative	0.377
Revel	3635A4	12/29/15	12/29/16	<0.3	Negative	0.383
Revel	3635A5	12/29/15	12/29/16	<0.3	Negative	0.370

Revel	3635A6	12/29/15	12/29/16	<0.3	Negative	0.336
Zeal	3645A1	12/30/15	12/30/16	<0.3	Negative	0.3
Zeal	3645A2	12/30/15	12/30/16	<0.3	Negative	0.344
Zeal	3645A3	12/30/15	12/30/16	<0.3	Negative	0.331
Zeal	3645A4	12/30/15	12/30/16	<0.3	Negative	0.309
Zeal	3645A5	12/30/15	12/30/16	<0.3	Negative	0.311
Zeal	3645A6	12/30/15	12/30/16	<0.3	Negative	0.337
Zeal	3645A7	12/30/15	12/30/16	<0.3	Negative	0.334
Enhanced Superfoods	3645A8	12/30/15	12/30/16	<0.3	Negative	0.527



Quality Control Approval

January 2016

ND= none detected

Test	Test Method Reference
E. Coli	Petri Plates 3M
Salmonella	SDIX RapidCheck Salmonella
Water Activity	AOAC 978.18

Recipe	Lot No.	Made On Date	Best By Date	E.Coli Test Result	Salmonella Test Result	Water Activity Test Result
Beef Bone Broth	0116A2	01/11/16	06/11/18	ND	Negative	0.124
Keen	0116A3	01/11/16	01/11/17	ND	Negative	0.391
Keen	0116A4	01/11/16	01/11/17	ND	Negative	0.403
Keen	0116A5	01/11/16	01/11/17	ND	Negative	0.38
Keen	0116A6	01/11/16	01/11/17	ND	Negative	0.398
Keen	0116A7	01/11/16	01/11/17	ND	Negative	0.363
Keen	0116A8	01/11/16	01/11/17	ND	Negative	0.379
Keen	0116A9	01/11/16	01/11/17	ND	Negative	0.415
Keen	0116A10	01/11/16	01/11/17	ND	Negative	0.389
Keen	0116A11	01/11/16	01/11/17	ND	Negative	0.404
Keen	0116A12	01/11/16	01/11/17	ND	Negative	0.37
Keen	0116A13	01/11/16	01/11/17	ND	Negative	0.375
Keen	0116A14	01/11/16	01/11/17	ND	Negative	0.302
Brave	0126A1	01/12/16	01/12/17	ND	Negative	0.188
Brave	0126A2	01/12/16	01/12/17	ND	Negative	0.188
Brave	0126A3	01/12/16	01/12/17	ND	Negative	0.201
Brave	0126A4	01/12/16	01/12/17	ND	Negative	0.193
Embark	0136A1	01/13/16	01/13/17	ND	Negative	0.266
Embark	0136A2	01/13/16	01/13/17	ND	Negative	0.199
Embark	0136A3	01/13/16	01/13/17	ND	Negative	0.229
Embark	0136A4	01/13/16	01/13/17	ND	Negative	0.217
Embark	0136A5	01/13/16	01/13/17	ND	Negative	0.215
Embark	0136A6	01/13/16	01/13/17	ND	Negative	0.196
Embark	0136A7	01/13/16	01/13/17	ND	Negative	0.222
Embark	0136A8	01/13/16	01/13/17	ND	Negative	0.299
Embark	0136A9	01/13/16	01/13/17	ND	Negative	0.286
Embark	0136A10	01/13/16	01/13/17	ND	Negative	0.28
Force	0146A1	01/14/16	01/14/17	ND	Negative	0.407
Force	0146A2	01/14/16	01/14/17	ND	Negative	0.397
Force	0146A3	01/14/16	01/14/17	ND	Negative	0.373
Force	0146A4	01/14/16	01/14/17	ND	Negative	0.383
Force	0146A5	01/14/16	01/14/17	ND	Negative	0.371
Force	0146A6	01/14/16	01/14/17	ND	Negative	0.307
Force	0146A7	01/14/16	01/14/17	ND	Negative	0.234
Force	0146A8	01/14/16	01/14/17	ND	Negative	0.335
Force	0146A9	01/14/16	01/14/17	ND	Negative	0.218
Force	0146A10	01/14/16	01/14/17	ND	Negative	0.352
Force	0146A11	01/14/16	01/14/17	ND	Negative	0.357
Force	0146A12	01/14/16	01/14/17	ND	Negative	0.362
Force	0146A13	01/14/16	01/14/17	ND	Negative	0.37
Force	0146A14	01/14/16	01/14/17	ND	Negative	0.375
Love	0156A1	01/15/16	01/15/17	ND	Negative	0.329
Love	0156A2	01/15/16	01/15/17	ND	Negative	0.317
Love	0156A3	01/15/16	01/15/17	ND	Negative	0.296
Love	0156A4	01/15/16	01/15/17	ND	Negative	0.301
Love	0156A5	01/15/16	01/15/17	ND	Negative	0.323
Love	0156A6	01/15/16	01/15/17	ND	Negative	0.306
Love	0156A7	01/15/16	01/15/17	ND	Negative	0.321
Love	0156A8	01/15/16	01/15/17	ND	Negative	0.322
Love	0156A9	01/15/16	01/15/17	ND	Negative	0.332
Love	0156A10	01/15/16	01/15/17	ND	Negative	0.333

Verve	0186A1	01/18/16	01/18/17	ND	Negative	0.413
Verve	0186A2	01/18/16	01/18/17	ND	Negative	0.398
Verve	0186A3	01/18/16	01/18/17	ND	Negative	0.387
Zeal	0186A4	01/18/16	01/18/17	ND	Negative	0.306
Zeal	0186A5	01/18/16	01/18/17	ND	Negative	0.311
Zeal	0186A6	01/18/16	01/18/17	ND	Negative	0.293
Zeal	0186A7	01/18/16	01/18/17	ND	Negative	0.306
Zeal	0186A8	01/18/16	01/18/17	ND	Negative	0.302
Zeal	0186A9	01/18/16	01/18/17	ND	Negative	0.296
Prowl	0196A1	01/19/16	01/19/17	ND	Negative	0.309
Prowl	0196A2	01/19/16	01/19/17	ND	Negative	0.296
Prowl	0196A3	01/19/16	01/19/17	ND	Negative	0.308
Prowl	0196A4	01/19/16	01/19/17	ND	Negative	0.297
Grace	0196A5	01/19/16	01/19/17	ND	Negative	0.181
Grace	0196A6	01/19/16	01/19/17	ND	Negative	0.245
Revel	0206A1	01/20/16	01/20/17	ND	Negative	0.356
Revel	0206A2	01/20/16	01/20/17	ND	Negative	0.36
Revel	0206A3	01/20/16	01/20/17	ND	Negative	0.382
Revel	0206A4	01/20/16	01/20/17	ND	Negative	0.38
Revel	0206A5	01/20/16	01/20/17	ND	Negative	0.356
Revel	0206A6	01/20/16	01/20/17	ND	Negative	.380
Revel	0206A7	01/20/16	01/20/17	ND	Negative	.364
Revel	0206A8	01/20/16	01/20/17	ND	Negative	.350
Preference	0216A1	01/21/16	06/21/17	ND	Negative	.372
Preference	0216A2	01/21/16	06/21/17	ND	Negative	.367
Preference	0216A3	01/21/16	06/21/17	ND	Negative	.372
Preference	0216A4	01/21/16	06/21/17	ND	Negative	.393
Preference	0216A5	01/21/16	06/21/17	ND	Negative	.394
Preference	0216A6	01/21/16	06/21/17	ND	Negative	.393
Preference	0216A7	01/21/16	06/21/17	ND	Negative	.391
Preference	0216A8	01/21/16	06/21/17	ND	Negative	.388
Preference	0216A9	01/21/16	06/21/17	ND	Negative	.365
Thrive	0226A1	01/22/16	01/22/17	ND	Negative	.405
Thrive	0226A2	01/22/16	01/22/17	ND	Negative	.390
Thrive	0226A3	01/22/16	01/22/17	ND	Negative	.407
Halcyon	0226A4	01/22/16	01/22/17	ND	Negative	0.365
Halcyon	0226A5	01/22/16	01/22/17	ND	Negative	0.387
Kindly	0226A7	01/22/16	01/22/17	ND	Negative	0.301
.Kindly	0226A8	01/22/16	01/22/17	ND	Negative	0.268
Kindly	0226A9	01/22/16	01/22/17	ND	Negative	0.266
Kindly	0226A10	01/22/16	01/22/17	ND	Negative	0.270
Marvel	0226A11	01/22/16	01/22/17	ND	Negative	0.271
Marvel	0226A12	01/22/16	01/22/17	ND	Negative	0.274



Quality Control Approval

February 2016

Test	Test Method Reference
E. Coli	Petri Plates 3M
Salmonella	SDIX RapidCheck Salmonella
Water Activity	AOAC 978.18

Recipe	Lot No.	Made On Date	Best By Date	E.Coli Test Result	Salmonella Test Result	Water Activity Test Result
Marvel	0466A1	02/15/16	02/15/17	ND	Negative	0.297
Marvel	0466A2	02/15/16	02/15/17	ND	Negative	0.288
Marvel	0466A3	02/15/16	02/15/17	ND	Negative	0.275
Revel	0466A4	02/15/16	02/15/17	ND	Negative	0.37
Revel	0466A5	02/15/16	02/15/17	ND	Negative	0.364
Revel	0466A6	02/15/16	02/15/17	ND	Negative	0.381
Revel	0466A7	02/15/16	02/15/17	ND	Negative	0.427
Revel	0466A8	02/15/16	02/15/17	ND	Negative	0.407
Revel	0466A9	02/15/16	02/15/17	ND	Negative	0.361
Revel	0466A10	02/15/16	02/15/17	ND	Negative	0.38
Revel	0466A11	02/15/16	02/15/17	ND	Negative	0.394
Revel	0466A12	02/15/16	02/15/17	ND	Negative	0.386
Brave	0476A1	02/16/16	02/16/17	ND	Negative	0.237
Brave	0476A2	02/16/16	02/16/17	ND	Negative	0.185
Brave	0476A3	02/16/16	02/16/17	ND	Negative	0.19
Love	0476A4	02/16/16	02/16/17	ND	Negative	0.347
Love	0476A5	02/16/16	02/16/17	ND	Negative	0.321
Love	0476A6	02/16/16	02/16/17	ND	Negative	0.313
Love	0476A7	02/16/16	02/16/17	ND	Negative	0.292
Love	0476A8	02/16/16	02/16/17	ND	Negative	0.282
Love	0476A9	02/16/16	02/16/17	ND	Negative	0.286
Love	0476A10	02/16/16	02/16/17	ND	Negative	0.296
Love	0476A11	02/16/16	02/16/17	ND	Negative	0.297
Love	0476A12	02/16/16	02/16/17	ND	Negative	0.27
Preference	0486A1	02/17/16	08/17/17	ND	Negative	0.332
Preference	0486A2	02/17/16	08/17/17	ND	Negative	0.38
Preference	0486A3	02/17/16	08/17/17	ND	Negative	0.391
Preference	0486A4	02/17/16	08/17/17	ND	Negative	0.391
Preference	0486A5	02/17/16	08/17/17	ND	Negative	0.376
Preference	0486A6	02/17/16	08/17/17	ND	Negative	0.363
Preference	0486A7	02/17/16	08/17/17	ND	Negative	0.386
Preference	0486A8	02/17/16	08/17/17	ND	Negative	0.36
Preference	0486A9	02/17/16	08/17/17	ND	Negative	0.364
Preference	0486A10	02/17/16	08/17/17	ND	Negative	0.364
Thrive	0496A1	02/18/16	02/18/17	ND	Negative	0.403
Thrive	0496A2	02/18/16	02/18/17	ND	Negative	0.423
Thrive	0496A3	02/18/16	02/18/17	ND	Negative	0.438
Thrive	0496A4	02/18/16	02/18/17	ND	Negative	0.425
Thrive	0496A5	02/18/16	02/18/17	ND	Negative	0.431
Keen	0506A1	02/19/16	02/19/17	ND	Negative	0.386
Keen	0506A2	02/19/16	02/19/17	ND	Negative	0.377
Keen	0506A3	02/19/16	02/19/17	ND	Negative	0.395
Keen	0506A4	02/19/16	02/19/17	ND	Negative	0.4
Keen	0506A5	02/19/16	02/19/17	ND	Negative	0.371
Keen	0506A6	02/19/16	02/19/17	ND	Negative	0.37
Keen	0506A7	02/19/16	02/19/17	ND	Negative	0.385
Keen	0506A8	02/19/16	02/19/17	ND	Negative	0.39
Keen	0506A9	02/19/16	02/19/17	ND	Negative	0.36
Keen	0506A10	02/19/16	02/19/17	ND	Negative	0.37
Keen	0506A11	02/19/16	02/19/17	ND	Negative	0.36
Keen	0506A12	02/19/16	02/19/17	ND	Negative	0.378

Keen	0506A13	02/19/16	02/19/17	ND	Negative	0.37
Force	0546A1	02/23/16	02/23/17	ND	Negative	0.363
Force	0546A2	02/23/16	02/23/17	ND	Negative	0.357
Force	0546A3	02/23/16	02/23/17	ND	Negative	0.373
Force	0546A4	02/23/16	02/23/17	ND	Negative	0.347
Force	0546A5	02/23/16	02/23/17	ND	Negative	0.355
Force	0546A6	02/23/16	02/23/17	ND	Negative	0.366
Force	0546A7	02/23/16	02/23/17	ND	Negative	0.359
Force	0546A8	02/23/16	02/23/17	ND	Negative	0.37
Force	0546A9	02/23/16	02/23/17	ND	Negative	0.356
Force	0546A10	02/23/16	02/23/17	ND	Negative	0.394
Force	0546A11	02/23/16	02/23/17	ND	Negative	0.339
Force	0546A12	02/23/16	02/23/17	ND	Negative	0.385
Force	0546A13	02/23/16	02/23/17	ND	Negative	0.36
Force	0546A14	02/23/16	02/23/17	ND	Negative	0.382
Force	0546A15	02/23/16	02/23/17	ND	Negative	0.361
Force	0546A16	02/23/16	02/23/17	ND	Negative	0.35
Force	0546A17	02/23/16	02/23/17	ND	Negative	0.395
Force	0546A18	02/23/16	02/23/17	ND	Negative	0.388
Embark	0566A1	02/24/16	02/24/17	ND	Negative	0.349
Embark	0566A2	02/24/16	02/24/17	ND	Negative	0.341
Embark	0566A3	02/24/16	02/24/17	ND	Negative	0.353
Embark	0566A4	02/24/16	02/24/17	ND	Negative	.307
Embark	0566A5	02/24/16	02/24/17	ND	Negative	.308
Embark	0566A6	02/24/16	02/24/17	ND	Negative	.326
Embark	0566A7	02/24/16	02/24/17	ND	Negative	.300
Embark	0566A8	02/24/16	02/24/17	ND	Negative	.332
Embark	0566A9	02/24/16	02/24/17	ND	Negative	.324
Embark	0566A10	02/24/16	02/24/17	ND	Negative	.303
Embark	0566A11	02/24/16	02/24/17	ND	Negative	.336
Embark	0566A12	02/24/16	02/24/17	ND	Negative	.272
Embark	0566A13	02/24/16	02/24/17	ND	Negative	.310
Embark	0566A14	02/24/16	02/24/17	ND	Negative	.289
Embark	0566A15	02/24/16	02/24/17	ND	Negative	.274
Embark	0566A16	02/24/16	02/24/17	ND	Negative	0.337
Embark	0566A17	02/24/16	02/24/17	ND	Negative	0.323
Embark	0566A18	02/24/16	02/24/17	ND	Negative	0.310
Prowl	0576A1	02/25/16	02/25/17	ND	Negative	0.298
Prowl	0576A2	02/25/16	02/25/17	ND	Negative	0.305
Zeal	0576A3	02/25/16	02/25/17	ND	Negative	0.316
Zeal	0576A4	02/25/16	02/25/17	ND	Negative	0.312
Zeal	0576A5	02/25/16	02/25/17	ND	Negative	0.318
Zeal	0576A6	02/25/16	02/25/17	ND	Negative	0.137
Zeal	0576A7	02/25/16	02/25/17	ND	Negative	0.305
Kindly	0606A1	02/28/16	08/28/17	ND	Negative	0.295
Kindly	0606A2	02/28/16	08/28/17	ND	Negative	0.271
Kindly	0606A3	02/28/16	08/28/17	ND	Negative	0.263
Kindly	0606A4	02/28/16	08/28/17	ND	Negative	0.297
Kindly	0606A5	02/28/16	08/28/17	ND	Negative	0.292
Halcyon	0606A6	02/28/16	02/28/17	ND	Negative	0.372
Verve	0616A1	02/29/16	02/28/17	ND	Negative	0.391
Verve	0616A2	02/29/16	02/28/17	ND	Negative	0.362
Verve	0616A3	02/29/16	02/28/17	ND	Negative	0.413
Verve	0616A4	02/29/16	02/28/17	ND	Negative	0.392
Verve	0616A5	02/29/16	02/28/17	ND	Negative	0.408
Verve	0616A6	02/29/16	02/28/17	ND	Negative	0.414
Verve	0616A7	02/29/16	02/28/17	ND	Negative	0.392
Verve	0616A8	02/29/16	02/28/17	ND	Negative	0.392
Verve	0616A9	02/29/16	02/28/17	ND	Negative	0.403



Quality Control Approval

March 2016

Test	Test Method Reference
E. Coli	Petri Plates 3M
Salmonella	SDIX RapidCheck Salmonella
Water Activity	AOAC 978.18

Recipe	Lot No.	Made On Date	Best By Date	E.Coli Test Result	Salmonella Test Result	Water Activity Test Result
Revel	0816A1	03/21/16	03/21/17	ND	Negative	0.397
Revel	0816A2	03/21/16	03/21/17	ND	Negative	0.371
Revel	0816A3	03/21/16	03/21/17	ND	Negative	0.388
Revel	0816A4	03/21/16	03/21/17	ND	Negative	0.373
Revel	0816A5	03/21/16	03/21/17	ND	Negative	0.399
Revel	0816A6	03/21/16	03/21/17	ND	Negative	0.391
Revel	0816A7	03/21/16	03/21/17	ND	Negative	0.382
Revel	0816A8	03/21/16	03/21/17	ND	Negative	0.366
Revel	0816A9	03/21/16	03/21/17	ND	Negative	0.367
Revel	0816A10	03/21/16	03/21/17	ND	Negative	0.394
Revel	0816A11	03/21/16	03/21/17	ND	Negative	0.371
Revel	0816A12	03/21/16	03/21/17	ND	Negative	0.413
Brave	0826A1	03/22/16	03/22/17	ND	Negative	0.218
Marvel	0826A2	03/22/16	03/22/17	ND	Negative	0.291
Marvel	0826A3	03/22/16	03/22/17	ND	Negative	0.324
Grace	0826A4	03/22/16	03/22/17	ND	Negative	0.264
Grace	0826A5	03/22/16	03/22/17	ND	Negative	0.271
Grace	0826A6	03/22/16	03/22/17	ND	Negative	0.252
Prowl	0826A7	03/22/16	03/22/17	ND	Negative	0.288
Prowl	0826A8	03/22/16	03/22/17	ND	Negative	0.28
Preference	0836A1	03/23/16	09/23/17	ND	Negative	0.353
Preference	0836A2	03/23/16	09/23/17	ND	Negative	0.393
Preference	0836A3	03/23/16	09/23/17	ND	Negative	0.369
Preference	0836A4	03/23/16	09/23/17	ND	Negative	0.41
Preference	0836A5	03/23/16	09/23/17	ND	Negative	0.378
Preference	0836A6	03/23/16	09/23/17	ND	Negative	0.406
Preference	0836A7	03/23/16	09/23/17	ND	Negative	0.379
Preference	0836A8	03/23/16	09/23/17	ND	Negative	0.349
Force	0846A1	03/24/16	03/24/17	ND	Negative	0.37
Force	0846A2	03/24/16	03/24/17	ND	Negative	0.378
Force	0846A3	03/24/16	03/24/17	ND	Negative	0.408
Force	0846A4	03/24/16	03/24/17	ND	Negative	0.41
Force	0846A5	03/24/16	03/24/17	ND	Negative	0.402
Force	0846A6	03/24/16	03/24/17	ND	Negative	0.368
Force	0846A7	03/24/16	03/24/17	ND	Negative	0.367
Force	0846A8	03/24/16	03/24/17	ND	Negative	0.378
Force	0846A9	03/24/16	03/24/17	ND	Negative	0.377
Force	0846A10	03/24/16	03/24/17	ND	Negative	0.366
Force	0846A11	03/24/16	03/24/17	ND	Negative	0.36
Force	0846A12	03/24/16	03/24/17	ND	Negative	0.374
Force	0846A13	03/24/16	03/24/17	ND	Negative	0.388
Force	0846A14	03/24/16	03/24/17	ND	Negative	0.391
Keen	0886A1	03/28/16	03/28/17	ND	Negative	0.393
Keen	0886A2	03/28/16	03/28/17	ND	Negative	0.376
Keen	0886A3	03/28/16	03/28/17	ND	Negative	0.403
Keen	0886A4	03/28/16	03/28/17	ND	Negative	0.399
Keen	0886A5	03/28/16	03/28/17	ND	Negative	0.41
Keen	0886A6	03/28/16	03/28/17	ND	Negative	0.41
Keen	0886A7	03/28/16	03/28/17	ND	Negative	0.393
Keen	0886A8	03/28/16	03/28/17	ND	Negative	0.404
Keen	0886A9	03/28/16	03/28/17	ND	Negative	0.427
Keen	0886A10	03/28/16	03/28/17	ND	Negative	0.418
Keen	0886A11	03/28/16	03/28/17	ND	Negative	0.377
Keen	0886A12	03/28/16	03/28/17	ND	Negative	0.398

Keen	0886A13	03/28/16	03/28/17	ND	Negative	0.398
Zeal	0896A1	03/29/16	03/29/17	ND	Negative	0.306
Zeal	0896A2	03/29/16	03/29/17	ND	Negative	0.297
Zeal	0896A3	03/29/16	03/29/17	ND	Negative	0.289
Zeal	0896A4	03/29/16	03/29/17	ND	Negative	0.283
Zeal	0896A5	03/29/16	03/29/17	ND	Negative	0.273
Love	0906A1	03/30/16	03/30/17	ND	Negative	0.306
Love	0906A2	03/30/16	03/30/17	ND	Negative	0.291
Love	0906A3	03/30/16	03/30/17	ND	Negative	0.342
Love	0906A4	03/30/16	03/30/17	ND	Negative	0.327
Love	0906A5	03/30/16	03/30/17	ND	Negative	0.301
Love	0906A6	03/30/16	03/30/17	ND	Negative	0.284
Love	0906A7	03/30/16	03/30/17	ND	Negative	0.299
Love	0906A8	03/30/16	03/30/17	ND	Negative	0.309
Verve	0916A1	03/31/16	03/31/17	ND	Negative	0.41
Verve	0916A2	03/31/16	03/31/17	ND	Negative	0.407
Verve	0916A3	03/31/16	03/31/17	ND	Negative	0.413
Verve	0916A4	03/31/16	03/31/17	ND	Negative	0.401
Kindly	0916A5	03/31/16	9/31/17	ND	Negative	0.262
Kindly	0916A6	03/31/16	9/31/17	ND	Negative	0.299
Thrive	0916A7	03/31/16	03/31/17	ND	Negative	0.404
Thrive	0916A8	03/31/16	03/31/17	ND	Negative	0.42
Thrive	0916A9	03/31/16	03/31/17	ND	Negative	0.425
Embark	0926A1	04/01/16	04/16/17	ND	Negative	0.339
Embark	0926A2	04/01/16	04/16/17	ND	Negative	0.344
Embark	0926A3	04/01/16	04/16/17	ND	Negative	.338
Embark	0926A4	04/01/16	04/16/17	ND	Negative	0.336
Embark	0926A5	04/01/16	04/16/17	ND	Negative	.339
Embark	0926A6	04/01/16	04/16/17	ND	Negative	.339
Embark	0926A7	04/01/16	04/16/17	ND	Negative	.334
Beef Bone Broth	0926A8	04/01/16	09/01/17	ND	Negative	.149



Quality Control Approval

April 2016

Test	Test Method Reference
E. Coli	Petri Plates 3M
Salmonella	SDIX RapidCheck Salmonella
Water Activity	AOAC 978.18

Recipe	Lot No.	Made On Date	Best By Date	E.Coli Test Result	Salmonella Test Result	Water Activity Test Result
Embark	1166A1	04/26/16	04/26/17	ND	Negative	0.368
Embark	1166A2	04/26/16	04/26/17	ND	Negative	0.37
Embark	1166A3	04/26/16	04/26/17	ND	Negative	0.37
Embark	1166A4	04/26/16	04/26/17	ND	Negative	0.367
Embark	1166A5	04/26/16	04/26/17	ND	Negative	0.346
Embark	1166A6	04/26/16	04/26/17	ND	Negative	0.356
Embark	1166A7	04/26/16	04/26/17	ND	Negative	0.334
Embark	1166A8	04/26/16	04/26/17	ND	Negative	0.335
Embark	1166A9	04/26/16	04/26/17	ND	Negative	0.327
Embark	1166A10	04/26/16	04/26/17	ND	Negative	0.349
Embark	1166A11	04/26/16	04/26/17	ND	Negative	0.343
Brave	1176A1	04/27/16	04/27/17	ND	Negative	0.207
Brave	1176A2	04/27/16	04/27/17	ND	Negative	0.271
Brave	1176A3	04/27/16	04/27/17	ND	Negative	0.193
Brave	1176A4	04/27/16	04/27/17	ND	Negative	0.204
Brave	1176A5	04/27/16	04/27/17	ND	Negative	0.209
Marvel	1176A6	04/27/16	04/27/17	ND	Negative	0.324
Marvel	1176A7	04/27/16	04/27/17	ND	Negative	0.316
Marvel	1176A8	04/27/16	04/27/17	ND	Negative	0.337
Marvel	1176A9	04/27/16	04/27/17	ND	Negative	0.327
Marvel	1176A10	04/27/16	04/27/17	ND	Negative	0.33
Revel	1186A1	04/28/16	04/28/17	ND	Negative	0.369
Revel	1186A2	04/28/16	04/28/17	ND	Negative	0.359
Revel	1186A3	04/28/16	04/28/17	ND	Negative	0.351
Revel	1186A4	04/28/16	04/28/17	ND	Negative	0.341
Revel	1186A5	04/28/16	04/28/17	ND	Negative	0.354
Revel	1186A6	04/28/16	04/28/17	ND	Negative	0.344
Revel	1186A7	04/28/16	04/28/17	ND	Negative	0.354
Revel	1186A8	04/28/16	04/28/17	ND	Negative	0.374
Revel	1186A9	04/28/16	04/28/17	ND	Negative	0.368
Revel	1186A10	04/28/16	04/28/17	ND	Negative	0.364
Revel	1186A11	04/28/16	04/28/17	ND	Negative	0.363
Revel	1186A12	04/28/16	04/28/17	ND	Negative	0.343
Revel	1186A13	04/28/16	04/28/17	ND	Negative	0.348
Revel	1186A14	04/28/16	04/28/17	ND	Negative	0.352
Kindly	1196A1	04/29/16	10/29/17	ND	Negative	0.285
Kindly	1196A2	04/29/16	10/29/17	ND	Negative	0.305
Kindly	1196A3	04/29/16	10/29/17	ND	Negative	0.299
Kindly	1196A4	04/29/16	10/29/17	ND	Negative	0.263
Kindly	1196A5	04/29/16	10/29/17	ND	Negative	0.299
Kindly	1196A6	04/29/16	10/29/17	ND	Negative	0.276
Preference	1206A1	04/30/16	10/30/17	ND	Negative	0.386
Preference	1206A2	04/30/16	10/30/17	ND	Negative	0.39
Preference	1206A3	04/30/16	10/30/17	ND	Negative	0.363
Preference	1206A4	04/30/16	10/30/17	ND	Negative	0.397
Preference	1206A5	04/30/16	10/30/17	ND	Negative	0.416
Preference	1206A6	04/30/16	10/30/17	ND	Negative	0.34
Preference	1206A7	04/30/16	10/30/17	ND	Negative	0.379
Preference	1206A8	04/30/16	10/30/17	ND	Negative	0.359
Preference	1206A9	04/30/16	10/30/17	ND	Negative	0.387
Preference	1206A10	04/30/16	10/30/17	ND	Negative	0.329
Preference	1206A11	04/30/16	10/30/17	ND	Negative	0.374
Force	1216A1	04/30/16	04/30/17	ND	Negative	0.356
Force	1216A2	04/30/16	04/30/17	ND	Negative	0.365
Force	1216A3	04/30/16	04/30/17	ND	Negative	0.364
Force	1216A4	04/30/16	04/30/17	ND	Negative	0.355

Force	1216A5	04/30/16	04/30/17	ND	Negative	0.371
Force	1216A6	04/30/16	04/30/17	ND	Negative	0.36
Force	1216A7	04/30/16	04/30/17	ND	Negative	0.371
Force	1216A8	04/30/16	04/30/17	ND	Negative	0.376
Force	1216A9	04/30/16	04/30/17	ND	Negative	0.356
Force	1216A10	04/30/16	04/30/17	ND	Negative	0.368
Force	1216A11	04/30/16	04/30/17	ND	Negative	0.347
Force	1216A12	04/30/16	04/30/17	ND	Negative	0.348
Force	1216A13	04/30/16	04/30/17	ND	Negative	0.361
Prowl	1236A1	05/02/16	05/02/17	ND	Negative	0.268
Prowl	1236A2	05/02/16	05/02/17	ND	Negative	0.258
Prowl	1236A3	05/02/16	05/02/17	ND	Negative	0.265
Prowl	1236A4	05/02/16	05/02/17	ND	Negative	0.291
Grace	1236A5	05/02/16	05/02/17	ND	Negative	0.264
Keen	1246A1	05/03/16	05/03/17	ND	Negative	0.393
Love	1246A2	05/03/16	05/03/17	ND	Negative	0.284
Love	1246A3	05/03/16	05/03/17	ND	Negative	0.284
Zeal	1256A1	05/04/16	05/04/17	ND	Negative	0.305
Zeal	1256A2	05/04/16	05/04/17	ND	Negative	0.321
Zeal	1256A3	05/04/16	05/04/17	ND	Negative	0.338
Zeal	1256A4	05/04/16	05/04/17	ND	Negative	0.327
Zeal	1256A5	05/04/16	05/04/17	ND	Negative	0.361
Zeal	1256A6	05/04/16	05/04/17	ND	Negative	0.314
Zeal	1256A7	05/04/16	05/04/17	ND	Negative	0.315
Zeal	1256A8	05/05/16	05/05/17	ND	Negative	0.298
Verve	1266A1	05/05/16	05/05/17	ND	Negative	0.383
Verve	1266A2	05/05/16	05/05/17	ND	Negative	.383
Verve	1266A3	05/05/16	05/05/17	ND	Negative	.392
Verve	1266A4	05/05/16	05/05/17	ND	Negative	.406
Verve	1266A5	05/05/16	05/05/17	ND	Negative	.390
Keen	1276A1	05/06/16	05/16/17	ND	Negative	.407
Keen	1276A2	05/06/16	05/16/17	ND	Negative	.395
Keen	1276A3	05/06/16	05/16/17	ND	Negative	.388
Keen	1276A4	05/06/16	05/16/17	ND	Negative	.383
Keen	1276A5	05/06/16	05/16/17	ND	Negative	.376
Keen	1276A6	05/06/16	05/16/17	ND	Negative	.399
Keen	1276A7	05/06/16	05/16/17	ND	Negative	0.379
Keen	1276A8	05/06/16	05/16/17	ND	Negative	0.389
Keen	1276A9	05/06/16	05/16/17	ND	Negative	0.365
Keen	1276A10	05/06/16	05/16/17	ND	Negative	0.391
Love	1286A1	05/07/16	05/07/17	ND	Negative	0.342
Love	1286A2	05/07/16	05/07/17	ND	Negative	0.276
Love	1286A3	05/07/16	05/07/17	ND	Negative	0.289
Love	1286A4	05/07/16	05/07/17	ND	Negative	0.281
Love	1286A5	05/07/16	05/07/17	ND	Negative	0.313
Love	12865A6	05/07/16	05/07/17	ND	Negative	0.311
Love	12865A7	05/07/16	05/07/17	ND	Negative	0.284
Love	12865A8	05/07/16	05/07/17	ND	Negative	0.295
Love	12865A9	05/07/16	05/07/17	ND	Negative	0.276
Thrive	13065A1	05/09/16	05/09/17	ND	Negative	0.405
Thrive	13065A2	05/09/16	05/09/17	ND	Negative	0.405
Thrive	13065A3	05/09/16	05/09/17	ND	Negative	0.418
Thrive	13065A4	05/09/16	05/09/17	ND	Negative	0.420
Embark	1316A1	05/10/16	05/10/17	ND	Negative	0.355
Embark	1316A2	05/10/16	05/10/17	ND	Negative	0.356
Embark	1316A3	05/10/16	05/10/17	ND	Negative	0.367
Embark	1316A4	05/10/16	05/10/17	ND	Negative	0.349
Embark	1316A5	05/10/16	05/10/17	ND	Negative	0.350
Embark	1316A6	05/10/16	05/10/17	ND	Negative	0.37
Embark	1316A7	05/10/16	05/10/17	ND	Negative	0.357
Embark	1316A8	05/10/16	05/10/17	ND	Negative	0.349
Embark	1316A9	05/10/16	05/10/17	ND	Negative	0.325
Embark	1316A10	05/10/16	05/10/17	ND	Negative	0.38
Force	1326A1	5/11/2016	5/11/2017	ND	Negative	0.378

Force	1326A2	5/11/2016	5/11/2017	ND	Negative	0.383
Force	1326A3	5/11/2016	5/11/2017	ND	Negative	0.352
Force	1326A4	5/11/2016	5/11/2017	ND	Negative	0.385
Force	1326A5	5/11/2016	5/11/2017	ND	Negative	0.387
Force	1326A6	5/11/2016	5/11/2017	ND	Negative	0.376
Force	1326A7	5/11/2016	5/11/2017	ND	Negative	0.36
Force	1326A8	5/11/2016	5/11/2017	ND	Negative	0.348
Force	1326A9	5/11/2016	5/11/2017	ND	Negative	0.358
Force	1326A10	5/11/2016	5/11/2017	ND	Negative	0.346
Force	1326A11	5/11/2016	5/11/2017	ND	Negative	0.359
Force	1326A12	5/11/2016	5/11/2017	ND	Negative	0.362
Force	1326A13	5/11/2016	5/11/2017	ND	Negative	0.35
bulk bone broth	1336A1	05/12/16	11/12/17	ND	Negative	0.103
Halcyon	1336A3	05/12/16	05/12/17	ND	Negative	0.361
Halcyon	1336A4	05/12/16	05/12/17	ND	Negative	0.361
Halcyon	1336A5	05/12/16	05/12/17	ND	Negative	0.36



Quality Control Approval

June 2016

Test	Test Method Reference
E. Coli	Petri Plates 3M
Salmonella	SDIX RapidCheck Salmonella
Water Activity	AOAC 978.18

Recipe	Lot No.	Made On Date	Best By Date	E.Coli Test Result	Salmonella Test Result	Water Activity Test Result
Revel	1526A1	05/31/16	05/31/17	ND	NEGATIVE	0.355
Revel	1526A2	05/31/16	05/31/17	ND	NEGATIVE	0.345
Revel	1526A3	05/31/16	05/31/17	ND	NEGATIVE	0.348
Revel	1526A4	05/31/16	05/31/17	ND	NEGATIVE	0.354
Revel	1526A5	05/31/16	05/31/17	ND	NEGATIVE	0.37
Revel	1526A6	05/31/16	05/31/17	ND	NEGATIVE	0.358
Revel	1526A7	05/31/16	05/31/17	ND	NEGATIVE	0.366
Revel	1526A8	05/31/16	05/31/17	ND	NEGATIVE	0.381
Revel	1526A9	05/31/16	05/31/17	ND	NEGATIVE	0.354
Revel	1526A10	05/31/16	05/31/17	ND	NEGATIVE	0.34
Revel	1526A11	05/31/16	05/31/17	ND	NEGATIVE	0.348
Verve	1536A1	06/01/16	06/01/17	ND	NEGATIVE	0.362
Verve	1536A2	06/01/16	06/01/17	ND	NEGATIVE	0.377
Verve	1536A3	06/01/16	06/01/17	ND	NEGATIVE	0.397
Verve	1536A4	06/01/16	06/01/17	ND	NEGATIVE	0.367
Verve	1536A5	06/01/16	06/01/17	ND	NEGATIVE	0.369
Verve	1536A6	06/01/16	06/01/17	ND	NEGATIVE	0.36
Verve	1536A7	06/01/16	06/01/17	ND	NEGATIVE	0.371
Verve	1536A8	06/01/16	06/01/17	ND	NEGATIVE	0.379
Marvel	1546A1	06/02/16	06/02/17	ND	NEGATIVE	0.291
Marvel	1546A2	06/02/16	06/02/17	ND	NEGATIVE	0.29
Marvel	1546A3	06/02/16	06/02/17	ND	NEGATIVE	0.294
Marvel	1546A4	06/02/16	06/02/17	ND	NEGATIVE	0.29
Brave	1546A5	06/02/16	06/02/17	ND	NEGATIVE	0.193
Brave	1546A6	06/02/16	06/02/17	ND	NEGATIVE	0.199
Brave	1546A7	06/02/16	06/02/17	ND	NEGATIVE	0.219
Brave	1546A8	06/02/16	06/02/17	ND	NEGATIVE	0.204
Brave	1546A9	06/02/16	06/02/17	ND	NEGATIVE	0.196
Embark	1556A1	06/03/16	06/03/17	ND	NEGATIVE	0.326
Embark	1556A2	06/03/16	06/03/17	ND	NEGATIVE	0.332
Embark	1556A3	06/03/16	06/03/17	ND	NEGATIVE	0.329
Embark	1556A4	06/03/16	06/03/17	ND	NEGATIVE	0.322
Embark	1556A5	06/03/16	06/03/17	ND	NEGATIVE	0.304
Embark	1556A6	06/03/16	06/03/17	ND	NEGATIVE	0.293
Embark	1556A7	06/03/16	06/03/17	ND	NEGATIVE	0.36
Embark	1556A8	06/03/16	06/03/17	ND	NEGATIVE	0.354
Embark	1556A9	06/03/16	06/03/17	ND	NEGATIVE	0.366
Embark	1556A10	06/03/16	06/03/17	ND	NEGATIVE	0.364
Embark	1556A11	06/03/16	06/03/17	ND	NEGATIVE	0.343
Embark	1556A12	06/03/16	06/03/17	ND	NEGATIVE	0.336
Love	1586A1	06/06/16	06/06/17	ND	NEGATIVE	0.309
Love	1586A2	06/06/16	06/06/17	ND	NEGATIVE	0.299
Love	1586A3	06/06/16	06/06/17	ND	NEGATIVE	0.285
Love	1586A4	06/06/16	06/06/17	ND	NEGATIVE	0.29
Love	1586A5	06/06/16	06/06/17	ND	NEGATIVE	0.307
Love	1586A6	06/06/16	06/06/17	ND	NEGATIVE	0.288
Love	1586A7	06/06/16	06/06/17	ND	NEGATIVE	0.298
Love	1586A8	06/06/16	06/06/17	ND	NEGATIVE	0.287
Love	1586A9	06/06/16	06/06/17	ND	NEGATIVE	0.282
Love	1586A10	06/06/16	06/06/17	ND	NEGATIVE	.314
Kindly	1596A1	06/07/16	12/07/17	ND	NEGATIVE	.276
Kindly	1596A2	06/07/16	12/07/17	ND	NEGATIVE	.256
Kindly	1596A3	06/07/16	12/07/17	ND	NEGATIVE	0.301
Kindly	1596A4	06/07/16	12/07/17	ND	NEGATIVE	.294
Kindly	1596A5	06/07/16	12/07/17	ND	NEGATIVE	0.299
Kindly	1596A6	06/07/16	12/07/17	ND	NEGATIVE	0.301

Zeal	1606A1	06/08/16	06/08/17	ND	NEGATIVE	0.282
Zeal	1606A2	06/08/16	06/08/17	ND	NEGATIVE	0.288
Zeal	1606A3	06/08/16	06/08/17	ND	NEGATIVE	0.284
Zeal	1606A4	06/08/16	06/08/17	ND	NEGATIVE	0.297
Zeal	1606A5	06/08/16	06/08/17	ND	NEGATIVE	0.284
Zeal	1606A6	06/08/16	06/08/17	ND	NEGATIVE	0.301
Zeal	1606A7	06/08/16	06/08/17	ND	NEGATIVE	0.305
Zeal	1606A8	06/08/16	06/08/17	ND	NEGATIVE	0.291
Zeal	1606A9	06/08/16	06/08/17	ND	NEGATIVE	0.302
Halcyon	1606A10	06/08/16	06/08/17	ND	NEGATIVE	0.364
Halcyon	1606A11	06/08/16	06/08/17	ND	NEGATIVE	0.366
Keen	1616A1	06/09/16	06/09/17	ND	NEGATIVE	0.422
Keen	1616A2	06/09/16	06/09/17	ND	NEGATIVE	0.425
Keen	1616A3	06/09/16	06/09/17	ND	NEGATIVE	0.416
Keen	1616A4	06/09/16	06/09/17	ND	NEGATIVE	0.41
Keen	1616A5	06/09/16	06/09/17	ND	NEGATIVE	0.414
Keen	1616A6	06/09/16	06/09/17	ND	NEGATIVE	0.411
Keen	1616A7	06/09/16	06/09/17	ND	NEGATIVE	0.4
Keen	1616A8	06/09/16	06/09/17	ND	NEGATIVE	0.411
Keen	1616A9	06/09/16	06/09/17	ND	NEGATIVE	0.406
Keen	1616A10	06/09/16	06/09/17	ND	NEGATIVE	0.393
Keen	1616A11	06/09/16	06/09/17	ND	NEGATIVE	0.4
Grace	1616A12	06/09/16	06/09/17	ND	NEGATIVE	0.305
Grace	1616A13	06/09/16	06/09/17	ND	NEGATIVE	0.249
Prowl	1626A1	06/10/16	06/10/17	ND	NEGATIVE	0.307
Prowl	1626A2	06/10/16	06/10/17	ND	NEGATIVE	0.284
Prowl	1626A3	06/10/16	06/10/17	ND	NEGATIVE	0.298
Thrive	1626A4	06/10/16	06/10/17	ND	NEGATIVE	0.396
Thrive	1626A5	06/10/16	06/10/17	ND	NEGATIVE	0.422
Thrive	1626A6	06/10/16	06/10/17	ND	NEGATIVE	0.417
Thrive	1626A7	06/10/16	06/10/17	ND	NEGATIVE	0.409
Thrive	1626A8	06/10/16	06/10/17	ND	NEGATIVE	0.418
Thrive	1626A9	06/10/16	06/10/17	ND	NEGATIVE	0.401
Thrive	1626A10	06/10/16	06/10/17	ND	NEGATIVE	0.408
Preference	1656A1	06/13/16	12/13/17	ND	NEGATIVE	0.397
Preference	1656A2	06/13/16	12/13/17	ND	NEGATIVE	0.412
Preference	1656A3	06/13/16	12/13/17	ND	NEGATIVE	0.413
Preference	1656A4	06/13/16	12/13/17	ND	NEGATIVE	0.388
Preference	1656A5	06/13/16	12/13/17	ND	NEGATIVE	0.4
Preference	1656A6	06/13/16	12/13/17	ND	NEGATIVE	0.419
Preference	1656A7	06/13/16	12/13/17	ND	NEGATIVE	0.403
Preference	1656A8	06/13/16	12/13/17	ND	NEGATIVE	0.376
Preference	1656A9	06/13/16	12/13/17	ND	NEGATIVE	0.391
Preference	1656A10	06/13/16	12/13/17	ND	NEGATIVE	0.41
Preference	1656A11	06/13/16	12/13/17	ND	NEGATIVE	0.41
Preference	1656A12	06/13/16	12/13/17	ND	NEGATIVE	0.401
Preference	1656A13	06/13/16	12/13/17	ND	NEGATIVE	0.409
Preference	1656A14	06/13/16	12/13/17	ND	NEGATIVE	0.421
Force	1666A1	06/14/16	06/14/17	ND	NEGATIVE	0.387
Force	1666A2	06/14/16	06/14/17	ND	NEGATIVE	0.374
Force	1666A3	06/14/16	06/14/17	ND	NEGATIVE	0.367
Force	1666A4	06/14/16	06/14/17	ND	NEGATIVE	0.354
Force	1666A5	06/14/16	06/14/17	ND	NEGATIVE	0.358
Force	1666A6	06/14/16	06/14/17	ND	NEGATIVE	0.371
Force	1666A7	06/14/16	06/14/17	ND	NEGATIVE	0.374
Force	1666A8	06/14/16	06/14/17	ND	NEGATIVE	0.36
Force	1666A9	06/14/16	06/14/17	ND	NEGATIVE	0.352
Force	1666A10	06/14/16	06/14/17	ND	NEGATIVE	.347
Force	1666A11	06/14/16	06/14/17	ND	NEGATIVE	.366
Force	1666A12	06/14/16	06/14/17	ND	NEGATIVE	.376
Force	1666A13	06/14/16	06/14/17	ND	NEGATIVE	.372
Force	1666A14	06/14/16	06/14/17	ND	NEGATIVE	.396
Force	1676A1	06/15/16	06/15/17	ND	NEGATIVE	.389
Force	1676A2	06/15/16	06/15/17	ND	NEGATIVE	.389

Force	1676A3	06/15/16	06/15/17	ND	NEGATIVE	.377
Force	1676A4	06/15/16	06/15/17	ND	NEGATIVE	.394
Force	1676A5	06/15/16	06/15/17	ND	NEGATIVE	.394
Force	1676A6	06/15/16	06/15/17	ND	NEGATIVE	0.375
Force	1676A7	06/15/16	06/15/17	ND	NEGATIVE	0.395
Force	1676A8	06/15/16	06/15/17	ND	NEGATIVE	0.383
Force	1676A9	06/15/16	06/15/17	ND	NEGATIVE	0.382
Force	1676A10	06/15/16	06/15/17	ND	NEGATIVE	0.374
Revel	1686A1	06/16/16	06/16/17	ND	NEGATIVE	0.36
Revel	1686A2	06/16/16	06/16/17	ND	NEGATIVE	0.349
Revel	1686A3	06/16/16	06/16/17	ND	NEGATIVE	0.339
Revel	1686A4	06/16/16	06/16/17	ND	NEGATIVE	0.363
Revel	1686A5	06/16/16	06/16/17	ND	NEGATIVE	0.346
Revel	1686A6	06/16/16	06/16/17	ND	NEGATIVE	0.358
Revel	1686A7	06/16/16	06/16/17	ND	NEGATIVE	0.338
Embark	1696A1	06/17/16	06/17/17	ND	NEGATIVE	0.332
Embark	1696A2	06/17/16	06/17/17	ND	NEGATIVE	0.329
Embark	1966A3	06/17/16	06/17/17	ND	NEGATIVE	0.365
Embark	1966A4	06/17/16	06/17/17	ND	NEGATIVE	0.363
Embark	1966A5	06/17/16	06/17/17	ND	NEGATIVE	0.362
Embark	1966A6	06/17/16	06/17/17	ND	NEGATIVE	0.331
Embark	1966A7	06/17/16	06/17/17	ND	NEGATIVE	0.309
Keen	1706A1	06/18/16	06/18/17	ND	NEGATIVE	0.403
Keen	1706A2	06/18/16	06/18/17	ND	NEGATIVE	0.404
Keen	1706A3	06/18/16	06/18/17	ND	NEGATIVE	0.404
Keen	1706A4	06/18/16	06/18/17	ND	NEGATIVE	0.402
Keen	1706A5	06/18/16	06/18/17	ND	NEGATIVE	0.432
Keen	1706A6	06/18/16	06/18/17	ND	NEGATIVE	0.421
Keen	1706A7	06/18/16	06/18/17	ND	NEGATIVE	0.405
Keen	1706A8	06/18/16	06/18/17	ND	NEGATIVE	0.411
Keen	1706A9	06/18/16	06/18/17	ND	NEGATIVE	0.414
Enhanced Superfood	1746A1	06/22/16		ND	NEGATIVE	0.527
Bulk Beef Bone Broth	1746A2	06/22/16		ND	NEGATIVE	0.193



Quality Control Approval

July 2016

Test	Test Method Reference
E. Coli	Petri Plates 3M
Salmonella	SDIX RapidCheck Salmonella
Water Activity	AOAC 978.18

Recipe	Lot No.	Made On Date	Best By Date	E.Coli Test Result	Salmonella Test Result	Water Activity Test Result
Keen	1876A1	07/05/16	07/05/17	ND	NEG	0.419
Keen	1876A2	07/05/16	07/05/17	ND	NEG	0.401
Keen	1876A3	07/05/16	07/05/17	ND	NEG	0.421
Keen	1876A4	07/05/16	07/05/17	ND	NEG	0.418
Keen	1876A5	07/05/16	07/05/17	ND	NEG	0.407
Keen	1876A6	07/05/16	07/05/17	ND	NEG	0.426
Keen	1876A7	07/05/16	07/05/17	ND	NEG	0.425
Keen	1876A8	07/05/16	07/05/17	ND	NEG	0.405
Keen	1876A9	07/05/16	07/05/17	ND	NEG	0.405
Keen	1876A10	07/05/16	07/05/17	ND	NEG	0.408
Keen	1876A11	07/05/16	07/05/17	ND	NEG	0.396
Keen	1876A12	07/05/16	07/05/17	ND	NEG	0.384
Keen	1876A13	07/05/16	07/05/17	ND	NEG	0.398
Keen	1886A1	07/06/16	07/06/16	ND	NEG	0.412
Keen	1886A2	07/06/16	07/06/16	ND	NEG	0.419
Keen	1886A3	07/06/16	07/06/16	ND	NEG	0.417
Keen	1886A4	07/06/16	07/06/16	ND	NEG	0.423
Keen	1886A5	07/06/16	07/06/16	ND	NEG	0.428
Keen	1886A6	07/06/16	07/06/16	ND	NEG	0.381
Keen	1886A7	07/06/16	07/06/16	ND	NEG	0.413
Embark	1906A1	07/08/16	07/08/17	ND	NEG	0.424
Embark	1906A2	07/08/16	07/08/17	ND	NEG	0.345
Embark	1906A3	07/08/16	07/08/17	ND	NEG	0.342
Embark	1906A4	07/08/16	07/08/17	ND	NEG	0.352
Embark	1906A5	07/08/16	07/08/17	ND	NEG	0.379
Embark	1906A6	07/08/16	07/08/17	ND	NEG	0.385
Embark	1906A7	07/08/16	07/08/17	ND	NEG	0.345
Embark	1906A8	07/08/16	07/08/17	ND	NEG	0.351
Embark	1906A9	07/08/16	07/08/17	ND	NEG	0.346
Embark	1906A10	07/08/16	07/08/17	ND	NEG	0.376
Embark	1906A11	07/08/16	07/08/17	ND	NEG	0.393
Embark	1906A12	07/08/16	07/08/17	ND	NEG	0.339
Embark	1906A13	07/08/16	07/08/17	ND	NEG	0.345
Embark	1906A14	07/08/16	07/08/17	ND	NEG	0.3
Brave	1936A1	07/11/16	07/11/17	ND	NEG	0.216
Brave	1936A2	07/11/16	07/11/17	ND	NEG	0.232
Brave	1936A3	07/11/16	07/11/17	ND	NEG	0.222
Brave	1936A4	07/11/16	07/11/17	ND	NEG	0.22
Brave	1936A5	07/11/16	07/11/17	ND	NEG	0.222
Brave	1936A6	07/11/16	07/11/17	ND	NEG	0.202
Marvel	1936A7	07/11/16	07/11/17	ND	NEG	0.305
Marvel	1936A8	07/11/16	07/11/17	ND	NEG	0.276
Marvel	1936A9	07/11/16	07/11/17	ND	NEG	0.28
Marvel	1936A10	07/11/16	07/11/17	ND	NEG	0.3
Marvel	1936A11	07/11/16	07/11/17	ND	NEG	0.293
Marvel	1936A12	07/11/16	07/11/17	ND	NEG	0.272
Marvel	1936A13	07/11/16	07/11/17	ND	NEG	0.281
HALCYON	1936A14	07/11/16	07/11/17	ND	NEG	0.39
HALCYON	1936A15	07/11/16	07/11/17	ND	NEG	0.402
HALCYON	1936A16	07/11/16	07/11/17	ND	NEG	.371
HALCYON	1936A17	07/11/16	07/11/17	ND	NEG	.359
Revel	1946A1	07/12/16	07/12/17	ND	NEG	.353
Revel	1946A2	07/12/16	07/12/17	ND	NEG	0.356
Revel	1946A3	07/12/16	07/12/17	ND	NEG	.383
Revel	1946A4	07/12/16	07/12/17	ND	NEG	0.422
Revel	1946A5	07/12/16	07/12/17	ND	NEG	0.36

Revel	1946A6	07/12/16	07/12/17	ND	NEG	0.356
Revel	1946A7	07/12/16	07/12/17	ND	NEG	0.331
Revel	1946A8	07/12/16	07/12/17	ND	NEG	0.343
Revel	1946A9	07/12/16	07/12/17	ND	NEG	0.362
Revel	1946A10	07/12/16	07/12/17	ND	NEG	0.35
Revel	1946A11	07/12/16	07/12/17	ND	NEG	0.32
Revel	1946A12	07/12/16	07/12/17	ND	NEG	0.343
Revel	1946A13	07/12/16	07/12/17	ND	NEG	0.352
Revel	1946A14	07/12/16	07/12/17	ND	NEG	0.381
Revel	1946A15	07/12/16	07/12/17	ND	NEG	0.361
Revel	1946A16	07/12/16	07/12/17	ND	NEG	0.377
Revel	1946A17	07/12/16	07/12/17	ND	NEG	0.383
Revel	1946A18	07/12/16	07/12/17	ND	NEG	0.372
Revel	1946A19	07/12/16	07/12/17	ND	NEG	0.381
Force	1966A1	07/14/16	07/14/17	ND	NEG	0.378
Force	1966A2	07/14/16	07/14/17	ND	NEG	0.397
Force	1966A3	07/14/16	07/14/17	ND	NEG	0.372
Force	1966A4	07/14/16	07/14/17	ND	NEG	0.38
Force	1966A5	07/14/16	07/14/17	ND	NEG	0.389
Force	1966A6	07/14/16	07/14/17	ND	NEG	0.353
Force	1966A7	07/14/16	07/14/17	ND	NEG	0.392
Force	1966A8	07/14/16	07/14/17	ND	NEG	0.405
Force	1966A9	07/14/16	07/14/17	ND	NEG	0.381
Force	1966A10	07/14/16	07/14/17	ND	NEG	0.358
Force	1966A11	07/14/16	07/14/17	ND	NEG	0.392
Force	1976A1	07/15/16	07/15/17	ND	NEG	0.404
Force	1976A2	07/15/16	07/15/17	ND	NEG	0.382
Force	1976A3	07/15/16	07/15/17	ND	NEG	0.341
Force	1976A4	07/15/16	07/15/17	ND	NEG	0.379
Force	1976A5	07/15/16	07/15/17	ND	NEG	0.346
Force	1976A6	07/15/16	07/15/17	ND	NEG	0.355
Force	1976A7	07/15/16	07/15/17	ND	NEG	0.369
Force	1976A8	07/15/16	07/15/17	ND	NEG	0.352
Force	1976A9	07/15/16	07/15/17	ND	NEG	0.384
Force	1976A10	07/15/16	07/15/17	ND	NEG	0.354
Force	1976A11	07/15/16	07/15/17	ND	NEG	0.357
Verve	2006A1	07/18/16	07/18/17	ND	NEG	0.409
Verve	2006A2	07/18/16	07/18/17	ND	NEG	0.407
Verve	2006A3	07/18/16	07/18/17	ND	NEG	0.408
Verve	2006A4	07/18/16	07/18/17	ND	NEG	0.404
Verve	2006A5	07/18/16	07/18/17	ND	NEG	0.394
Verve	2006A6	07/18/16	07/18/17	ND	NEG	0.397
Verve	2006A7	07/18/16	07/18/17	ND	NEG	0.386
Love	2016A1	07/19/16	07/19/17	ND	NEG	0.294
Love	2016A2	07/19/16	07/19/17	ND	NEG	0.294
Love	2016A3	07/19/16	07/19/17	ND	NEG	0.315
Love	2016A4	07/19/16	07/19/17	ND	NEG	0.309
Love	2016A5	07/19/16	07/19/17	ND	NEG	0.309
Love	2016A6	07/19/16	07/19/17	ND	NEG	0.283
Love	2016A7	07/19/16	07/19/17	ND	NEG	0.284
Love	2016A8	07/19/16	07/19/17	ND	NEG	0.288
Love	2016A9	07/19/16	07/19/17	ND	NEG	0.299
Love	2016A10	07/19/16	07/19/17	ND	NEG	0.291
Love	2016A11	07/19/16	07/19/17	ND	NEG	0.279
Love	2016A12	07/19/16	07/19/17	ND	NEG	0.289
Love	2016A13	07/19/16	07/19/17	ND	NEG	0.29
Love	2016A14	07/19/16	07/19/17	ND	NEG	0.309
Love	2016A15	07/19/16	07/19/17	ND	NEG	.287
Love	2016A16	07/19/16	07/19/17	ND	NEG	.282
Love	2016A17	07/19/16	07/19/17	ND	NEG	.293
Love	2016A18	07/19/16	07/19/17	ND	NEG	.275
Love	2016A19	07/19/16	07/19/17	ND	NEG	.290
Kindly	2036A1	07/21/16	01/21/18	ND	NEG	.339
Kindly	2036A2	07/21/16	01/21/18	ND	NEG	.339

Kindly	2036A3	07/21/16	01/21/18	ND	NEG	.326
Kindly	2036A4	07/21/16	01/21/18	ND	NEG	.287
Kindly	2036A5	07/21/16	01/21/18	ND	NEG	.329
Kindly	2036A6	07/21/16	01/21/18	ND	NEG	0.287
Zeal	2046A1	07/22/16	07/22/17	ND	NEG	0.326
Zeal	2046A2	07/22/16	07/22/17	ND	NEG	0.302
Zeal	2046A3	07/22/16	07/22/17	ND	NEG	0.328
Zeal	2046A4	07/22/16	07/22/17	ND	NEG	0.314
Zeal	2046A5	07/22/16	07/22/17	ND	NEG	0.337
Zeal	2046A6	07/22/16	07/22/17	ND	NEG	0.332
Zeal	2046A7	07/22/16	07/22/17	ND	NEG	0.327
Zeal	2046A8	07/22/16	07/22/17	ND	NEG	0.336
Zeal	2046A9	07/22/16	07/22/17	ND	NEG	0.338
Zeal	2046A10	07/22/16	07/22/17	ND	NEG	0.326
Grace	2056A1	07/23/16	07/23/17	ND	NEG	0.29
Grace	2056A2	07/23/16	07/23/17	ND	NEG	0.323
Grace	2056A3	07/23/16	07/23/17	ND	NEG	0.306
Preference	2076A1	07/25/16	01/25/18	ND	NEG	0.352
Preference	2076A2	07/25/16	01/25/18	ND	NEG	0.366
Preference	2076A3	07/25/16	01/25/18	ND	NEG	0.43
Preference	2076A4	07/25/16	01/25/18	ND	NEG	0.412
Preference	2076A5	07/25/16	01/25/18	ND	NEG	0.434
Preference	2076A6	07/25/16	01/25/18	ND	NEG	0.417
Preference	2076A7	07/25/16	01/25/18	ND	NEG	0.378
Preference	2076A8	07/25/16	01/25/18	ND	NEG	0.444
Preference	2076A9	07/25/16	01/25/18	ND	NEG	0.409
Preference	2076A10	07/25/16	01/25/18	ND	NEG	0.402
Preference	2076A11	07/25/16	01/25/18	ND	NEG	0.427
Preference	2076A12	07/25/16	01/25/18	ND	NEG	0.414
Thrive	2086A1	07/26/16	07/26/17	ND	NEG	0.378
Thrive	2086A2	07/26/16	07/26/17	ND	NEG	0.404
Thrive	2086A3	07/26/16	07/26/17	ND	NEG	0.417
Thrive	2086A4	07/26/16	07/26/17	ND	NEG	0.413
Thrive	2086A5	07/26/16	07/26/17	ND	NEG	0.416
Thrive	2086A6	07/26/16	07/26/17	ND	NEG	0.422
Prowl	2096A1	07/27/16	07/27/17	ND	NEG	0.303
Prowl	2096A2	07/27/16	07/27/17	ND	NEG	0.296
Revel	2096A3	07/27/16	07/27/17	ND	NEG	0.294
Revel	2096A4	07/27/16	07/27/17	ND	NEG	0.375
Revel	2096A5	07/27/16	07/27/17	ND	NEG	0.375
Revel	2096A6	07/27/16	07/27/17	ND	NEG	0.375
Revel	2096A7	07/27/16	07/27/17	ND	NEG	0.353
Revel	2096A8	07/27/16	07/27/17	ND	NEG	0.362
Revel	2096A9	07/27/16	07/27/17	ND	NEG	0.376
Keen	2016A1	7/28/2016	7/28/2017	ND	NEG	0.414
Keen	2016A2	7/28/2016	7/28/2017	ND	NEG	0.396
Keen	2016A3	7/28/2016	7/28/2017	ND	NEG	0.413
Keen	2016A4	7/28/2016	7/28/2017	ND	NEG	0.422
Keen	2016A5	7/28/2016	7/28/2017	ND	NEG	0.413
Keen	2016A6	7/28/2016	7/28/2017	ND	NEG	0.381
Keen	2016A7	7/28/2016	7/28/2017	ND	NEG	0.421
Keen	2016A8	7/28/2016	7/28/2017	ND	NEG	0.418
Keen	2016A9	7/28/2016	7/28/2017	ND	NEG	0.386
Embark	2116A1	07/29/16	07/29/17	ND	NEG	0.333
Embark	2116A2	07/29/16	07/29/17	ND	NEG	0.334
Embark	2116A3	07/29/16	07/29/17	ND	NEG	0.328
Embark	2116A4	07/29/16	07/29/17	ND	NEG	0.352
Embark	2116A5	07/29/16	07/29/17	ND	NEG	0.321
Embark	2116A6	07/29/16	07/29/17	ND	NEG	0.426
Embark	2116A7	07/29/16	07/29/17	ND	NEG	0.355
Embark	2116A8	07/29/16	07/29/17	ND	NEG	0.352
Force	2126A1	07/30/16	07/30/17	ND	NEG	0.4
Force	2126A2	07/30/16	07/30/17	ND	NEG	0.397
Force	2126A3	07/30/16	07/30/17	ND	NEG	0.356

Force	2126A4	07/30/16	07/30/17	ND	NEG	0.375
Force	2126A5	07/30/16	07/30/17	ND	NEG	0.363
Force	2126A6	07/30/16	07/30/17	ND	NEG	.377
Force	2126A7	07/30/16	07/30/17	ND	NEG	.350
Force	2126A8	07/30/16	07/30/17	ND	NEG	.376
Force	2126A9	07/30/16	07/30/17	ND	NEG	.374
Beef Bone Broth	2126A10	07/30/16	01/30/18	ND	NEG	.138



Quality Control Approval

August 2016

Test	Test Method Reference
E. Coli	Petri Plates 3M
Salmonella	SDIX RapidCheck Salmonella
Water Activity	AOAC 978.18

Recipe	Lot No.	Made On Date	Best By Date	E.Coli Test Result	Salmonella Test Result	Water Activity Test Result
Force	2236A1	08/10/16	08/10/17	ND	Negative	0.41
Force	2236A2	08/10/16	08/10/17	ND	Negative	0.384
Force	2236A3	08/10/16	08/10/17	ND	Negative	0.372
Force	2236A4	08/10/16	08/10/17	ND	Negative	0.389
Force	2236A5	08/10/16	08/10/17	ND	Negative	0.394
Force	2236A6	08/10/16	08/10/17	ND	Negative	0.413
Force	2236A7	08/10/16	08/10/17	ND	Negative	0.394
Force	2236A8	08/10/16	08/10/17	ND	Negative	0.419
Force	2236A9	08/10/16	08/10/17	ND	Negative	0.407
Force	2236A10	08/10/16	08/10/17	ND	Negative	0.409
Force	2236A11	08/10/16	08/10/17	ND	Negative	0.408
Force	2236A12	08/10/16	08/10/17	ND	Negative	0.423
Force	2236A13	08/10/16	08/10/17	ND	Negative	0.388
Force	2236A14	08/10/16	08/10/17	ND	Negative	0.396
Force	2236A15	08/10/16	08/10/17	ND	Negative	0.406
Force	2236A16	08/10/16	08/10/17	ND	Negative	0.398
Force	2236A17	08/10/16	08/10/17	ND	Negative	0.389
Keen	2246A1	08/11/16	08/11/17	ND	Negative	0.423
Keen	2246A2	08/11/16	08/11/17	ND	Negative	0.411
Keen	2246A3	08/11/16	08/11/17	ND	Negative	0.431
Keen	2246A4	08/11/16	08/11/17	ND	Negative	0.427
Keen	2246A5	08/11/16	08/11/17	ND	Negative	0.426
Keen	2246A6	08/11/16	08/11/17	ND	Negative	0.443
Keen	2246A7	08/11/16	08/11/17	ND	Negative	0.445
Keen	2246A8	08/11/16	08/11/17	ND	Negative	0.429
Keen	2246A9	08/11/16	08/11/17	ND	Negative	0.453
Keen	2246A10	08/11/16	08/11/17	ND	Negative	0.441
Keen	2246A11	08/11/16	08/11/17	ND	Negative	0.441
Keen	2246A12	08/11/16	08/11/17	ND	Negative	0.448
Keen	2246A13	08/11/16	08/11/17	ND	Negative	0.434
Keen	2246A14	08/11/16	08/11/17	ND	Negative	0.437
Embark	2256A1	08/12/16	08/12/17	ND	Negative	0.397
Embark	2256A2	08/12/16	08/12/17	ND	Negative	0.367
Embark	2256A3	08/12/16	08/12/17	ND	Negative	0.399
Embark	2256A4	08/12/16	08/12/17	ND	Negative	0.371
Embark	2256A5	08/12/16	08/12/17	ND	Negative	0.387
Embark	2256A6	08/12/16	08/12/17	ND	Negative	0.412
Embark	2256A7	08/12/16	08/12/17	ND	Negative	0.399
Embark	2256A8	08/12/16	08/12/17	ND	Negative	0.408
Embark	2256A9	08/12/16	08/12/17	ND	Negative	0.406
Embark	2256A10	08/12/16	08/12/17	ND	Negative	0.383
Embark	2256A11	08/12/16	08/12/17	ND	Negative	0.4
Embark	2256A12	08/12/16	08/12/17	ND	Negative	0.415
Embark	2256A13	08/12/16	08/12/17	ND	Negative	0.394
Embark	2256A14	08/12/16	08/12/17	ND	Negative	0.385
Revel	2226A1	08/09/16	08/09/17	ND	Negative	0.404
Love	2266A1	08/13/16	08/13/17	ND	Negative	0.302
Prowl	2266A2	08/13/16	08/13/17	ND	Negative	0.312
Prowl	2266A3	08/13/16	08/13/17	ND	Negative	0.318
Prowl	2266A4	08/13/16	08/13/17	ND	Negative	.325
Revel	2226A2	08/09/16	08/09/17	ND	Negative	.404
Revel	2226A3	08/09/16	08/09/17	ND	Negative	.381
Revel	2226A4	08/09/16	08/09/17	ND	Negative	0.383
Revel	2226A5	08/09/16	08/09/17	ND	Negative	.406
Revel	2226A6	08/09/16	08/09/17	ND	Negative	.397
Revel	2226A7	08/09/16	08/09/17	ND	Negative	.404

Revel	2226A8	08/09/16	08/09/17	ND	Negative	.398
Revel	2226A9	08/09/16	08/09/17	ND	Negative	.397
Revel	2226A10	08/09/16	08/09/17	ND	Negative	.418
Marvel	2216A1	08/08/16	08/08/17	ND	Negative	0.303
Marvel	2216A2	08/08/16	08/08/17	ND	Negative	0.33
Marvel	2216A3	08/08/16	08/08/17	ND	Negative	0.381
Marvel	2216A4	08/08/16	08/08/17	ND	Negative	0.309
Marvel	2216A5	08/08/16	08/08/17	ND	Negative	0.334
Grace	2266A5	08/13/16	08/13/17	ND	Negative	0.328
Grace	2266A6	08/13/16	08/13/17	ND	Negative	0.279
Verve	2296A1	08/16/16	08/16/17	ND	Negative	.422
Verve	2296A2	08/16/16	08/16/17	ND	Negative	.404
Verve	2296A3	08/16/16	08/16/17	ND	Negative	.439
Verve	2296A4	08/16/16	08/16/17	ND	Negative	.407
Verve	2296A5	08/16/16	08/16/17	ND	Negative	.424
Thrive	2306A1	08/17/16	08/17/17	ND	Negative	0.439
Thrive	2306A2	08/17/16	08/17/17	ND	Negative	0.433
Thrive	2306A3	08/17/16	08/17/17	ND	Negative	0.423
Thrive	2306A4	08/17/16	08/17/17	ND	Negative	0.435
Thrive	2306A5	08/17/16	08/17/17	ND	Negative	0.422
Thrive	2306A6	08/17/16	08/17/17	ND	Negative	0.417
Thrive	2306A7	08/17/16	08/17/17	ND	Negative	0.435
Preference	2316A1	08/18/16	02/18/18	ND	Negative	0.428
Preference	2316A2	08/18/16	02/18/18	ND	Negative	0.435
Preference	2316A3	08/18/16	02/18/18	ND	Negative	0.44
Preference	2316A4	08/18/16	02/18/18	ND	Negative	0.43
Preference	2316A5	08/18/16	02/18/18	ND	Negative	0.435
Preference	2316A6	08/18/16	02/18/18	ND	Negative	0.402
Preference	2316A7	08/18/16	02/18/18	ND	Negative	0.434
Preference	2316A8	08/18/16	02/18/18	ND	Negative	0.423
Preference	2316A9	08/18/16	02/18/18	ND	Negative	0.405
Preference	2316A10	08/18/16	02/18/18	ND	Negative	0.399
Preference	2316A11	08/18/16	02/18/18	ND	Negative	0.416
Preference	2316A12	08/18/16	02/18/18	ND	Negative	0.415
Preference	2316A13	08/18/16	02/18/18	ND	Negative	0.421
Preference	2316A14	08/18/16	02/18/18	ND	Negative	0.377
Brave	2326A1	08/19/16	08/19/17	ND	Negative	0.266
Brave	2326A2	08/19/16	08/19/17	ND	Negative	0.253
Brave	2326A3	08/19/16	08/19/17	ND	Negative	0.252
Brave	2326A4	08/19/16	08/19/17	ND	Negative	0.24
Brave	2326A5	08/19/16	08/19/17	ND	Negative	0.224
Brave	2326A6	08/19/16	08/19/17	ND	Negative	0.252
Zeal	2356A1	08/22/16	08/22/17	ND	Negative	0.336
Zeal	2356A2	08/22/16	08/22/17	ND	Negative	0.34
Zeal	2356A3	08/22/16	08/22/17	ND	Negative	0.346
Zeal	2356A4	08/22/16	08/22/17	ND	Negative	0.345
Zeal	2356A5	08/22/16	08/22/17	ND	Negative	0.318
Zeal	2356A6	08/22/16	08/22/17	ND	Negative	0.318
Zeal	2356A7	08/22/16	08/22/17	ND	Negative	0.323
Zeal	2356A8	08/22/16	08/22/17	ND	Negative	0.36
Zeal	2356A9	08/22/16	08/22/17	ND	Negative	0.335
Kindly	2366A1	08/23/16	02/23/18	ND	Negative	0.348
Kindly	2366A2	08/23/16	02/23/18	ND	Negative	0.326
Kindly	2366A3	08/23/16	02/23/18	ND	Negative	0.332
Kindly	2366A4	08/23/16	02/23/18	ND	Negative	0.326
Kindly	2366A5	08/23/16	02/23/18	ND	Negative	0.32
Kindly	2366A6	08/23/16	02/23/18	ND	Negative	0.328
Love	2376A1	08/24/16	08/24/17	ND	Negative	0.337
Love	2376A2	08/24/16	08/24/17	ND	Negative	0.31
Love	2376A3	08/24/16	08/24/17	ND	Negative	0.345
Love	2376A4	08/24/16	08/24/17	ND	Negative	0.332
Love	2376A5	08/24/16	08/24/17	ND	Negative	0.361
Love	2376A6	08/24/16	08/24/17	ND	Negative	.345
Love	2376A7	08/24/16	08/24/17	ND	Negative	.350

Love	2376A8	08/24/16	08/24/17	ND	Negative	.355
Love	2376A9	08/24/16	08/24/17	ND	Negative	.337
Love	2376A10	08/24/16	08/24/17	ND	Negative	.324
Love	2376A11	08/24/16	08/24/17	ND	Negative	.330
Love	2376A12	08/24/16	08/24/17	ND	Negative	.326
Halcyon	2386A1	08/25/16	08/25/17	ND	Negative	.414
Halcyon	2386A2	08/25/16	08/25/17	ND	Negative	.435
Revel	2386A3	08/25/16	08/25/17	ND	Negative	.442
Revel	2386A4	08/25/16	08/25/17	ND	Negative	0.401
Revel	2386A5	08/25/16	08/25/17	ND	Negative	0.411
Revel	2386A6	08/25/16	08/25/17	ND	Negative	0.394
Revel	2386a7	08/25/16	08/25/17	ND	Negative	0.403
Revel	2386A8	08/25/16	08/25/17	ND	Negative	0.401
Force	2396A1	08/26/16	08/26/17	ND	Negative	0.407
Force	2396A2	08/26/16	08/26/17	ND	Negative	0.408
Force	2396A3	08/26/16	08/26/17	ND	Negative	0.401
Force	2396A4	08/26/16	08/26/17	ND	Negative	0.419
Force	2396A5	08/26/16	08/26/17	ND	Negative	0.396
Force	2396A6	08/26/16	08/26/17	ND	Negative	0.395
Force	2396A7	08/26/16	08/26/17	ND	Negative	0.476
Force	2396A8	08/26/16	08/26/17	ND	Negative	0.387
Force	2396A9	08/26/16	08/26/17	ND	Negative	0.399
Force	2396A10	08/26/16	08/26/17	ND	Negative	0.394
Force	2396A11	08/26/16	08/26/17	ND	Negative	0.395
Keen	2426A1	08/29/16	08/29/17	ND	Negative	0.384
Keen	2426A2	08/29/16	08/29/17	ND	Negative	0.401
Keen	2426A3	08/29/16	08/29/17	ND	Negative	0.432
Keen	2426A4	08/29/16	08/29/17	ND	Negative	0.421
Keen	2426A5	08/29/16	08/29/17	ND	Negative	0.423
Embark	2436A1	08/30/16	08/30/17	ND	Negative	0.41
Embark	2436A2	08/30/16	08/30/17	ND	Negative	0.413
Embark	2436A3	08/30/16	08/30/17	ND	Negative	0.385
Embark	2436A4	08/30/16	08/30/17	ND	Negative	0.378
Embark	2436A5	08/30/16	08/30/17	ND	Negative	0.370
Embark	2436A6	08/30/16	08/30/17	ND	Negative	0.379
Embark	2436A7	08/30/16	08/30/17	ND	Negative	0.371
Embark	2436A8	08/30/16	08/30/17	ND	Negative	0.364
Embark	2436A9	08/30/16	08/30/17	ND	Negative	0.392
Verve	2446A1	09/01/16	09/01/17	ND	Negative	0.417
Verve	2446A2	09/01/16	09/01/17	ND	Negative	0.412
Verve	2446A3	09/01/16	09/01/17	ND	Negative	0.416
Verve	2446A4	09/01/16	09/01/17	ND	Negative	0.422
Verve	2446A5	09/01/16	09/01/17	ND	Negative	0.412



Quality Control Approval

September 2016

Test	Test Method Reference
E. Coli	Petri Plates 3M
Salmonella	SDIX RapidCheck Salmonella
Water Activity	AOAC 978.18

Recipe	Lot No.	Made On Date	Best By Date	E.Coli Test Result	Salmonella Test Result	Water Activity Test Result
Brave	2566A1	09/12/16	09/12/17	ND	Negative	0.223
Brave	2566A2	09/12/16	09/12/17	ND	Negative	0.216
Brave	2566A3	09/12/16	09/12/17	ND	Negative	0.207
Brave	2566A4	09/12/16	09/12/17	ND	Negative	0.2
Brave	2566A5	09/12/16	09/12/17	ND	Negative	0.214
Marvel	2576A1	09/13/16	09/12/17	ND	Negative	0.245
Marvel	2576A2	09/13/16	09/12/17	ND	Negative	0.234
Marvel	2576A3	09/13/16	09/12/17	ND	Negative	0.294
Marvel	2576A4	09/13/16	09/12/17	ND	Negative	0.237
Grace	2576A5	09/13/16	09/12/17	ND	Negative	0.2
Grace	2576A6	09/13/16	09/12/17	ND	Negative	0.204
Grace	2576A7	09/13/16	09/12/17	ND	Negative	0.227
Prowl	2576A8	09/13/16	09/12/17	ND	Negative	0.244
Prowl	2576A9	09/13/16	09/12/17	ND	Negative	0.293
Prowl	2576A10	09/13/16	09/12/17	ND	Negative	0.278
Prowl	2576A11	09/13/16	09/12/17	ND	Negative	0.271
Thrive	2586A1	09/14/16	09/14/17	ND	Negative	0.434
Thrive	2586A2	09/14/16	09/14/17	ND	Negative	0.413
Thrive	2586A3	09/14/16	09/14/17	ND	Negative	0.417
Thrive	2586A4	09/14/16	09/14/17	ND	Negative	0.394
Thrive	2586A5	09/14/16	09/14/17	ND	Negative	0.41
Thrive	2586A6	09/14/16	09/14/17	ND	Negative	0.41
Verve	2586A7	09/14/16	09/14/17	ND	Negative	0.43
Verve	2586A8	09/14/16	09/14/17	ND	Negative	0.423
Verve	2586A9	09/14/16	09/14/17	ND	Negative	0.427
Verve	2586A10	09/14/16	09/14/17	ND	Negative	0.425
Verve	2586A11	09/14/16	09/14/17	ND	Negative	0.43
Verve	2586A12	09/14/16	09/14/17	ND	Negative	0.411
Verve	2586A13	09/14/16	09/14/17	ND	Negative	0.419
Love	2596A1	09/15/16	09/15/17	ND	Negative	0.342
Love	2596A2	09/15/16	09/15/17	ND	Negative	0.312
Love	2596A3	09/15/16	09/15/17	ND	Negative	0.308
Love	2596A4	09/15/16	09/15/17	ND	Negative	0.307
Love	2596A5	09/15/16	09/15/17	ND	Negative	0.316
Love	2596A6	09/15/16	09/15/17	ND	Negative	0.323
Love	2596A7	09/15/16	09/15/17	ND	Negative	0.348
Love	2596A8	09/15/16	09/15/17	ND	Negative	0.335
Kindly	2596A9	09/15/16	03/15/18	ND	Negative	0.325
Kindly	2596A10	09/15/16	03/15/18	ND	Negative	0.325
Kindly	2596A11	09/15/16	03/15/18	ND	Negative	0.326
Kindly	2596A12	09/15/16	03/15/18	ND	Negative	0.325
Kindly	2596A13	09/15/16	03/15/18	ND	Negative	0.326
Kindly	2596A14	09/15/16	03/15/18	ND	Negative	0.322
Halcyon	2606A1	09/16/16	09/16/17	ND	Negative	0.427
Halcyon	2606A2	09/16/16	09/16/17	ND	Negative	0.429
Zeal	2606A3	09/16/16	09/16/17	ND	Negative	0.341
Zeal	2606A4	09/16/16	09/16/17	ND	Negative	0.292
Zeal	2606A5	09/16/16	09/16/17	ND	Negative	0.311
Zeal	2606A6	09/16/16	09/16/17	ND	Negative	0.337
Zeal	2606A7	09/16/16	09/16/17	ND	Negative	0.329
Zeal	2606A8	09/16/16	09/16/17	ND	Negative	0.333
Zeal	2606A9	09/16/16	09/16/17	ND	Negative	0.347
Zeal	2606A10	09/16/16	09/16/17	ND	Negative	0.339
Zeal	2606A11	09/16/16	09/16/17	ND	Negative	0.351
Keen	2636A1	09/19/16	09/19/17	ND	Negative	0.434
Keen	2636A2	09/19/16	09/19/17	ND	Negative	.401

Keen	2636A3	09/19/16	09/19/17	ND	Negative	.415
Keen	2636A4	09/19/16	09/19/17	ND	Negative	.405
Keen	2636A5	09/19/16	09/19/17	ND	Negative	0.438
Keen	2636A6	09/19/16	09/19/17	ND	Negative	.422
Keen	2636A7	09/19/16	09/19/17	ND	Negative	.400
Keen	2636A8	09/19/16	09/19/17	ND	Negative	.449
Keen	2636A9	09/19/16	09/19/17	ND	Negative	.421
Keen	2636A10	09/19/16	09/19/17	ND	Negative	.407
Keen	2636A11	09/19/16	09/19/17	ND	Negative	.415
Revel	2646A1	09/20/16	09/20/17	ND	Negative	0.383
Revel	2646A2	09/20/16	09/20/17	ND	Negative	0.368
Revel	2646A3	09/20/16	09/20/17	ND	Negative	0.38
Revel	2646A4	09/20/16	09/20/17	ND	Negative	0.371
Revel	2646A5	09/20/16	09/20/17	ND	Negative	0.362
Revel	2646A6	09/20/16	09/20/17	ND	Negative	0.372
Revel	2646A7	09/20/16	09/20/17	ND	Negative	0.37
Revel	2646A8	09/20/16	09/20/17	ND	Negative	.384
Revel	2646A9	09/20/16	09/20/17	ND	Negative	.391
Revel	2646A10	09/20/16	09/20/17	ND	Negative	.371
Preference	2656A1	09/21/16	03/21/18	ND	Negative	.469
Preference	2656A2	09/21/16	03/21/18	ND	Negative	.417
Preference	2656A3	09/21/16	03/21/18	ND	Negative	0.428
Preference	2656A4	09/21/16	03/21/18	ND	Negative	0.415
Preference	2656A5	09/21/16	03/21/18	ND	Negative	0.415
Preference	2656A6	09/21/16	03/21/18	ND	Negative	0.434
Preference	2656A7	09/21/16	03/21/18	ND	Negative	0.446
Preference	2656A8	09/21/16	03/21/18	ND	Negative	0.482
Preference	2656A9	09/21/16	03/21/18	ND	Negative	0.465
Embark	2666A1	09/22/16	09/22/17	ND	Negative	0.34
Embark	2666A2	09/22/16	09/22/17	ND	Negative	0.362
Embark	2666A3	09/22/16	09/22/17	ND	Negative	0.362
Embark	2666A4	09/22/16	09/22/17	ND	Negative	0.355
Embark	2666A5	09/22/16	09/22/17	ND	Negative	0.354
Embark	2666A6	09/22/16	09/22/17	ND	Negative	0.392
Embark	2666A7	09/22/16	09/22/17	ND	Negative	0.379
Embark	2676A1	09/23/16	09/23/17	ND	Negative	0.383
Embark	2676A2	09/23/16	09/23/17	ND	Negative	0.374
Embark	2676A3	09/23/16	09/23/17	ND	Negative	0.368
Embark	2676A4	09/23/16	09/23/17	ND	Negative	0.368
Embark	2676A5	09/23/16	09/23/17	ND	Negative	0.393
Embark	2676A6	09/23/16	09/23/17	ND	Negative	0.383
Embark	2676A7	09/23/16	09/23/17	ND	Negative	0.371
Embark	2676A8	09/23/16	09/23/17	ND	Negative	0.35
Force	2706A1	09/26/16	09/26/17	ND	Negative	0.362
Force	2706A2	09/26/16	09/26/17	ND	Negative	0.352
Force	2706A3	09/26/16	09/26/17	ND	Negative	0.38
Force	2706A4	09/26/16	09/26/17	ND	Negative	0.38
Force	2706A5	09/26/16	09/26/17	ND	Negative	0.352
Force	2706A6	09/26/16	09/26/17	ND	Negative	0.38
Force	2706A7	09/26/16	09/26/17	ND	Negative	0.37
Force	2716A1	09/27/16	09/27/17	ND	Negative	0.359
Force	2716A2	09/27/16	09/27/17	ND	Negative	0.367
Force	2716A3	09/27/16	09/27/17	ND	Negative	0.376
Force	2716A4	09/27/16	09/27/17	ND	Negative	0.372
Force	2716A5	09/27/16	09/27/17	ND	Negative	0.37
Force	2716A6	09/27/16	09/27/17	ND	Negative	0.362
Force	2716A7	09/27/16	09/27/17	ND	Negative	0.392
Beef Lid	2716A8	09/27/16	09/27/17	ND	Negative	0.231
Duck Lid	2716A9	09/27/16	09/27/17	ND	Negative	0.329



Quality Control Approval

October 2016

Test	Test Method Reference
E. Coli	Petri Plates 3M
Salmonella	SDIX RapidCheck Salmonella
Water Activity	AOAC 978.18

Recipe	Lot No.	Made On Date	Best By Date	E.Coli Test Result	Salmonella Test Result	Water Activity Test Result
MARVEL	2916A1	10/17/16	10/17/17	ND	NEG	0.254
MARVEL	2916A2	10/17/16	10/17/17	ND	NEG	0.257
MARVEL	2916A3	10/17/16	10/17/17	ND	NEG	0.28
MARVEL	2916A4	10/17/16	10/17/17	ND	NEG	0.293
BRAVE	2916A5	10/17/16	10/17/17	ND	NEG	0.21
BRAVE	2916A6	10/17/16	10/17/17	ND	NEG	0.217
BRAVE	2916A7	10/17/16	10/17/17	ND	NEG	0.215
FORCE	2926A1	10/18/16	10/18/17	ND	NEG	0.379
FORCE	2926A2	10/18/16	10/18/17	ND	NEG	0.36
FORCE	2926A3	10/18/16	10/18/17	ND	NEG	0.365
FORCE	2926A4	10/18/16	10/18/17	ND	NEG	0.371
FORCE	2926A5	10/18/16	10/18/17	ND	NEG	0.357
FORCE	2926A6	10/18/16	10/18/17	ND	NEG	0.384
FORCE	2926A7	10/18/16	10/18/17	ND	NEG	0.342
FORCE	2926A8	10/18/16	10/18/17	ND	NEG	0.369
FORCE	2926A9	10/18/16	10/18/17	ND	NEG	0.369
FORCE	2926A10	10/18/16	10/18/17	ND	NEG	0.355
FORCE	2926A11	10/18/16	10/18/17	ND	NEG	0.352
FORCE	2926A12	10/18/16	10/18/17	ND	NEG	0.364
FORCE	2926A13	10/18/16	10/18/17	ND	NEG	0.332
FORCE	2926A14	10/18/16	10/18/17	ND	NEG	0.365
FORCE	2926A15	10/18/16	10/18/17	ND	NEG	0.371
FORCE	2926A16	10/18/16	10/18/17	ND	NEG	0.346
FORCE	2926A17	10/18/16	10/18/17	ND	NEG	0.376
FORCE	2926A18	10/18/16	10/18/17	ND	NEG	0.373
FORCE	2926A19	10/18/16	10/18/17	ND	NEG	0.375
FORCE	2926A20	10/18/16	10/18/17	ND	NEG	0.383
FORCE	2926A21	10/18/16	10/18/17	ND	NEG	0.381
LOVE	2936A1	10/19/16	10/19/17	ND	NEG	0.333
LOVE	2936A2	10/19/16	10/19/17	ND	NEG	0.31
LOVE	2936A3	10/19/16	10/19/17	ND	NEG	0.334
LOVE	2936A4	10/19/16	10/19/17	ND	NEG	0.33
LOVE	2936A5	10/19/16	10/19/17	ND	NEG	0.303
LOVE	2936A6	10/19/16	10/19/17	ND	NEG	0.319
LOVE	2936A7	10/19/16	10/19/17	ND	NEG	0.321
LOVE	2936A8	10/19/16	10/19/17	ND	NEG	0.296
LOVE	2936A9	10/19/16	10/19/17	ND	NEG	0.318
LOVE	2936A10	10/19/16	10/19/17	ND	NEG	0.304
LOVE	2936A11	10/19/16	10/19/17	ND	NEG	0.297
EMBARK	2946A1	10/20/16	10/20/17	ND	NEG	0.368
EMBARK	2946A2	10/20/16	10/20/17	ND	NEG	0.367
EMBARK	2946A3	10/20/16	10/20/17	ND	NEG	0.39
EMBARK	2946A4	10/20/16	10/20/17	ND	NEG	0.362
EMBARK	2946A5	10/20/16	10/20/17	ND	NEG	0.369
EMBARK	2946A6	10/20/16	10/20/17	ND	NEG	0.365
EMBARK	2946A7	10/20/16	10/20/17	ND	NEG	0.354
EMBARK	2946A8	10/20/16	10/20/17	ND	NEG	0.354
EMBARK	2946A9	10/20/16	10/20/17	ND	NEG	0.332
EMBARK	2946A10	10/20/16	10/20/17	ND	NEG	0.336
EMBARK	2946A11	10/20/16	10/20/17	ND	NEG	0.346
EMBARK	2946A12	10/20/16	10/20/17	ND	NEG	0.353
EMBARK	2946A13	10/20/16	10/20/17	ND	NEG	0.328
EMBARK	2946A14	10/20/16	10/20/17	ND	NEG	0.343
EMBARK	2946A15	10/20/16	10/20/17	ND	NEG	0.344
REVEL	2986A1	10/24/16	10/24/17	ND	NEG	0.374
REVEL	2986A2	10/24/16	10/24/17	ND	NEG	0.377

REVEL	2986A3	10/24/16	10/24/17	ND	NEG	0.372
REVEL	2986A4	10/24/16	10/24/17	ND	NEG	0.37
REVEL	2986A5	10/24/16	10/24/17	ND	NEG	.367
REVEL	2986A6	10/24/16	10/24/17	ND	NEG	.340
REVEL	2986A7	10/24/16	10/24/17	ND	NEG	.320
REVEL	2986A8	10/24/16	10/24/17	ND	NEG	0.329
REVEL	2986A9	10/24/16	10/24/17	ND	NEG	.339
REVEL	2986A10	10/24/16	10/24/17	ND	NEG	.340
REVEL	2986A11	10/24/16	10/24/17	ND	NEG	.340
REVEL	2986A12	10/24/16	10/24/17	ND	NEG	.332
REVEL	2986A13	10/24/16	10/24/17	ND	NEG	.341
REVEL	2986A14	10/24/16	10/24/17	ND	NEG	.332
REVEL	2986A15	10/24/16	10/24/17	ND	NEG	0.363
REVEL	2986A16	10/24/16	10/24/17	ND	NEG	0.321
REVEL	2986A17	10/24/16	10/24/17	ND	NEG	0.348
PREFERENCE	2996A1	10/25/16	04/25/18	ND	NEG	0.376
PREFERENCE	2996A2	10/25/16	04/25/18	ND	NEG	0.413
PREFERENCE	2996A3	10/25/16	04/25/18	ND	NEG	0.373
PREFERENCE	2996A4	10/25/16	04/25/18	ND	NEG	0.391
PREFERENCE	2996A5	10/25/16	04/25/18	ND	NEG	.398
PREFERENCE	2996A6	10/25/16	04/25/18	ND	NEG	.415
PREFERENCE	2996A7	10/25/16	04/25/18	ND	NEG	.401
PREFERENCE	2996A8	10/25/16	04/25/18	ND	NEG	.396
PREFERENCE	2996A9	10/25/16	04/25/18	ND	NEG	.410
PREFERENCE	2996A10	10/25/16	04/25/18	ND	NEG	0.343
PREFERENCE	2996A11	10/25/16	04/25/18	ND	NEG	0.403
GRACE	2996A12	10/25/16	04/25/18	ND	NEG	0.297
GRACE	2996A13	10/25/16	04/25/18	ND	NEG	0.271
PROWL	2996A14	10/25/16	04/25/18	ND	NEG	0.262
PROWL	2996A15	10/25/16	04/25/18	ND	NEG	0.279
PROWL	2996A16	10/25/16	04/25/18	ND	NEG	0.285
KEEN	3006A1	10/26/16	10/26/17	ND	NEG	0.421
KEEN	3006A2	10/26/16	10/26/17	ND	NEG	0.435
KEEN	3006A3	10/26/16	10/26/17	ND	NEG	0.412
KEEN	3006A4	10/26/16	10/26/17	ND	NEG	0.416
KEEN	3006A5	10/26/16	10/26/17	ND	NEG	0.417
KEEN	3006A6	10/26/16	10/26/17	ND	NEG	0.407
KEEN	3006A7	10/26/16	10/26/17	ND	NEG	0.409
KEEN	3006A8	10/26/16	10/26/17	ND	NEG	0.39
KEEN	3006A9	10/26/16	10/26/17	ND	NEG	0.428
KEEN	3006A10	10/26/16	10/26/17	ND	NEG	0.401
KEEN	3006A11	10/26/16	10/26/17	ND	NEG	0.396
KEEN	3006A12	10/26/16	10/26/17	ND	NEG	0.411
KEEN	3006A13	10/26/16	10/26/17	ND	NEG	0.417
KEEN	3006A14	10/26/16	10/26/17	ND	NEG	0.418
KINDLY	3016A1	10/27/16	04/26/18	ND	NEG	0.319
KINDLY	3016A2	10/27/16	04/26/18	ND	NEG	0.312
KINDLY	3016A3	10/27/16	04/26/18	ND	NEG	0.297
Halcyon	3016A4	10/27/16	10/27/17	ND	NEG	0.396
Halcyon	3016A5	10/27/16	10/27/17	ND	NEG	0.382
Halcyon	3016A6	10/27/16	10/27/17	ND	NEG	0.357
THRIVE	3016A7	10/27/16	10/27/17	ND	NEG	0.365
THRIVE	3016A8	10/27/16	10/27/17	ND	NEG	0.372
THRIVE	3016A9	10/27/16	10/27/17	ND	NEG	0.375
THRIVE	3016A10	10/27/16	10/27/17	ND	NEG	0.371
VERVE	3026A1	10/28/16	10/28/17	ND	NEG	0.405
VERVE	3026A2	10/28/16	10/28/17	ND	NEG	0.41
VERVE	3026A3	10/28/16	10/28/17	ND	NEG	0.399
VERVE	3026A4	10/28/16	10/28/17	ND	NEG	0.399
VERVE	3026A5	10/28/16	10/28/17	ND	NEG	0.388
VERVE	3026A6	10/28/16	10/28/17	ND	NEG	0.399
VERVE	3026A7	10/28/16	10/28/17	ND	NEG	0.407
VERVE	3026A8	10/28/16	10/28/17	ND	NEG	0.385
VERVE	3026A9	10/28/16	10/28/17	ND	NEG	0.396

VERVE	3026A10	10/28/16	10/28/17	ND	NEG	0.445
VERVE	3026A11	10/28/16	10/28/17	ND	NEG	0.436
VERVE	3026A12	10/28/16	10/28/17	ND	NEG	0.41
ZEAL	3056A1	10/31/16	10/31/17	ND	NEG	0.327
ZEAL	3056A2	10/31/16	10/31/17	ND	NEG	0.308
ZEAL	3056A3	10/31/16	10/31/17	ND	NEG	0.348
ZEAL	3056A4	10/31/16	10/31/17	ND	NEG	0.334
ZEAL	3056A5	10/31/16	10/31/17	ND	NEG	0.34
ZEAL	3056A6	10/31/16	10/31/17	ND	NEG	0.342



Quality Control Approval

November 2016

Test	Test Method Reference
E. Coli	Petri Plates 3M
Salmonella	SDIX RapidCheck Salmonella
Water Activity	AOAC 978.18

Recipe	Lot No.	Made On Date	Best By Date	E.Coli Test Result	Salmonella Test Result	Water Activity Test Result
LOVE	3266A1	11/21/16	11/21/17	ND	Negative	0.321
LOVE	3266A2	11/21/16	11/21/17	ND	Negative	0.358
LOVE	3266A3	11/21/16	11/21/17	ND	Negative	0.314
LOVE	3266A4	11/21/16	11/21/17	ND	Negative	0.329
LOVE	3266A5	11/21/16	11/21/17	ND	Negative	0.299
LOVE	3266A6	11/21/16	11/21/17	ND	Negative	0.305
LOVE	3266A7	11/21/16	11/21/17	ND	Negative	0.311
LOVE	3266A8	11/21/16	11/21/17	ND	Negative	0.268
LOVE	3266A9	11/21/16	11/21/17	ND	Negative	0.268
LOVE	3266A10	11/21/16	11/21/17	ND	Negative	0.329
REVEL	3276A1	11/22/16	11/22/17	ND	Negative	0.346
REVEL	3276A2	11/22/16	11/22/17	ND	Negative	0.333
REVEL	3276A3	11/22/16	11/22/17	ND	Negative	0.37
REVEL	3276A4	11/22/16	11/22/17	ND	Negative	0.372
REVEL	3276A5	11/22/16	11/22/17	ND	Negative	0.373
REVEL	3276A6	11/22/16	11/22/17	ND	Negative	0.379
REVEL	3276A7	11/22/16	11/22/17	ND	Negative	0.348
REVEL	3276A8	11/22/16	11/22/17	ND	Negative	0.358
REVEL	3276A9	11/22/16	11/22/17	ND	Negative	0.383
REVEL	3276A10	11/22/16	11/22/17	ND	Negative	0.355
REVEL	3276A11	11/22/16	11/22/17	ND	Negative	0.335
REVEL	3276A12	11/22/16	11/22/17	ND	Negative	0.362
PROWL	3286A1	11/23/16	11/23/17	ND	Negative	0.351
PROWL	3286A2	11/23/16	11/23/17	ND	Negative	0.334
BRAVE	3286A3	11/23/16	11/23/17	ND	Negative	0.206
BRAVE	3286A4	11/23/16	11/23/17	ND	Negative	0.208
BRAVE	3286A5	11/23/16	11/23/17	ND	Negative	0.206
BRAVE	3286A6	11/23/16	11/23/17	ND	Negative	0.209
MARVEL	3286A7	11/23/16	11/23/17	ND	Negative	0.253
MARVEL	3286A8	11/23/16	11/23/17	ND	Negative	0.237
MARVEL	3286A9	11/23/16	11/23/17	ND	Negative	0.235
FORCE	3336A1	11/28/16	11/28/17	ND	Negative	0.371
FORCE	3336A2	11/28/16	11/28/17	ND	Negative	0.405
FORCE	3336A3	11/28/16	11/28/17	ND	Negative	0.405
FORCE	3336A4	11/28/16	11/28/17	ND	Negative	0.376
FORCE	3336A5	11/28/16	11/28/17	ND	Negative	0.381
FORCE	3336A6	11/28/16	11/28/17	ND	Negative	0.37
FORCE	3336A7	11/28/16	11/28/17	ND	Negative	0.364
FORCE	3336A8	11/28/16	11/28/17	ND	Negative	0.388
FORCE	3336A9	11/28/16	11/28/17	ND	Negative	0.348
FORCE	3336A10	11/28/16	11/28/17	ND	Negative	0.321
FORCE	3336A11	11/28/16	11/28/17	ND	Negative	0.366
FORCE	3336A12	11/28/16	11/28/17	ND	Negative	0.365
FORCE	3336A13	11/28/16	11/28/17	ND	Negative	0.395
FORCE	3336A14	11/28/16	11/28/17	ND	Negative	0.368
FORCE	3336A15	11/28/16	11/28/17	ND	Negative	0.361
EMBARK	3346A1	11/29/16	11/29/17	ND	Negative	0.379
EMBARK	3346A2	11/29/16	11/29/17	ND	Negative	0.36
EMBARK	3346A3	11/29/16	11/29/17	ND	Negative	0.358
EMBARK	3346A4	11/29/16	11/29/17	ND	Negative	0.377
EMBARK	3346A5	11/29/16	11/29/17	ND	Negative	0.334
EMBARK	3346A6	11/29/16	11/29/17	ND	Negative	0.358
EMBARK	3346A7	11/29/16	11/29/17	ND	Negative	0.372
EMBARK	3346A8	11/29/16	11/29/17	ND	Negative	0.328
EMBARK	3346A9	11/29/16	11/29/17	ND	Negative	0.321
EMBARK	3346A10	11/29/16	11/29/17	ND	Negative	0.351

EMBARK	3346A11	11/29/16	11/29/17	ND	Negative	0.35
EMBARK	3346A12	11/29/16	11/29/17	ND	Negative	0.356
EMBARK	3346A13	11/29/16	11/29/17	ND	Negative	.334
EMBARK	3346A14	11/29/16	11/29/17	ND	Negative	.341
EMBARK	3346A15	11/29/16	11/29/17	ND	Negative	.323
EMBARK	3346A16	11/29/16	11/29/17	ND	Negative	0.326
EMBARK	3346A17	11/29/16	11/29/17	ND	Negative	.320
EMBARK	3346A18	11/29/16	11/29/17	ND	Negative	.330
EMBARK	3346A19	11/29/16	11/29/17	ND	Negative	.334
EMBARK	3346A20	11/29/16	11/29/17	ND	Negative	.333



Quality Control Approval

December 2016

Test	Test Method Reference
E. Coli	Petri Plates 3M
Salmonella	SDIX RapidCheck Salmonella
Water Activity	AOAC 978.18

Recipe	Lot No.	Made On Date	Best By Date	E.Coli Test Result	Salmonella Test Result	Water Activity Test Result
KEEN	3366A1	12/01/16	12/01/17	ND	Negative	.417
PREFERENCE	3406A1	12/05/16	05/05/18	ND	Negative	.389
PREFERENCE	3406A2	12/05/16	05/05/18	ND	Negative	0.41
PREFERENCE	3406A3	12/05/16	05/05/18	ND	Negative	0.415
PREFERENCE	3406A4	12/05/16	05/05/18	ND	Negative	0.387
PREFERENCE	3406A5	12/05/16	05/05/18	ND	Negative	0.419
PREFERENCE	3406A6	12/05/16	05/05/18	ND	Negative	0.407
PREFERENCE	3406A7	12/05/16	05/05/18	ND	Negative	0.432
PREFERENCE	3406A8	12/05/16	05/05/18	ND	Negative	0.409
PREFERENCE	3406A9	12/05/16	05/05/18	ND	Negative	.389
HALCYON	3416A1	12/06/16	12/06/17	ND	Negative	.323
HALCYON	3416A2	12/06/16	12/06/17	ND	Negative	.333
GRACE	3416A3	12/06/16	12/06/17	ND	Negative	.205
KINDLY	3416A4	12/06/16	05/06/18	ND	Negative	.296
KINDLY	3416A5	12/06/16	05/06/18	ND	Negative	0.284
KINDLY	3416A6	12/06/16	05/06/18	ND	Negative	0.284
KINDLY	3416A7	12/06/16	05/06/18	ND	Negative	0.289
THRIVE	3426A1	12/07/16	12/07/17	ND	Negative	0.37
THRIVE	3426A2	12/07/16	12/07/17	ND	Negative	0.362
THRIVE	3426A3	12/07/16	12/07/17	ND	Negative	0.369
THRIVE	3426A4	12/07/16	12/07/17	ND	Negative	0.391
VERVE	3426A5	12/07/16	12/07/17	ND	Negative	0.364
KEEN	3446A1	12/09/16	12/09/17	ND	Negative	0.36
KEEN	3446A2	12/09/16	12/09/17	ND	Negative	0.366
ZEAL	3436A1	12/08/16	12/08/17	ND	Negative	0.333
ZEAL	3436A2	12/08/16	12/08/17	ND	Negative	0.341
ZEAL	3436A3	12/08/16	12/08/17	ND	Negative	0.357
ZEAL	3436A4	12/08/16	12/08/17	ND	Negative	0.357
ZEAL	3436A5	12/08/16	12/08/17	ND	Negative	0.344
KEEN	3446A3	12/09/16	12/09/17	ND	Negative	0.362
KEEN	3446A4	12/09/16	12/09/17	ND	Negative	0.368
KEEN	3446A5	12/09/16	12/09/17	ND	Negative	0.373
KEEN	3446A6	12/09/16	12/09/17	ND	Negative	0.366
KEEN	3446A7	12/09/16	12/09/17	ND	Negative	0.367